

EVERSEAL MFG CO INC -- ORANGE FLAT PAINT -- 8010-00-584-3140

===== Product Identification =====

Product ID:ORANGE FLAT PAINT

MSDS Date:03/06/1987

FSC:8010

NIIN:00-584-3140

MSDS Number: BVZGL

=== Responsible Party ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Info Phone Num:201-943-4986 / FAX 201-943-1123

Emergency Phone Num:201-943-4

986

CAGE:72988

=== Contractor Identification ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

Box:City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Phone:201-943-4986

CAGE:72988

===== Composition/Information on Ingredients =====

Ingred Name:RESIN

Fraction by Wt: 12%

Other REC Limits:NONE RECOMMENDED

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 13%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9

Ingred Name:DIATAMACEOUS SILICA
 Fraction by Wt: 2%
 Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
 CAS:1317-65-3
 RTECS #:EV9580000
 Fraction by Wt: 27%
 Other REC Limits:NONE RECOMMENDED
 OSHA PEL:15 MG/M3 TDUST
 ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name:MAGNESIUM SILICATE
 Fraction by Wt: 20%
 Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL SPIRITS
 Fraction by Wt: 26%
 Other REC Limits:NONE RECOMMENDED

=====
 ===== Hazards Identification
 =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
 Health Hazards Acute and Chronic:SKIN- DRYING. EYES- IRRITATION.
 INHALATION- MAY CAUSE ANESTHESIA, CNS DEPRESSION, UPPER RESPIRATORY
 IRRITATION.
 Effects of Overexposure:SKIN- DRYING. INHALATION- HEADACHE, DIZZINESS,
 NAUSEA.
 Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
 ===== First Aid Measures =====
 =====

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE LIFTING
 EYELIDS. SKIN: FLUSH WITH WATER. REMOVE CONTAMINATED CLOTHING.
 INHALATION: REMOVE VICTIM TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL
 RESPIRATIO N AS REQUIRED. GET MEDICAL ATTENTION. INGESTION- SEEK
 MEDICAL ATTENTION.

=====
 ===== Fire Fighting Measures =====

Flash Point:105F,41C
 Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.
 Fire Fighting Procedures:FIREFIGHTERS SHOU

LD WEAR SELF-CONTAINED
BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:WATER IS NOT A SUITABLE EXTINGUISHING
MEDIUM.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR
CONTAINER. AVOID SPARKS, FIRE OR HOT METAL SURFACES. SMALL AMOUNTS
CAN BE ABSORBED ONTO AN APPROPRIATE ABSORBANT.

===== Handling and Storage =====

Handling and Storage Precautions:COMBUSTIBLE.
VAPORS MAY CAUSE FLASH
FIRE. VAPORS MAY IGNITE EXPLOSIVELY. VAPORS HARMFUL. KEEP AWAY FORM
FIRE, HEAT & OPEN FLAMES. KEEP CONTAINER CLOSED
Other Precautions:AVOID PROLONGED AND REPEATED PERSONAL CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPENDS ON CONCENTRATION ABOVE TIME WEIGHTED TLV
- CARTRIDGE OR MASK.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION IN SUFFICIENT VOLUME AND
PATTERN SO AS TO MAINTAIN EXPOSURE BELOW TLV'S

Protective Gloves:IMPERMEABLE
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:APRON, BARRIER CREAM
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING THIS
MATERIAL.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:323-390F
Vapor Density:> AIR
Spec Gravity:12.6 LB/GL
Evaporation Rate & Reference:SLOWER THAN ETHER
Appearance and Odor:ORANGE FLAT PAINT
Percent Volatiles by Volume:51,

VOL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: HEAT, SPARKS AND OPEN FLAMES.

Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF
IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (prov

ided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.