View NSN Online: https://aerobasegroup.com/nsn/8030-00-104-7747

DOW CORNING CORP -- 93-076-2 AEROSPACE SEALANT BASE -- 8030-00-104-7747

Product ID:93-076-2 AEROSPACE SEALANT BASE

MSDS Date:10/23/1992

FSC:8030

NIIN:00-104-7747

Kit Part:Y

MSDS Number: BWBYX === Responsible Party ===

Company Name: DOW CORNING CORP Address: 3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI ZIP:48640 Country:US

Info Phone Num:517-496-6000

Emerg

ency Phone Num:517-496-5900

Preparer's Name: JACK L. SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997 Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name: DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI ZIP:48611 Country:US

Phone:517-496-4388

CAGE:71984

======= Composition/Information on Ingredients ========

Ingred Name:TRIMETHYLATED SILICA

CAS:68909-20-6
Fraction by Wt: 21%
Other REC Limits:NONE RECOMMENDED
========== Hazards Identification =============
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES- DIRECT CONTACT MAY CAUSE TEMPORARY DISCOMFORT. SKIN- SEVERAL REPEATED PROLONGED EXPOSUREDS (24 TO 48 HOURS) MAY IRRITATE. INHALATION- NO INJURY IS LIKELY. INGESTION- SWALLOWING LARGE AMOUNTS MAY CA USE DIGESTIVE DISCOMFORT. Effects of Overexposure:EYES- MILD REDNESS AND DRYING (SIMILAR TO WINDBURN).
Medical Cond Aggravated by Exposure:ALLERGIC CONDITIONS.
======================================
First Aid:EYES- FLUSH WITH WATER. SKIN- WIPE OFF AND FLUSH WITH WATER. INHALATION AND INGESTION- NO FIRST AID NEEDED.
======================================
Flash Point Method:CC Flash Point:>212F,>100C Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures:WEAR A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT WHEN FIGHTING FIRES. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT.
========= Handling and Storage ======

========== Handling and Storage Precautions: STORE IN A COOL, DRY WELL-VENTILATED SPACE, SEPARATE FROM ACIDS, ALKALIS AND OXIDIZING AGENTS. PROTECT FROM PHYSICAL DAMAGE. AVOID HIGH TEMPERATURES. Other Precautions:NONE ====== Exposure Controls/Personal Protection ======== Respiratory Protection: OUTDOORS: NIOSH APPROVED RESPIRATOR FOR PAINT, ENAMEL MISTS, & ORGANIC VAPORS. RESTRICTED VENTILATION AREAS: APPROVED CHEMICAL/MECHANICAL FILTERS DESIGNED TO REMOVE A COMBINATION OF PARTICULATES & VAP OR. CONFINED AREAS: AIR LINE RESPIRATOR. Ventilation: PROVIDE LOCAL EXHAUST VENTILATION IN SUFFICIENT VOLUME AND PATTERN SO AS TO MAINTAIN EXPOSURE BELOW TLV'S. Protective Gloves: IMPERVIOUS GLOVES. Eye Protection: CHEMICAL SAFETY GLASSES. Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health **NONE**

HCC:N1 Vapor Pres: