

RED DEVIL INC -- FED SPEC GUTTER & LAP SEAL -- 8030-00-577-4740

=====
Product Identification
=====

Product ID:FED SPEC GUTTER & LAP SEAL

MSDS Date:07/27/1990

FSC:8030

NIIN:00-577-4740

MSDS Number: BWCXX

=== Responsible Party ===

Company Name:RED DEVIL INC

Address:MID AMERICA INDUSTRIAL DISTRICT

City:PRYOR

State:OK

ZIP:74361

Country:US

Info Phone Num:918-825-5744

Emergency Phone Num:918-825-5744

C

AGE:23577

=== Contractor Identification ===

Company Name:RED DEVIL, INCORPORATED

Address:ONE WEBB STREET

Box:A

City:PRYOR

State:OK

ZIP:74361

Country:US

Phone:918-825-5744

CAGE:23577

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTHA, MEDIUM ALIPHATIC

CAS:64742-88-7

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of C

arcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION OF DUST GENERATED FROM DRIED PRODUCT MAY CAUSE RESPIRATORY IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY LEAD TO DRYING, IRRITATION AND DERMATITIS.

Explanation of Carcinogenicity:THIS PRODUCT DOES NOT CONTAIN INGREDIENTS KNOWN OR SUSPECTED OF BEING CARCINOGENIC AS LISTED IN THE (NTP) ANNUAL REPORT.

Effects of Overexposure:HIGH VAPOR CONCENTRATIONS MAY PRODUCE HEADACHE, DIZZINESS AND NAUSEA, AND EYE IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION FOR IRRITATION. SKIN-WIPE MATERIAL FROM SKIN WITH CLOTH OR PAPER TOWEL, THEN WASH EXPOSED AREA WITH SOAP & WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION-MOVE VICTIM TO FRESH AIR AND TREAT WITH ARTIFICIAL RESPIRATION IF NEEDED. INGESTION-CONTACT LOCAL POISON CONTROL CENTER.

=====
===== Fire Fighting Measures =====

Flash Point:110-115F

Autoignition Temp:Autoignition Temp Text:NE

Lower Limits:NE

Upper Limits:NE

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL OR FOAM.

Fire Fighting Procedures:USE WATER SPRAY OR FOG TO COOL FIRE-EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT OR FLAMES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:DEPENDING ON EXTENT OF SPILL, WEAR PERSONAL PROTECTIVE EQUIPMENT AND REMOVE IGNITION SOURCES. WIPE UP WITH INERT ABSORBENT MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:COMBUSTIBLE. STORE IN CLOSED CONTAINER IN COOL AREA.

Other Precautions:NONE

=====
===== Exposur

e Controls/Personal Protection =====

Respiratory Protection:IF TLV IS EXCEEDED, OR FOR SYMPTOMS OF
OVEREXPOSURE, WEAR A NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS.
Ventilation:PROVIDE ADEQUATE GENERAL DILUTION VENTILATION.
Protective Gloves:NEOPRENE OR CHEMICAL RESISTANT.
Eye Protection:WEAR CHEMICAL GOGGLES PER SITUATION.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
NONE

=====

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:NE
Melt/Freeze Pt:M.P/F.P Text:NE
Decomp Temp:Decomp Text:NA
Vapor Pres:NE
Vapor Density:>1
Spec Gravity:>1.5
pH:NA
Viscosity:NE
Evaporation Rate & Reference: