View NSN Online: https://aerobasegroup.com/nsn/8030-00-470-9154

COURTAULDS AEROSPACE INC(PRODUCTS RESEACH & CHEM) -- PRO-SEAL

870,B-1/2,ACCELERATOR -- 8030-00-470-9154

Product ID:PRO-SEAL 870,B-1/2,ACCELERATOR

MSDS Date:10/21/1993

FSC:8030

NIIN:00-470-9154

Kit Part:Y

MSDS Number: BWFMK === Responsible Party ===

Company Name: COURTAULDS AEROSPACE INC(PRODUCTS RESEACH & CHEM)

Address:5430 SAN FERNANDO ROAD

Box:1800 City:GLENDAL

Ε

State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635 800-424-9300(CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: HYDROGENATED TERPHENYLS

CAS:61788-32-7 RTECS #:WZ6535000 Fraction by Wt: 30 %

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.5 PPM

ACGIH TLV:0.5 PPM; 9394

Ingred Name:1,3 DIPHENYL GUANIDINE,

CAS:102-06-7

RTECS #:MF0875000 Fraction by Wt: 200F,>93C

Extinguishing Media: WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND

FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER

FOG.

Unusual Fire/Explosion Hazard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.EXCESSIVE HEAT MAY CAUSE DECOMPOSITION PROD UCTS OF MANGANESE

DIOXIDE WHICH SUPPORT COMBUSTION.

======== Accidental Release Measures ============

Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA WITH A SUITABLE SOLVENT TO REMOVE SLIPPERINESS.

Neutralizing Agent: NOT APPLICABLE.

Handling and Storage Precautions:STORE IN A COO L,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions: FOLLOW LABEL DIRECTIONS.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NOT NEEDED IN NORMAL SERVICE.

Ventilation: USE GENERAL DILUTION VENTILATION.

Protective Gloves: SOLVENT RESISTANT

Eve Protection:SAFETY GLASSES

Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRO

Supplemental Safety and Health KEY1;T6REFER TO PNIND H.RECORD REDONE FROM NEW MSDS BY HMIS(LEVIEN);GSA RECORD WAS NOT DONE PROPERLY.
========= Physical/Chemical Properties ==========
HCC:V4
Spec Gravity:1.93 Appearance and Odor:BLACK PASTE.ODOR NOT REPORTED. Percent Volatiles by Volume:0
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES OXIDIZABLE MATERIALS. Stab
ility Condition to Avoid:HIGH HEAT. Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE,OXIDES OF NITROGEN,MANGANESE AND CHROMIUM COMPOUNDS.
======== Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.EPA CODE D007(CHROMIUM).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

DUCT.WASH HANDS AFTER USE AND BEFORE EATING.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.