

THE CLOWHITE COMPANY -- CLOWHITE INSTITUTIONAL BLEACH -- 6810-00-598-7316

=====
Product Identification
=====

Product ID:CLOWHITE INSTITUTIONAL BLEACH

MSDS Date:07/20/1994

FSC:6810

NIIN:00-598-7316

MSDS Number: BWFMP

=== Responsible Party ===

Company Name:THE CLOWHITE COMPANY

Address:75 GEORGIA PACIFIC WAY

City:HAMPTON

State:GA

ZIP:30228

Country:US

Info Phone Num:800-424-9300

Emergency Phone Num:4

04-622-4601

Preparer's Name:R BLAIR WARNER

CAGE:THECL

=== Contractor Identification ===

Company Name:JEM SALES INC INCHEMCO DIV

Address:430 LAVENDER DR

Box:City:ROME

State:GA

ZIP:30165-2262

Country:US

Phone:706-232-1709

CAGE:0AZD7

Company Name:THE CLOWHITE COMPANY

Address:75 GA PACIFIC WAY

Box:City:HAMPTON

State:GA

ZIP:30228

Country:US

Phone:770-946-4216

CAGE:THECL

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM HYPOCHLORITE (SARA III)

CAS:7681-52-9

R

TECS #:NH3486300
Fraction by Wt: 5.4-5.9%
Other REC Limits:NONE RECOMMENDED
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: CONTACT WITH LIQUID OR VAPORS MAY
PRODUCE MODERATE TO SEVERE IRRITATION. INGESTION: MAY CAUSE BURNING
SENSATION & CORROSION OF MUCOUS MEMBRANES, VOMITING. SKIN: MAY
RESULT IN BLISTERING AND IRRITATION. INHALATION:
N: VAPORS MAY CAUSE
BRONCHIAL IRRITATION, COUGHING & PULMONARY EDEMA.
Medical Cond Aggravated by Exposure:NONE KNOWN

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH THOROUGHLY WITH RUNNING WATER FOR AT LEAST 15
MINUTES. SKIN: RINSE THOROUGHLY WITH RUNNING WATER. INHALATION: IF
EFFECTS OCCUR, REMOVE VICTIM TO FRESH AIR. IN ALL INSTANCES GET
PROMPT MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:N/R 12.2
Extinguishing Media:USE WATER IN FLOODING QUANTITIES
Fire Fighting Procedures:USE NIOSH APPROVED SELF-CONTAINED BREATHING
APPARATUS FOR CHLORINE GAS VAPORS.
Unusual Fire/Explosion Hazard:BLEACH DECOMPOSES WHEN HEATED TO HIGH
TEMPERATURES WHICH MAY RUPTURE CONTAINER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER TO SEWER IN ACCORDANCE WITH
FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.
Neutralizing Agent:FLOOD WITH WATER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DARK PLACE AWAY FROM
HEAT & LIGHT. STORE BELOW 90F.
Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AVOID INHALATION, WEAR NIOSH RESPIRATOR.
Ventilation:LOCAL EXHAUST IS SUFFICIENT.
Protective Gloves:AVOID PROLONGED CONTACT,WEAR RUBBER GLOVE
Eye Protection:SPLASH PROOF, CHEM RESISTANT

SISTANT GOGGLES

Other Protective Equipment:COVER ARMS AND LEGS IF BEING HEAVILY USED.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt:B.P. Text:217F,103C

Melt/Freeze Pt:M.P/F.P Text: