

HANOVER PROCESSING CO INC DIV OF ROYAL LUBRICANTS -- ROYCO 498 -- 9150-01-306-9202

=====  
Product Identification  
=====

Product ID:ROYCO 498

MSDS Date:02/23/1989

FSC:9150

NIIN:01-306-9202

MSDS Number: BWFQD

=== Responsible Party ===

Company Name:HANOVER PROCESSING CO INC DIV OF ROYAL LUBRICANTS

Address:RIVER RD AND MERRY LN

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Info Phone Num:201-887-7410

/ FAX 201-887-8404

Emergency Phone Num:201-887-7410

Preparer's Name:PRODUCT SAFETY

CAGE:3P444

=== Contractor Identification ===

Company Name:HANOVER PROCESSING CO INC DIV OF ROYAL LUBRICANTS

Address:RIVER RD AND MERRY LN

Box:City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:201-887-7410

CAGE:3P444

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE:0T5C6

=====  
Composition/Information on Ingredients  
=====

====

Ingred Name:RESIDUAL OILS, HYDROTREATED

CAS:64742-57-0

Fraction by Wt: 70-80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:UNGANOPHILIC CLAY

CAS:60333-52-0

Fraction by Wt: 10-15%

Other REC Limits:NONE RECOMMENDED

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

Fraction by Wt: 3-6%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:BARIUM DINONYLNAPHTALNE SULFONATE

CAS:25619-56-1

RT

ECS #:QM4450000

Fraction by Wt: 210C

Extinguishing Media:USE WATER FOG, DRY CHEMICAL OR CARBON DIOXIDE. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER; PRODUCT WILL FLOAT AND CAN BE RE-IGNITE ON SURFACE OF WATER.

===== Accidental Release Measures =====

=====

Spill Release Procedures:SCOOP UP EXCESS GREASE. CLEAN AREA WITH APPROPRIATE CLEANER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

Other Precautions:MINIMIZE SKIN CONTACT, WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING, OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. DE

STROY CONTAMINATED  
LEATHER GOODS TO PREVENT REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT ORDINARILY REQUIRED.  
Ventilation:NONE SPECIFIED BY MANUFACTURER.  
Protective Gloves:USE OIL RESISTANT GLOVES.  
Eye Protection:EYE PROTECTION;HIGH PRESSURE APPLICATION  
Other Protective Equipment:CLOTHING AS NEEDED TO MINIMIZE SKIN CONTACT.  
Work Hygienic Practices:DO NOT WEAR CONTAMINATED CLOTHING. LAUNDRER  
CONTAMINATED CLOTHING BEFORE REUSE OR D  
ISCARD.  
Supplemental Safety and Health  
NOTE TO PHYSICIAN: EMESIS INDUCTION IS UNNECESSARY IN HIGH VISCOSITY,  
LOW VOLATILY PRODUCT, IE, MOST OILS AND GREASES.

===== Physical/Chemical Properties =====

HCC:V6  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BLACK BUTTERY GREASE, SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:AVOID HE  
AT, OPEN FLAME.  
Hazardous Decomposition Products:DEPENDENT ON COMBUSTION CONDITIONS, A  
COMPLEX MIXTURE OF AIRBORNE, SOLID, LIQUID PARTICULATES & GASES &  
CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:THIS PRODUCT CONTAINS BARIUM-DISPOSE OF AS  
REQUIRED FOR MATERIALS CONTAINING EXTRACTABLE BARIUM UNDER U.S.  
EPA-RCRA REGULATIONS - HAZARDOUS WASTE D005 UNLESS EXTRACTABLE  
BARIUM. WASTE IS LOWER THAN EP A LIMIT.

=====

=====  
Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility fo  
r the suitability of this information to their  
particular situation.