View NSN Online: https://aerobasegroup.com/nsn/7930-00-045-6912 DIAMOND CHEMICAL COMPANY, INC -- REMOVER, FLOOR POLISH -- 7930-00-045-6912 ============= Product Identification =============== Product ID:REMOVER, FLOOR POLISH MSDS Date:10/14/1994 FSC:7930 NIIN:00-045-6912 MSDS Number: BWGWX === Responsible Party === Company Name: DIAMOND CHEMICAL COMPANY, INC Address: UNION AVENUE AND DUBOIS STREET City: EAST RUTHERFORD State:NJ ZIP:07073 Country:US Info Phone Num:201-935-4300 Eme rgency Phone Num:800-525-5053 CAGE:3R223 === Contractor Identification === Company Name: DIAMOND CHEMICAL COMPANY, INC Address: UNION AVENUE AND DUBOIS STREET Box:City:EAST RUTHERFORD State:NJ ZIP:07073 Country:US Phone:201-935-4300 CAGE:3R223 Ingred Name: NON-HAZARDOUS MATERIAL (NONE AS PER 29 CFR 1910.1200)

======= Composition/Information on Ingredients ========

Other REC Limits: NONE RECOMMENDED

Ingred Name: AMONIA

Other REC Limits: NONE RECOMMENDED

====== Hazards I

| dentification ===============  |
|--|
| Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACCUTE: MAY BE IRRITATING TO SKIN AND EYES. CHRONIC: SAME AS ACUTE. Effects of Overexposure:IRRITATION OF SKIN OR EYE. Medical Cond Aggravated by Exposure:OPEN WOUNDS AND SORES.                               |
| ======================================   |
| First Aid:INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. SKIN: FLUSH WITH WATER; THEN WASH WITH SOAP AND WATER. EYE S: FLUSH WITH WATER HOLDING EYELIDS OPEN FOR 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: DRINK LARGE QUANTITIES OF WATER. DO NOTINDUCE VOMITING. CALL A PHYSICIAN.       |
| =========== Fire Fighting Measures ============  |
| Flash Point:NON-FLAMMABLE Extinguishing Media:MATERIAL IS NON-FLAMMABLE Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS TO FIGHT THE REST OF THE FIRE. Unusual Fire/Explosion Hazard:TOXIC GASES MAY BE EMITTED UNDER FIRE CONDITION S, SELF CONTAINED RESPIRATOR MAY BE REQUIRED. |
|  |
| ========= Accidental Release Measures ==========   |
| ======================================   |
| Spill Release Procedures:SPILLED MATERIAL SHOULD BE MOPPED UP OR VACUUMED UP. AREA WASHED WITH WATER.  |
| Spill Release Procedures:SPILLED MATERIAL SHOULD BE MOPPED UP OR VACUUMED UP. AREA WASHED WITH WATER. Neutralizing Agent:MILD ACID SUCH AS CITRIC.  ===================================  |
| Spill Release Procedures:SPILLED MATERIAL SHOULD BE MOPPED UP OR VACUUMED UP. AREA WASHED WITH WATER. Neutralizing Agent:MILD ACID SUCH AS CITRIC.  ===================================  |
| Spill Release Procedures:SPILLED MATERIAL SHOULD BE MOPPED UP OR VACUUMED UP. AREA WASHED WITH WATER. Neutralizing Agent:MILD ACID SUCH AS CITRIC.  ===================================  |
| Spill Release Procedures:SPILLED MATERIAL SHOULD BE MOPPED UP OR VACUUMED UP. AREA WASHED WITH WATER.  Neutralizing Agent:MILD ACID SUCH AS CITRIC.  ===================================   |

========

======= Disposal Considerations ===========

Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, STATE, OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liabil

ity for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.