

THE SPRAY-CURE CO -- 00620 ANTISEIZE LUBE ISD1 -- 8030-00-155-6444  
===== Product Identification =====

Product ID:00620 ANTISEIZE LUBE ISD1

MSDS Date:02/01/1992

FSC:8030

NIIN:00-155-6444

MSDS Number: BWGXJ

=== Responsible Party ===

Company Name:THE SPRAY-CURE CO

Address:300 EDWARDS STREET

City:MADISON

State:OH

ZIP:44057

Country:US

Info Phone Num:216-428-2105

Emergency Phone Num:216-428-2105

CAGE:G

O211

=== Contractor Identification ===

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

Company Name:SPRAYON PRODUCTS, DIV OF THE SHERWIN WILLIAMS CO.

Address:6830 COCHRAN ROAD

Box:City:SOLON

State:OH

ZIP:44139

Country:US

Phone:216-292-7400

CAGE:SPRAY

Company Name:THE SPRAY-CURE CO

Address:300 EDWARDS ST

City:MADISON

State:OH

ZIP:44057

Country:US

Phone:216-428-210

5  
CAGE:GO211

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)  
CAS:71-55-6  
RTECS #:KJ2975000  
Fraction by Wt: 58%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:350 PPM  
ACGIH TLV:350 PPM/450STEL;9394  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS  
Ozone Depleting Chemical:1

Ingred Name:DISTILLATES, HYDROTREATED HEAVY PARAFFINIC  
CAS:64742-54-7  
RTECS #:PY8035500  
Fraction by Wt: 11%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL  
L:300 PPM  
ACGIH TLV:300 PPM

Ingred Name:CARBON DIOXIDE  
CAS:124-38-9  
RTECS #:FF6400000  
Fraction by Wt: 3%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5000 PPM  
ACGIH TLV:5000PPM/30000STEL;94

Ingred Name:COPPER (SARA III)  
CAS:7440-50-8  
RTECS #:GL5325000  
Fraction by Wt: 2%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.1MG/M3 FUME/1 DUST  
ACGIH TLV:0.2 MG/M3 FUME; 9394  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:GRAPHITE (NATURAL)  
CAS:7782-42-5  
RTECS #:MD9659600  
Fraction by Wt: 5%  
Other RE

C Limits:NONE RECOMMENDED  
OSHA PEL:15 MPPCF; Z-3  
ACGIH TLV:2 MG/M3 RDUST; 9394

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EXPOSURE MAY CAUSE EYE, SKIN &  
RESPIRATORY TRACT IRRITATION; MAY CAUSE CNS DEPRESSION. EXTREME  
OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS & POSSIBLY DEATH.  
CHRONIC: PROLONGED EXPOSURE TO  
SOLVENT INGREDIENTS MAY CAUSE  
ADVERSE EFFECTS TO LIVER, URINARY, BLOOD-FORMING, CARDIOVASCULAR, &  
REPRODUCTIVE SYSTEMS.  
Explanation of Carcinogenicity:TETRACHLOROETHYLENE IS LISTED BY NTP AS  
AN ANIMAL CARCINOGEN (LAB TESTS) BUT NOT IARC OR OSHA; NO OTHERS  
ARE LISTED.  
Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, NAUSEA, LOSS  
OF COORDINATION. SKIN/EYE CONTACT: REDNESS, BURNING, ITCHING OR  
BURNING SENSATION, TEARING (EYE CONTACT). NONE GIVEN FOR INGESTION.  
Medica  
I Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED.

===== First Aid Measures =====

First Aid:INHALATION-REMOVE TO FRESH AIR. RESTORE BREATHING. GET  
MEDICAL ATTENTION. EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES.  
GET MEDICAL ATTENTION. SKIN-WASH WITH SOAP & WATER. REMOVE  
CONTAMINATED CLOTHING . INGESTION-DO NOT INDUCE VOMITING. NOTHING  
BY MOUTH IF UNCONSCIOUS. IF CONSCIOUS, GIVE SEVERAL GLASSES OF  
WATER. GET MEDICAL ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:>200F,>93C  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR FULL PROTECTIVE  
CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREATHING  
APPARATUS. USE WATER TO COOL FIRE EXPOSED CONTAINERS.  
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE (DUE TO  
PRESSURE BUILD-UP) WHEN EXPOSED TO EXTREME HEAT.

=====

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. VENTILATE & REMOVE WITH INERT ABSORBENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT PUNCTURE, INCINERATE, OR EXPOSE TO TEMPERATURES ABOVE 120F OR DIRECT SUNLIGHT. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:THIS COATIN

G MAY CONTAIN MATERIALS CLASSIFIED AS

NUISANCE PARTICLES WHICH MAY BE PRESENT AT HAZARDOUS LEVELS ONLY DURING SANDING OR ABRADING OPERATIONS. IF NO SPECIFIC DUSTS ARE LISTED; NUISANCE DUST LEVELS ARE-PEL/15 MG/M3, TLV/10 MG/M3.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA, AS REQUIRED. USE I

AW 29 CFR 1910.134 AND

MANUFACTURER'S RECO MMENDATIONS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST (PREFERRED) TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:NITRILE

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

===== Physical/

Chemical Properties =====

HCC:V2

Boiling Pt:B.P. Text:>176F,>80C

Vapor Density:>1

Evaporation Rate & Reference:>1 (ETHER=1)

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume:>25

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:BY FIRE- CARBON MONOXIDE AND CARBON DIOXIDE, OXIDE

S OF METAL INGREDIENTS.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE FROM THIS PRODUCT IS NOT CONSIDERED A HAZARDOUS WASTE UNDER RCRA (40 CFR 261). DO NOT INCINERATE. DEPRESSURIZE CONTAINER. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements

of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.