

RICHARD-ALLAN MEDICAL INDUSTRIES INC -- CLEAR-RITE 3 -- 6550-01-335-8993

=====  
Product Identification  
=====

Product ID: CLEAR-RITE 3

MSDS Date: 09/01/1991

FSC: 6550

NIIN: 01-335-8993

MSDS Number: BWHJL

=== Responsible Party ===

Company Name: RICHARD-ALLAN MEDICAL INDUSTRIES INC

Address: 8850 M-89 HWY

Box: 351

City: RICHLAND

State: MI

ZIP: 49083-9580

Country: US

Info Phone Num: 616-629-5811

Emergency Phone Nu

m: 616-629-5811

Preparer's Name: KATHERINE R JOSEPH

CAGE: 51883

=== Contractor Identification ===

Company Name: RICHARD-ALLAN MEDICAL INDUSTRIES

Box: 351

City: RICHLAND

State: MI

ZIP: 49083

Country: US

Phone: 616-385-4466

CAGE: 51883

=====  
Composition/Information on Ingredients  
=====

Ingred Name: ISOPARAFINIC ALIPHATIC HYDROCARBONS

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation: YES Skin: NO Ingestion: YES

Reports of Carcinogenicity: NTP:

NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: MODERATE IRRITATION, DERMATITIS.  
EYES: IRRITATION. MINUTE AMOUNTS ASPIRATED INTO THE LUNGS DURING  
INGESTION/VOMITING MAY CAUSE MILD TO SEVERE PULMONARY INJURY &  
POSSIBLE DEATH. INHALATION: RESPI RATORY TRACT IRRITATION, CNS  
EFFECTS, DEATH.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, DEFATTING, HEADACHES, DIZZINESS,  
ANESTHESIA, DROWSINESS, UNCONSCIOUSNESS.

=====  
First A  
id Measures =====

First Aid:SKIN: WASH W/SOAP/MILD DETERGENT & LARGE AMOUNTS OF WATER FOR  
15-20 MINS. EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR 15 MINS.  
INHALATION: REMOVE TO FRESH AIR IMMEDIATELY. GIVE CPR/OXYGEN IF  
NEEDED. KEEP WARM & AT REST. INGESTION: DON'T INDUCE VOMITING.  
OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====  
Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:74F

Lower Limits:0.8

Upper Limits:

7

Extinguishing Media:USE DRY CHEMICAL, FOAM/CO2.

Fire Fighting Procedures:USE SUPPLIED AIR BREATHING EQUIPMENT. WATER  
MAY BE INEFFECTIVE BUT SHOULD BE USED TO COOL VAPORS/PROTECT PEOPLE  
& FLUSH SPILLS.

Unusual Fire/Explosion Hazard:VAPORS ARE > THAN AIR AND MAY TRAVEL  
ALONG GROUND /MAY BE MOVED BY VENTILATION & IGNITED BY IGNITION  
SOURCES.DISTANT FROM HANDLING POINT.AUTOIGNITION TEMP.>560F

=====  
Handling and Storage =====

Handling and Storage

Precautions:KEEP CONTAINER CLOSED & AWAY FROM HEAT  
& OPEN FLAME. STORE AT ROOM TEMP: 15-30C (59-86F).

Other Precautions:SPILL EMERGENCIES: LEAVE AREA QUICKLY UNLESS YOU HAVE  
SPECIFIC EMERGENCY DUTIES. DON'T TOUCH MATERIAL. DENY/ISOLATE AREA  
EXCEPT FOR NECESSARY PERSON PROTECTED BY SUITABLE PROTECTIVE  
CLOTHING & RESPIRATORS ADEQUATE FOR EXPOSURE. (SEE SUPP)

=====  
Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR

Ventilation:GENERAL MECHANICAL/FUME HOOD.

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:CHEMICAL SPLASH GOGGLES

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES  
BEFORE REUSE.

Supplemental Safety and Health

SPILL PROCEDURES CONT'D: REMAINING LIQUID MAY BE TAKEN UP ON  
SAND/CLAY/EARTH/FLOOR ABSORBENT/OTHER & SHOVELED INTO CONTAINERS.  
BOILING POINT: 240.8-348.8F.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:(SEE S  
UPP)

Vapor Pres: