View NSN Online: https://aerobasegroup.com/nsn/4210-00-165-4703 INDUSTRIAL DE FOSFATOS (DIVISION DEL GOLFO) -- PYRO CHEM ABC MULTIPURPOSE 4210-00-165-4703 Product ID: PYRO CHEM ABC MULTIPURPOSE MSDS Date:01/28/1993 FSC:4210 NIIN:00-165-4703 MSDS Number: BWKVD === Responsible Party === Company Name: INDUSTRIAL DE FOSFATOS (DIVISION DEL GOLFO) Address:3308 NORTE City:VICTORIA ZIP:87620 Country:MX Info Phone Num:131-6-1690 Eme rgency Phone Num:131-6-1690 CAGE:INDDE === Contractor Identification === Company Name: INDUSTRIAL DE FOSFATOS (DIVISION DEL GOL Address:3308 NORTE Box:City:VICTORIA ZIP:87620 Phone:800-424-9300 (CHEMTREC CAGE:INDDE Ingred Name: AMMONIUM PHOSPHATE (MONOBASIC), AMMONIUM DIHYDROGEN PHOSPHATE CAS:7722-76-1 Fraction by Wt: 55-90% Ingred Name: AMMONIUM SULFATE (2:1), DIAMMONIUM SULFATE; SULFURIC ACID, DIAMMONIUM SALT CAS:7783-20-2 RTECS #:BS4500000 Fraction by Wt: 2-37% Ingred Name:SILICA, MICA, MUSCOVITE CAS:12001-26-2 RTECS #:VV8760000 Fraction by Wt: 1-3%

ACGIH TLV:3 MG/CUM

Ingred Name:MAGNESIUM ALUMINUM SILICATE *94-4* CAS:8031-18-3 Fraction by Wt: 1-3% ACGIH TLV:10 MG/CUM

Ingred Name:SILICON DIOXIDE, CELITE 322 CAS:7631-86-9 RTECS #:VV3100000 Fraction by Wt: 0.5-2.5% OSHA PEL:80 MG/CUM POLYMER CAS:68037-59-2 Fraction by Wt: 0.3-1%

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: IRRITATION OF NOSE & THROAT. EYES: IRRITATION. SKIN: SLIGHT IRRITATION. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, COUGHING, CHEST DISCOMFORT. Medical Cond Aggravated by Exposure:RESPIRATORY DISEA SE, ASTHMA & EMPHYSEMA.

First Aid:EYES: FLUSH THOROUGHLY W/WATER FOR 15 MINS. SKIN: WASH CONTACT AREAS W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. INGESTION: IF >1 PINT, GIVE 1-2 GLASSES OF WATER. DON'T INDUCE VOMITING/GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTES TO PHYSICIAN: SYMPTOMATIC TREATMENT ONLY.

======= F

Flash Point:NON-FLAMMABLE

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS. PREVENT RUNOFF FROM FIRE CONTROL/DILUTION FROM ENTERING STREAM/DRINKING WATER SUPPLY. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT & FULL FACEPIECE/HALF MASK AIR PURIFYING CARTRIDGE RESPIRATOR W/PARTICULATE FILTERS. WEAR CHEMICAL GOGGL ES IF HALF MASK IS WORN. SMALL: SWEEP UP & DISPOSE OF IN DOT APPROVED WASTE CONTAINERS. (SEE SUPP)

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED PLACE AWAY FROM ALKALINE MATERIALS. KEEP BAGS/FIBER DRUMS DRY AT ALL TIMES.

Other Precautions:DON'T GET IN EYES/SKIN/ON CLOTHING. DON'T CUT/GRIND/WELD/DRILL ON/NEAR PRODUCT CONTAINERS. EMPTY CONTAINERS MAY RETAIN PRODUCT RESIDUE & VAPO RS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: WEAR NIOSH/MSHA APPROVED DUST RESPIRATOR FOR DUSTY CONDITIONS/IF DUST LEVELS EXCEED ESTABLISHED STANDARDS. Ventilation: ADEQUATE. Protective Gloves: RUBBER. Eve Protection: CHEMICAL GOGGLES. Other Protective Equipment: RUBBER BOOTS & APRON. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health SPILLS CONT'D: LARGE: SHOVEL INTO DOT APPROVED WASTE CONTAINERS. KEEP 0 UT OF SEWERS, STORM DRAINS, SURFACE WATERS & SOIL. PER SPEC AA-393A, A PROPELLANT WILL BE USED TO EXPEL THE EXTINGUISHING AGENT (DRY CHEMICALS). HCC:G3 Solubility in Water:SLIGHT Appearance and Odor: FINE YELLOW POWDER W/NO ODOR. Stability Indicator/Materials to Avoid:YES ALKALINE MATERIALS. Stability Condition to Avoid: EXTREME HEAT. Hazardous Decom position Products: AMMONIA, PHOSPHORUS OXIDES. Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL **REGULATIONS. EMPTY CONTAINERS CAN HAVE RESIDUES, GASES & MISTS &**

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

ARE SUBJECT TO PROPER WASTE DISPOSAL.

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.