

OIL SPILL EATER INTL -- OIL SPILL EATER II, OSE II -- 6850-01-399-1384

===== Product Identification =====

Product ID: OIL SPILL EATER II, OSE II

MSDS Date: 01/23/1991

FSC: 6850

NIIN: 01-399-1384

MSDS Number: BWMMR

=== Responsible Party ===

Company Name: OIL SPILL EATER INTL

Address: 5545 HARVEST HILL SUITE 1116

City: DALLAS

State: TX

ZIP: 75230

Country: US

Info Phone Num: 214-239-8663

Emergency Phone Num: 214-

239-8663

CAGE: 0T391

=== Contractor Identification ===

Company Name: OIL SPILL EATER INTL

Address: 13127 CHANDLER DRIVE

Box: City: DALLAS

State: TX

ZIP: 75243

Country: US

Phone: 972-669-3390

CAGE: 0T391

===== Composition/Information on Ingredients =====

Ingred Name: NON-HAZARDOUS INGREDIENTS SUCH AS: WATER, NITROGEN,
MOLASSES, NON IONIC SURFACTANT, SUGAR, PROTEASE, P, YEAST,
AMYLASE..

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

===== Hazards Identifi

cation =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE AND CHRONIC-NONE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN.

SKIN:FLUSH WITH WATER. ORAL/INHALATION:NO NEED FOR FIRST AID.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:200F,93C

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:PREVENT SKIN AND EYE CONTACT. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER OR ABSORB SPILLS WITH INERT MATERIAL SUCH AS SAND OR ERATH.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURES. DO NOT STORE WHERE TEMPERATURE EXCEEDS 120F. SHELF LIFE 5 YEARS.

Other Precautions:KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTER

NALLY.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.
Ventilation:NOT REQUIRED.
Protective Gloves:NONE
Eye Protection:NOT REQUIRED.
Other Protective Equipment:NONE
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:N1
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:B.P. Text:214F,101C
Melt/F
reeze Pt:M.P/F.P Text:0F,-18C
Vapor Density:1.1
Spec Gravity:1.05
Solubility in Water:100%
Appearance and Odor:AMBER LIQUID, FERMENT ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG BASES (PH OVER 11.7)
Stability Condition to Avoid:ACIDIC CONDITION (PH BELOW 3.5),
TEMPERATURES ABOVE 120F
Hazardous Decomposition Products:CARBON DIOXIDE

=====
===== Disposal Considerations =====

Waste Disposa
I Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
ass

ume responsibility for the suitability of this information to their particular situation.