

HOBART BROS CO, MCKAY WELDING PRODUCTS DIV -- STAINLESS STEEL AC-DC COVERED  
ELECTRODES,25-20 TY 310 AC-DC -- 3439-00-878-2145

===== Product Identification =====

Product ID:STAINLESS STEEL AC-DC COVERED ELECTRODES,25-20 TY 310 AC-DC

MSDS Date:01/01/1994

FSC:3439

NIIN:00-878-2145

MSDS Number: BWMQL

=== Responsible Party ===

Company Name:HOBART BROS CO, MCKAY WELDING PRODUCTS DIV

Address:400/101 TRA

DE SQUARE EAST

City:TROY

State:OH

ZIP:45373

Country:US

Info Phone Num:513-332-5706/4000

Emergency Phone Num:513-332-4000

CAGE:MO138

=== Contractor Identification ===

Company Name:HOBART BROS CO MCKAY WELDING PRODUCTS DIV

Address:400 TRADE SQ E

Box:City:TROY

State:OH

ZIP:45373-2900

Country:US

Phone:513-332-5706

CAGE:76254

Company Name:HOBART BROS CO, MCKAY WELDING PRODUCTS DIV

Address:400/101 TRADE SQUARE EAST

Box:City:TROY

State:OH

ZIP:45373

Country:US

Phone:513-332-5706/4000

CAGE:MO138

Company

Name:NAS PENS COMPTROLLER  
CAGE:NASPE

=====  
Composition/Information on Ingredients  
=====

Ingred Name:IRON  
CAS:7439-89-6  
RTECS #:NO4565500  
Fraction by Wt: 20 - 70%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3 (TDUST)  
ACGIH TLV:5 MG/M3 (OXIDE FUME)

Ingred Name:CHROMIUM (SARA 313) (CERCLA)  
CAS:7440-47-3  
RTECS #:GB4200000  
Fraction by Wt: 10 - 25%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1 MG/M3  
ACGIH TLV:0.5 MG/M3; 9495  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:NIC  
KEL (SARA 313) (CERCLA)  
CAS:7440-02-0  
RTECS #:QR5950000  
Fraction by Wt: 0 - 30%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9495

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)  
CAS:1317-65-3  
RTECS #:EV9580000  
Fraction by Wt: 2 - 8%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:CALCIUM FLUORIDE (AS F)/FLUORSPAR  
CAS:7789-75-5  
RTECS #:EW1760000  
Fraction by Wt: 1 - 10%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:2.5

MG/M3 AS F  
ACGIH TLV:2.5 MG/M3 AS F

Ingred Name:MANGANESE (SARA 313)  
CAS:7439-96-5  
RTECS #:OO9275000  
Fraction by Wt: 1 - 10%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:C 5 MG/M3 DUST  
ACGIH TLV:5 MG/M3 DUST 9495

Ingred Name:SILICA, CRYSTALLINE - QUARTZ  
CAS:14808-60-7  
RTECS #:VV7330000  
Fraction by Wt: 1 - 8%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:SEE TABLE Z-3  
ACGIH TLV:0.1 MG/M3 RDUST;9495

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
Fraction by Wt: 1 - 17%  
Other REC Limi  
ts:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:SILICON  
CAS:7440-21-3  
RTECS #:VW0400000  
Fraction by Wt: