

WEKSLER INSTRUMENTS CORP -- CREOSOTE OIL,329 S -- 6685-00-243-9965

=====
Product Identification
=====

Product ID:CREOSOTE OIL,329 S

MSDS Date:11/22/1985

FSC:6685

NIIN:00-243-9965

MSDS Number: BWNJZ

=== Responsible Party ===

Company Name:WEKSLER INSTRUMENTS CORP

Address:80 MILL ROAD

City:FREEPORT

State:NY

ZIP:11520

Country:US

Info Phone Num:516-623-0100

Emergency Phone Num:516-623-0100

CAGE:64467

=== Contractor Identification ===

Company Name:WEKSLERIGLASS THERMOMETER CORP

Address:80 MILL ROAD

Box:City:FREEPORT

State:NY

ZIP:11520

Country:US

Phone:516-623-0100

CAGE:64467

=====
Composition/Information on Ingredients
=====

Ingred Name:CREOSOTE (SARA 313) (CERCLA)

CAS:8001-58-9

RTECS #:GF8615000

Fraction by Wt: 95- 100%

Other REC Limits:NONE RECOMMENDED

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:INERT INGREDIENTS (NON-HAZARDOUS)

Fraction by Wt: 0 - 5%

Other REC Limits

:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:TLV IS 0.2 MG/M3.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS. ACUTE- EYES:IRRITATION. SKIN:CAN CAUSES SEVERE IRRITATION & IN SUNLIGHT MAY CAUSE PHOTOTOXIC BURNS.

INHALE:OVEREXPOSURE TO HIGH CONCENTRATIONS OF VAP OR MAY CAUSE

I

RRITATION, CNS EFFECTS & POSSIBLE CARDIOVASCULAR COOLAPSE. ORAL:GI IRRITATION & PAIN. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:CONTAINS CREOSOTE.

Effects of Overexposure:EYES, RESPIRATORY AND GASTROINTESTINAL TRACTS IRRITATION, SEVERE SKIN IRRITATION AND BURNS, NAUSEA, VOMITING, ABDOMINAL PAIN, HEADACHE, DIZZINESS, CARDIOVASCULAR COLLAPSE

Medical Cond Aggravated by Exposure:PERSONNEL WITH PRE-EXISTING SKIN DISORDERS SHOULD AVOID CONTACT WITH THIS PRODUCT.

=====

=====
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:REMOVE CONTAMINATED CLOTHING. WIPE MAT ERIAL FROM SKIN. WASH SKIN WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK 1 TO 2 GLASSES OF MILK. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

F

lash Point Method:TCC

Flash Point:200F,93C

Extinguishing Media:CARBON DIOXIDE, WATER SPRAY, FOAM/DRY CHEMICAL. WATER/FOAM MAY CAUSE FROTHING & CAN BE DANGEROUS IF SPRAYED INTO HOT OIL

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY. TOXIC VAPORS MAY BE PRESENT.

Unusual Fire/Explosion Hazard:VAPORS/DECOMPOSITION PRODUCTS MAY BE RELEASED FORMING FLAMMABLE/EXPLOSIVE MIXTURES IN

AIR. CLOSED
CONTAINERS MAY EXPLODE WHEN EXPOSED TO FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:PREVENT SKIN AND EYE CONTACT. STOP LEAK IF POSSIBLE. ABSORB SPILLS WITH INERT MATERIAL SUCH AS SAND/VERMICULITE. SCRAPE SPILL UP INTO CONTAINERS. CLEAN SPILL AREA AFTER PICK UP IS COMPLETE.
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, VENTILATED & SHADED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM PHYSICAL DAMAGE.
Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY. NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF WORKING IN A CONFINED AREA OR IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS BELOW TLV, USE NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR SELF-CONTAINED BREATHING APPARATUS.
Ventilation:LOCAL EXHAUST IS RECOMMENDED FOR CONFINED AREAS. GENERAL MECHANICAL VENTILATION IS ADEQUATE FOR NORMAL USE.
Protective Gloves:RUBBER TO PREVENT CONTACT
Eye Protection:SAFETY GLASSES WITH SIDE SHIELD
Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.
Supplemental Safety and Health
NOTE TO PHYSICIAN: DUE TO THE POSSIBILITY OF SENSITIZATION OF THE MYOCARDIUM FOLLOWING EXTREME ACUTE OVEREXPOSURES, AN ELECTRICAL DEFIBRILLATOR SHOULD BE MAINTAINED NEAR THE PATIENT.

===== Physical/Chemical Properties =====

HCC:T6
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:B.P. Text:>355F,>179C
Vapor Pres:1 @ 86F
Vapor Density:1
Spec Gravity:1.050 MIN
Evaporation Rate & Reference: