

COURTAULDS AEROSPACE -- SD POLY #36118 GUNSHIP GRAY, P/C 822X339 -- 8010-01-100-9094

=====  
Product Identification  
=====

Product ID:SD POLY #36118 GUNSHIP GRAY, P/C 822X339

MSDS Date:08/06/1992

FSC:8010

NIIN:01-100-9094

Kit Part:Y

MSDS Number: BWNNH

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE

Address:1608 4TH ST

City:BERKELEY

State:CA

ZIP:94710

Country:US

Info Phone Num:818-549-782

3

Emergency Phone Num:800-228-5635/800-424-9300 CHEMTREC

CAGE:83574

=== Contractor Identification ===

Company Name:DESOTO INC PACIFIC PLANT IS COURTLANDTS AEROSPACE

Address:1608 4TH ST

Box:City:BERKELEY

State:CA

ZIP:94710

Country:US

Phone:800-228-5635 /800-424-9300 CHEMTREC

CAGE:85570

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
Composition/Infor

mation on Ingredients =====

Ingred Name:POLYESTER RESIN (VAPOR PRESSURE 0 MM HG)

CAS:68797-54-6

Fraction by Wt: 15%

Other REC Limits:NONE RECOMMENDED

Ingred Name:METHYL ISOBUTYL KETONE (SARA 313) (CERCLA) (VAPOR PRESSURE  
15 MM HG)

CAS:108-10-1

RTECS #:SA9275000

Fraction by Wt: 5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 PPM; STEL 75 PPM

ACGIH TLV:50 PPM; STEL 75 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:BUTYL ACETATE (CERCLA) (VAPOR PRESSURE 8.4 MM HG)

CAS:1

23-86-4

RTECS #:AF7350000

Fraction by Wt: 15%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:150 PPM;STEL 200 PPM

ACGIH TLV:150 PPM;STEL 200 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:PM ACETATE (PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE)  
(VAPOR PRESSURE 3.7 MM HG)

CAS:108-65-6

RTECS #:AI8925000

Fraction by Wt: 10%

Other REC Limits:MFR: 100 TLV

Ingred Name:NON-HAZARDOUS ADDITIVES, RESIN AND PIGMENTS (VAPOR PRESSURE  
0 MM HG)

Fraction by Wt: 10%

Other REC Limits:NONE RECOMMEND

ED

Ingred Name: CARBON BLACK (VAPOR PRESSURE 0 MM HG) (LISTED AS REQ'D,  
FULLY ENCAPSULATED, NOT HAZARDOUS UNDER NORMAL CONDITIONS)

CAS: 1333-86-4

RTECS #: FF5800000

Fraction by Wt: