View NSN Online: https://aerobasegroup.com/nsn/6850-01-371-8039

BENCHMARK ENTERPRISES INC -- DERMAPLUS,850 -- 6850-01-371-8039

Product ID:DERMAPLUS,850 MSDS Date:01/01/1995 FSC:6850 NIIN:01-371-8039 **MSDS Number: BWPWS** === Responsible Party === Company Name: BENCHMARK ENTERPRISES INC Address:466 LAWNDALE DRIVE, SUITE D City:SALT LAKE CITY State:UT ZIP:84115 Country:US Info Phone Num:801-466-8300 Emergency Phone Num:801-466-830 0 CAGE:0SC13 === Contractor Identification === Company Name: BENCHMARK ENTERPRISES INC Address:466 LAWNDALE DRIVE, SUITE D Box:City:SALT LAKE CITY State:UT ZIP:84115 Country:US Phone:801-466-8300 CAGE:0SC13 

Ingred Name:POLYVINYLPYRROLIDINONE (INSUFFICIENT AMOUNT TO BE REPORTABLE) CAS:9003-39-8 RTECS #:TR8370000 Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHANOLAMINE (INSUFFICIENT AMOUNT TO BE REPORTABLE) CAS:102-71-

## 6 RTECS #:KL9275000 Other REC Limits:NONE RECOMMENDED

| ======================================  |
|---|
| LD50 LC50 Mixture:LD50 (ORAL RAT) IS UNKNOWN.<br>Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO<br>Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO<br>Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE AND CHRONIC-<br>NORMALLY NON-IRRITATING.<br>Explanation of Carcinogenicity:NONE<br>Effects of Overexposure:NONE<br>Medical Cond Aggravated by Exposure:NONE |
|   |
| ====== First Aid Measures ====================================  |
| First Aid:NORMALLY NON-IRRITATING. BATHE WITH WATER IF IRRITATION TO<br>EYES OCCURS. CANNOT BE INHALED UNLESS DELIBERATELY ATTEMPTED. SMALL<br>AMOUNTS COULD BE INGESTED WITHOUT UNDUE DISCOMFORT.  |
| ======================================  |
| Flash Point:NONE<br>Extinguishing Media:DRY CARBON DIOXIDE, HALON GAS<br>Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED<br>SELF-CONTAINED BREATHING APPARATUS. C<br>OOL CONTAINERS WITH WATER<br>SPRAY.   |
| Unusual Fire/Explosion Hazard:PROPELLENT VAPOR IS FLAMMABLE. CONTAINER<br>MAY EXPLODE.  |
| ======================================  |
| Spill Release Procedures:COLLECT WITH INERT ABSORBENT MATERIAL.<br>TRANSFER TO CONTAINER. FLUSH AREA WITH WATER.<br>Neutralizing Agent:NOT RELEVANT   |
| ======================================  |
| Handling and Storage Precautions:STORE BELOW 130F AND ABOVE 32F. AVOID CRUSHING.<br>Othe  |

r Precautions: KEEP OUT OF REACH OF SMALL CHILDREN.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NONE NORMALLY REQUIRED. Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:NONE NORMALLY REQUIRED. Other Protective Equipment:NONE NORMALLY REQUIRED. Work Hygienic Practices:OBSERVE NORMAL PRACTICE. Supplemental Safety and Health AEROSOL CAN IS NON-FLAMMABLE (FLAME PROJECTION TEST), PER MSDS.

HCC:V2 NRC/State Lic Num:NOT RELEVANT Boiling Pt:=100.C, 212.F Vapor Pres:6721 @130F Vapor Density:>1 Spec Gravity:0.94 Evaporation Rate & amp; Reference: