View NSN Online: https://aerobasegroup.com/nsn/6850-01-159-4844

WACKER SILICONE CORP -- RTV SILICONE RUBBER T-200 -- 6850-01-159-4844

Product ID:RTV SILICONE RUBBER T-200 MSDS Date:08/08/1990 FSC:6850 NIIN:01-159-4844 MSDS Number: BWSHJ === Responsible Party === Company Name:WACKER SILICONE CORP Address:3301 SUTTON RD City:ADRIAN State:MI ZIP:49221 Country:US Info Phone Num:517-263-5711 Emergency Phone Num:517-263-5711/CHEMT REC 800-424-9300 CAGE:00F77 === Contractor Identification === Company Name: GENERAL MOTORS CORP CHEVROLET MOTOR DIV Address:30007 VAN DYKE Box:City:WARREN State:MI ZIP:48090 Country:US CAGE:11862 Company Name: WACKER SILICONE CORP Address:3301 SUTTON RD Box:City:ADRIAN State:MI ZIP:49221 Country:US Phone:517-263-5711 CAGE:00F77

Ingred Name:SILICON FLUID CAS:63148-62-9 Other REC Limits:NONE SPECIFIED

Ingred Name:CYCLOHEXYLAMINE

(SARA III) CAS:108-91-8 RTECS #:GX0700000 Other REC Limits:NONE SPECIFIED OSHA PEL:10 PPM ACGIH TLV:10 PPM; 9192

LD50 LC50 Mixture:DERMAL LD50 IN RABBIT IS >2000 MG/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:DATA PER MGF MSDS. Effects of Overexposure:SEE HEALTH HAZARDS DATA.

\_\_\_\_\_

First Aid:EYES:FLUSH WITH WATER FOR 15 MINUTES;SEEK MEDICAL ATTENTION IF IRRITATION OCCURS.SKIN:REMOVE EXCESS WITH A WATERLESS SKIN CLEANER.WASH WITH SOAP & WATER.OBTAIN MEDICAL CARE IF IRRITATION PERSISTS.INHA LATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN IF IRRITATION OCCURS OR BREATHING BECOMES DIFFICULT.INGESTION:DUE TO PHYSICAL STATE OF THIS MATERIAL,INGESTION IS UNLIKELY TO OCCUR.

Flas

h Point:NONE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING IMPERVIOUS PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:TOXIC FUMES

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.ABSORB SPILL WITH SAND OR FULLER'S EARTH.SWEEP UP & PLACE IN AN APPROPRIATE

CHEMICAL CONTAINER.FLUSH SPILL AREA WITH WATER.

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA. KEEP CONTAINER CLOSED.DO NOT DAMAGE THE CONTAINER.
Other Precautions:WASH THOROUGHLY AFTER EACH USE. AVOID CONTACT WITH EYES AND SKIN.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: USE NIOSH/MSHA APPROVED ORGANIC VAPOR RESPIRATOR

IF ABOVE PEL/TLV.FOR HIGHER LEVEL OF PROTECTION, USE A POSITIVE-PRESSURE, AIR-SUPPLIED RESPIRATOR. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES/GOGGLES Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH FACILITIES, SAFETY SHOWER. Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST.WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

HCC:N1 Spec Gravity:1.03 Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK PASTE, AMMONIACAL ODOR Percent Volatiles by Volume:3

Stability Indicator/Materials to Avoid:YES WATER,ACIDS,ALCOHOL,STRONG ALKALIES,STRONG OXIDIZING AGENTS Stability Condition to Avoid:HIGH TEMPERATURES AND ATMOSPHERIC MOISTURE Hazardous Decomposition Products:SIO2, CO, CO2 AND VARIOUS HYDROCARBON FRAGMENTS

=====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its

use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.