

FUEL QUALITY SERVICES, INC. -- LTSA-15 -- 6850-01-167-4789

=====  
===== Product Identification =====

Product ID:LTSA-15  
MSDS Date:12/19/1990  
FSC:6850  
NIIN:01-167-4789  
MSDS Number: BWSHK  
=== Responsible Party ===  
Company Name:FUEL QUALITY SERVICES, INC.  
Address:1754 GREEN ROAD  
Box:317  
City:BUFORD  
State:GA  
ZIP:30518  
Country:US  
Info Phone Num:404-945-7139  
Emergency Phone Num:404-945-7139  
Preparer's Name:R.  
V.DAUM  
CAGE:40161  
=== Contractor Identification ===  
Company Name:FUEL QUALITY SERVICES, INC.  
Address:4584 CANTRELL ROAD  
Box:1380  
City:FLOWERY BRANCH  
State:GA  
ZIP:30542  
Country:US  
Phone:(800) 827-9790 - (770) 967-9790  
CAGE:40161

=====  
===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM SOLVENT  
CAS:8008-20-6  
RTECS #:OA5500000  
Fraction by Wt: 50 - 58%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 AS OIL MIST  
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Nam

e:TRADE SECRET COMPONENT/NJ TRADE SECRET

Fraction by Wt: 12.6-21%

Other REC Limits:NONE RECOMMENDED

Ingred Name:STYRENE MONOMER (SARA 313)

CAS:100-42-5

RTECS #:WL3675000

Fraction by Wt: 0.84%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:S,50PPM/100STEL;9596

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:N,N-DIMETHYLCYCLOHEXYLAMINE

CAS:98-94-2

RTECS #:GX1198000

Fraction by Wt: 10.5-14%

Other REC Limits:NONE RECOMMENDED

Ingred Name:N,N'DISALYCYLIDENE-1,2 PROPANE DIAMINE

C

AS:94-91-7

RTECS #:GP3130000

Fraction by Wt: 0.8-2.1%

Other REC Limits:NONE RECOMMENDED

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA 313) (CERCLA)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 0.2-.63%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM/150STEL;9596

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL BENZENE (SARA 313)

CAS:100-41-4

RTECS #:DA0700000

Fraction by Wt: 0.084%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM/125STEL;95

96

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingrid Name:3,5-XYLENOL/MIXED CRESOLS AND XYLENOLS

CAS:108-68-9

RTECS #:ZE6475000

Fraction by Wt: 200 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONSPECIFIC DISCOMFORT, SUCH AS  
NAUSEA, HEADACHE, OR WEAKNESS; OR SKIN IRRITATION WITH DISCOMFORT  
OR RASH, ABNORMAL KIDNEY AND LIVER FUNCTIONS, TEMPORARY LUNG  
IRRITATION EFFECTS WITH COUGH, DI  
SCOMFORT , DIFFICULTY BREATHING,  
OR SHORTNESS OFBREATH

Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure:SKIN BURNS OR ULCERATION. EVIDENCE SUGGESTS  
THAT KEROSENE CAN PERMEATE THE SKIN.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING  
DISEASES OF THE LIVER MAY HAVE INCREASED SUSCEPTIBILITY TO THE  
TOXICITY OF EXCESSIVE EXPOSURE,

=====  
===== First Aid Measures =====

First Aid:EYE: IMMEDIATELY FL

USH WITH PLENTY OF WATER FOR AT LEAST 15

MINUTES. CALL A PHYSICIAN. SKIN: IMMEDIATE FLUSH WITH PLENTY OF  
WATER FOR 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING. CALL A  
PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS  
DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN. INGESTION: DO NOT INDUCE  
VOMITING. IMMEDIATELY GIVE TWO GLASSES OF WATER IF CONSCIOUS. CALL  
A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point:109F,43C

Exting

uishing Media:WATER SPRAY, CHEMICAL FOAM, DRY CHEMICAL, CARBON  
DIOXIDE

Fire Fighting Procedures:EVACUATE PERSONNEL TO A SAFE AREA. WEAR  
SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT  
BEFORE PROCEEDING WITH CLEAN-UP. SOAK UP WITH SAWDUST, SAND, OIL  
DRY OR OTHER ABSORBENT. THIS MATERIAL IS AN IGNITABLE, CO

RROSIVE,  
REACTIVE. A RELEASE OF 100 LBS MAY TRIGGER REPORTING OF  
CERCLASECT. 103.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP  
CONTAINER TIGHTLY CLOSED. STORE IN ACCORDANCE WITH NATIONAL FIRE  
PROTECTION ASSN. REGULATIONS.

Other Precautions:THIS PRODUCT CONTAINS TRACE QUANTITIES OF BENEZENE.  
DO NOT BREATHE VAPOR OR MIST. DO NOT GET I  
N EYES. DO NOT GET ON  
SKIN. DO NOT GET ON CLOTHING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE THERE IS POTENTIAL FOR AIRBORNE EXPOSURES  
IN EXCESS OF APPLICABLE LIMITS, WEAR NIOSH/MSHA APPROVED  
RESPIRATORY PROTECTION.

Ventilation:USE ONLY WITH ADEQUATE VENTILATION.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:APRON, BOOTS, HOOD AND JACKET.

Work Hygienic Practices:W

ASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

DO NOT CONSUME FOOD, DRINK OR TOBACCO IN THE AREA WHERE THEY BECOME  
CONTAMINATED WITH THIS MATERIAL. KEEP CONTAINER TIGHTLY CLOSED.

=====  
===== Physical/Chemical Properties =====

HCC:F6

Boiling Pt:B.P. Text:351F,177C

Spec Gravity:0.90

Solubility in Water:IMMISCIBLE

Appearance and Odor:AMINES ODOR, LIQUID FORM, AMBER COLOR.

=====  
===== Stability and Reactivity Data =====

Stability Indic

ator/Materials to Avoid: YES

NONE REASONABLY FORESEEABLE

Stability Condition to Avoid: NONE REASONABLY FORESEEABLE

Hazardous Decomposition Products: DECOMPOSITION WILL NOT OCCUR

===== Disposal Considerations =====

Waste Disposal Methods: TREATMENT, STORAGE, TRANSPORTATION AND DISPOSAL  
MUST BE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.  
THIS MATERIAL MAY BE A RCRA REGULATED HAZARDOUS WASTE UPON DISPOSAL  
DUE TO THE IGNITABILITY CHARACTERISTI

C.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.