

AIRKEM PROFESSIONAL PRODUCTS, DIV OF ECOLAB, INC -- AWARD FURNITURE POLISH, AEROSOL -- 7930-01-380-8528

=====  
Product Identification  
=====

Product ID:AWARD FURNITURE POLISH, AEROSOL

MSDS Date:12/16/1991

FSC:7930

NIIN:01-380-8528

MSDS Number: BWSKL

=== Responsible Party ===

Company Name:AIRKEM PROFESSIONAL PRODUCTS, DIV OF ECOLAB, INC

Address:ECOLAB CENTER

City:ST PAUL

State:MN

ZIP:55102

Country:U

S

Info Phone Num:800-247-5362

Emergency Phone Num:800-328-0026

CAGE:AIRKE

=== Contractor Identification ===

Company Name:AIRKEM PROFESSIONAL PRODUCTS/DIV OF ECOLAB INC

Address:ECOLAB CENTER

City:ST. PAUL

State:MN

ZIP:55102

Country:US

Phone:800-328-0026

CAGE:AIRKE

=====  
Composition/Information on Ingredients  
=====

Ingred Name:C8 - C9 ISOPARAFFIN

CAS:64742-48-9

Fraction by Wt: 20%

Other REC Limits:NONE RECOMMENDED

Ingred Name:C3 - C4 ALKANE BLEND

CAS:68475-59-2

Fraction by Wt:

20%  
Other REC Limits:1800 PPM

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:SKIN AND EYES: MAY CAUSE IRRITATION,  
DEPENDING UPON DEGREE OF EXPOSURE. IF SWALLOWED: HARMFUL OR FATAL  
IF SWALLOWED. IF INHALED: DELIBERATE INHALATION CAN BE HARMFUL OR  
FATAL. EXCESSIVE AIRBORNE CONCE NTRATIONS  
MAY CAUSE BREATHING  
DIFFICULTIES, DIZZINESS OR HEADACHES.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH IMMED W/PLENTY OF COOL RUNNING WATER.REMOVE CONTACT  
LENSES,THEN FLUSH AGAIN. SKIN:FLUSH SKIN W/WATER,WASH W/SOAP &  
WATER. IF SWALLOWED:RINSE MOUTH.DON'T INDUCE VOMITING.IN CASE OF  
NAUSEA/SPO NTANEOUS VOMITING.KEEP VICTIM'S HEAD BELOW HIPS.NEVER  
GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. IF SWALLOWED OR IN  
CASE OF PERSISTEN  
T EYE OR SKIN IRRITATION, CALL POISON CONTROL CTR  
OR DR IMMED.

=====  
Fire Fighting Measures  
=====

Lower Limits:1  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, OR FOAM  
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE - WATER MAY BE USED  
TO KEEP FIRE EXPOSED CONTAINERS COOL.  
Unusual Fire/Explosion Hazard:PROPELLANT EXTREMELY FLAMMABLE. TO REDUCE  
FLAMMABILITY, SHAKE WELL BEFORE USING.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:CLEANUP: REMOVE ALL IGNITION SOURCES.  
VENTILATE. AVOID BREATHING VAPORS AND REMOVE WITH INERT ABSORBENT.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:AVOID BREATHING MISTS OR VAPORS CONTAINING  
PRODUCT.

Supplemental Safety and Health

=====  
Physical/Chemical Prope

rties =====

Solubility in Water:SLIGHT

Appearance and Odor:AEROSOL WITH LEMON ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:DO NOT SPRAY NEAR FIRE OR OPEN FLAME. DO NOT STORE ABOVE 120F. EXPOSURE TO SUNLIGHT OR OTHER HEAT MAY CAUSE BURSTING.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE CONTAINER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.