Product ID:SAFETY BOOSTER MSDS Date:02/07/1991 FSC:1377 NIIN:01-016-4612 MSDS Number: BWSTQ === Responsible Party === **Company Name: HILTI INC** Address:5400 S 122ND E AVE Box:21148 City:TULSA State:OK ZIP:74121 Country:US Info Phone Num:918-252-6000 Emergency Phone Num:800-727-3427 CAGE:EO264 === Contractor Identifica tion ===Company Name: HILTI INC Address:5400 S 122ND E AVE Box:21148 City:TULSA State:OK ZIP:74121 Country:US Phone:918-252-6000/800--879-6000 CAGE:11239 Company Name: HILTI INC Address:5400 S 122ND EAST AVE Box:21148 City:TULSA State:OK ZIP:74121 Country:US Phone:918-252-6000/800-879-6000 CAGE:EO264

Ingred Name:LEAD STYPHNATE CAS:15245-44-0 Fraction by Wt: 1% OSHA PEL:0.050 MG/M3 (MFR) ACGIH TLV:0.150 MG/M3 (MFR)

Ingred Name

:1-TETRAZENE, 1-GUANYL-4-NITROSAMINOGUANYL-; (TETRACENE) CAS:109-27-3 RTECS #:XF6900000 Fraction by Wt: 0.1%

Ingred Name:BARIUM (II) NITRATE (1:2) CAS:10022-31-8 RTECS #:CQ9625000 Fraction by Wt: 1% OSHA PEL:5 MG/M3 ACGIH TLV:2 MG/M3

Ingred Name:NITROGLYCERIN (NG) (SARA 313) (CERCLA) CAS:55-63-0 RTECS #:QX2100000 Fraction by Wt: 5-11% OSHA PEL:0.2 MG/M3, S, C ACGIH TLV:0.05 PPM, S EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:NITROCELLULOSE CAS:9004-70-0 RTECS #:QW0970000 Fraction by Wt: 7-11%

Ingred Name:BRASS RTECS #:EO3000000 Fraction by Wt: 65-85%

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NO HAZARDS EXPECTED. POSSIBLE IRRITATION FROM FUMES & GASES UNDER CERTAIN CONDITIONS SUCH AS EXCESSIVE FIRING WITH LITTLE AIR MOVEMENT. EXCESSIVE EXPOSURE MIGHT

CAUSE IRRITATION TO THE EYES, SKIN & RE SPIRATORY SYSTEM. ADVERSE HEALTH EFFECTS ARE NOT EXPECTED FROM LONG TERM EXPOSURE TO FUMES & GASES, (EFTS OF OVEREXP) Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure: HLTH HAZ: HOWEVER GOOD PERSONAL HYGIENE PRACTICES ARE ESSENTIAL TO KEEP EXPOSURE TO A MINIMUM. CHRONIC: LEAD COMPOUNDS APPEAR ON THE NAVY OCCUPATIONAL CHEMICAL REPRODUCTIVE HAZARDS LIST. SEEK CONSULTA TION FROM APPROPRIATE HEALTH PROFESSIONALS CONC **ERNING LATEST HAZARED LIST INFO & SAFE** HANDLING & EXPOSURE INFO . Medical Cond Aggravated by Exposure:NONE ANTICIPATED. First Aid: EYES: FLUSH W/PLENTY OF WATER. CONSULT MD IF SYMPS PERSIST. SKIN: PRACTICE GOOD HYGIENE BY WASHING W/SOAP & WATER AFTER USING & BEFORE MEALS. INHAL: MOVE TO FRESH AIR. GET MED ATTN IF SYMPS PERSIST. I NGEST: GET IMMED MED ATTN. OTHER: SEEK PROMPT MED ATTN IF PHYSICAL INJURY OCCU RS FROM PINS, RIVETS, SHRAPNEL, ETC. FOR BLEEDING WOUNDS, PLACE CLEAN MATL ON WOUND & APPLY FIRM PRESS. **ELEVATE (SUPDAT)** Extinguishing Media:WATER. Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . FLOOD AREA WITH WATER OR KEEP CARTRIDGES COOL WITH WATER SPRAY. Unusual Fire/Explosion Hazard:CARTRIDGES CAN EXPLODE IF EXPOSED TO **TEMPERATURES ABOVE 200C.** _____

Spill Release Procedures:NONE SPECIFIED BY MANUFACTURER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. DO NOT CRUSH/DROP. KEEP AWAY FROM EXCESS HEAT, ELEC CURRENT, STRONG ACIDS & OXIDIZERS. NFPA 495 REQS 15 FT (SUPDAT)
Other Precautions:USE ONLY IN POWDER ACTUATED TOOLS DESIGNED TO HANDLE THESE BOOSTER

S. EMPLOYEES MUST BE PROPERLY TRAINED AS PRESCRIBED BY	
APPLICABLE OSHA REGULATIONS 29 CFR 1910.243 (D) OR 1926.302 (E).	

Respiratory Protection:NIOSH/MSHA APPROVED PARTICULATE RESPIRATOR (E.G. 3M8710) WHERE AIR MOVEMENT IS INADEQUATE TO MAINTAIN EXPOSURE BELOW RECOMMENDED LEVELS.

Ventilation:GENERAL (I.E. NATURAL OR MECHANICALLY INDUCED FRESH AIR MOVEMENTS THAT MAINTAIN VAP CONCS BELOW RECOM EXPOS LIMITS). Prote

ctive Gloves: IMPERVIOUS GLOVES .

Eye Protection: ANSI APPROVED SAFETY GLASSES .

Other Protective Equipment:HEARING PROT:MUFF/AURAL INSERTS. REFER TO APPLIC OSHA REG 29 CFR 1910.95 OR 1925.101.

Work Hygienic Practices: CLEANING PWDR ACTUATED TOOLS CAN RSLT IN SOME EXPOS TO LEAD CMPDS. WEAR GLOVES/WASH HANDS THORO AFTER HNDLG & (SUPDAT)

Supplemental Safety and Health

FIRST AID PROC: THE WOUND & TRANSPORT IMMED TO MED FACILITY. WASTE DISP METH: DESIGNED FOR DESTROYING HAZ AMMUNITION.

HNDLG STOR PREC:

SEPARATION (OR 1 HR FIRE WALL) FROM FLAMM LIQS, FLAMM SOLIDS & OX IDIZERS. HYGIENE PRACT: BEFORE MEALS ORSNACKS.

Appearance and Odor: BRASS CASING COLOR CODED ON STAR CRIMP.

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS AND OXIDIZING MATERIALS.

Stability Condition to Avoid:ACIDS, EXCESS HEAT, CRUSHING AND

ELECTRICAL CUR

RENTS.

Hazardous Decomposition Products:OXIDES OF NITROGEN, ACRID FUMES AND LEAD.

Waste Disposal Methods:DISP MUST BE I/A/W FED, STATE & LOC REGS . MISFIRES, BENT CARTRIDGES, ETC. SHOULD BE STORED IN CNTNR OF WATER TO WHICH DETERGENT HAS BEEN ADDED AS "WETTING" AGENT. ONLY PROPER DISP METH IS TO IN CIN IN SM AMTS IN BURNER SPECIFICALLY (SUPDAT)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular s

ituation.

=====