View NSN Online: https://aerobasegroup.com/nsn/6505-00-104-9000

Product ID: ETHANOL, PURE, 190 PROOF MSDS Date:05/08/1992 FSC:6505 NIIN:00-104-9000 MSDS Number: BWXQK === Responsible Party === Company Name: PHARMCO PRODUCTS INC Address:58 VALE ROAD City:BROOKFIELD State:CT ZIP:06804-3967 Country:US Info Phone Num:203-740-3471 FAX 203-740-3481 **Emergency Phone** Num:800-243-5360, CHEMTREC:800-424-9300 CAGE:69267 === Contractor Identification === Company Name: PHARMCO PRODUCTS INC. Address:58 VALE ROAD Box:City:BROOKFIELD State:CT ZIP:06804-3967 Country:US Phone:203-740-3471 CAGE:69267

Ingred Name:ETHANOL (ETHYL ALCOHOL), TECSOL, ALCOHOL CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 92.4% Other REC Limits:1900 MG/CUM OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 7.6%

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN: POTENTIALLY HARMFUL AMOUNTS MAY BE ABSORBED IF DAMAGED. INHALATION: IRRITATION OF RESPIRATORY TRACT. EYES: IRRITATION. LONG TERM REPEATED ORAL EXPOSURE MAY RESULT IN PROGRESSIVE LIVER INJURY W/F IBROSIS. REPEATED INGESTION B Y PREGNANTMOTHERS HAS ADVERSE EFFECTS ON CNS OF FETUS. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION/DIZZINESS/FAINTNESS/DROWSINESS/DECREASED AWARENESS-RESPONSIVENESS/EUPHORIA/DISCOMFORT/NAUSEA/VOMITING/STAGGE RING GAIT/LACK OF COORDINATION/COMA/DISCHARGE/CHEST PAIN/COUGHING/REDNESS/STINGIN G/EXCESSIVE BLINKING-TEARING.

Medical Cond Aggravated by Exposure:PRE-EXISTING LIVER INJURY, DAMAGED SKIN.

First Aid:INGESTION: IF CONSCIOUS, GIVE TWO GLASSES OF WATER & INDUCE VOMITING. SKIN: WASH W/SOAP & WATER. EYES: IMMEDIATELY FLUSH W/WATER FOR SEVERAL MINS. INHALATION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF N EEDED. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTE TO PHYSICIAN: UNABSORBED ETHANOL SHOULD BE REMOVED BY GASTRIC LAVAGE AFTER INTUBATING TO PREVENT ASPIRATION. (SEE SUPP)

Flash Point Method:TCC
Flash Point:62F
Lower Limits:3.3
Upper Limits:19
Extinguishing Media:LARGE: ALCOHOL-TYPE/ALL-PURPOSE-TYPE FOAM. SMALL: CO2, DRY CHEMICAL.
Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS & STRUCTURES. USE WATER SPRAY TO DISPERSE VAPORS. WEAR SCBA & PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:VAPORS MAY TRAVEL/BE MOVED BY AIR CURRENTS TO DISTANT IGNITION SOURCES & FLASH BACK EXPLOSIVELY. MATERIAL MAY PRODUCE A FLOATING FIRE HAZARD. Spill Release Procedures:SMALL: FLUSH W/LARGE AMOUNTS OF WATER. LARGE: SHOULD BE COLLECTED FOR DISPOSAL. EXTINGUISH & DON'T TURN ON ANY IGNITION SOURCE UNTIL AREA IS DETERMINED TO BE FREE FROM FIRE/EXPLOSION HAZARD.

Handling and Storage Precautions: KEEP AWAY FROM HEAT, SPARKS & FLAME.
 KEEP CONTAINER CLOSED. USE W/ADEQUATE VENTILATION.
 Other Prec
 autions: AVOID CONTACT W/EYES. FOR INDUSTRY USE ONLY. USE

PROPER BONDING & GROUNDING DURING LIQUID TRANSFER.

Respiratory Protection: WEAR SELF CONTAINED BREATHING APPARATUS IN HIGH VAPOR CONCENTRATIONS.

Ventilation:MECHANICAL/GENERAL SATISFACTORY WHEN PRODUCT IS STORED & HANDLED IN CLOSED EQUIPMENT. LOCAL EXHAUST AT POINT OF ESCAPE. Protective Gloves:NEOPRENE/POLY-VINLY CHLORIDE COATED

Eye Protection:SAFETY GLASSES/M

ONOGOGGLES

Other Protective Equipment: EYE BATH, SAFETY SHOWER

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NOTE TO PHYSICIAN CONT'D: AVOID USE OF DEPRESSANT DRUGS/EXCESSIVE ADMINISTRATION OF FLUIDS. ADMINISTER 5-10% GLUCOSE INTRAVENOUSLY, PLUS THIAMINE 100 MG INTRAMUSCULARLY IN PRESENCE OF HYPOGLYCEMIA. HE MODIALYSIS IS INDICATED IF BLOOD ETHANOL >5 MG/ML. NALOXONE USED TO REVERSE CLINICAL ALCOHOLIC COMA.

====== Physical/Che

mical Properties ==============

HCC:F2 Boiling Pt:B.P. Text:176F Melt/Freeze Pt:M.P/F.P Text: