View NSN Online: https://aerobasegroup.com/nsn/9150-01-087-3510

TEXACO REFINING AND MARKETING INC -- 700 REGAL OIL R&O 32 -- 9150-01-087-3510

Product ID:700 REGAL OIL R&O 32 MSDS Date:06/17/1993 FSC:9150 NIIN:01-087-3510 MSDS Number: BWXSP === Responsible Party === Company Name: TEXACO REFINING AND MARKETING INC Address:1111 RUSK ST Box:4427 **City:HOUSTON** State:TX ZIP:77210-4427 Country:US Info Phone Num:914-838-7204 Emergency Phone Num:914-831-3400/713-650-5206 CAGE:2R503 === Contractor Identification === Company Name: TEXACO REFINING AND MARKETING INC Address:1111 RUSK ST Box:City:HOUSTON State:TX ZIP:77002-3310 Country:US Phone:713-650-5206 CAGE:2R503 

Ingred Name:OIL PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC CAS:64742-65-0 RTECS #:PY8038500 Fraction by Wt: 95-100% Other REC Limits:5 MG/CUM OSHA PEL:5 MG/CUM (MIST) ACGIH TLV:5 MG/CU

Мı	(MI	IST)	
		<b>U</b> · <i>j</i>	

======================================		
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: MINIMAL IRRITATION. SKIN: IRRITATION, SENSITIZATION, ALLERGIC REACTION, DERMATITIS. INHALATION: IRRITATION OF NOSE & THROAT. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, TEMPORARY DISCOMFORT, DEFATTING, LOCAL REDNESS, HEADACHE, NAUSE A, DROWSINESS, DIARRHEA. Medical Cond Aggravated by Exposure:DERMATITIS.		
======================================		
First Aid:EYES: FLUSH W/PLENTY OF WATER FOR SEVERAL MINS. SKIN: WASH W/PLENTY OF SOAP & WATER FOR SEVERAL MINS. INGESTION: GIVE TWO GLASSES OF WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.		
======================================		
Flash Point Method:COC Flash Point:395F Extinguish ing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CO2. Fire Fighting Procedures:WATER/FOAM MAY CAUSE FROTHING. USE WATER TO COOL FIRE EXPOSED CONTAINERS. USE WATER SPRAY TO DISPERSE VAPORS IF SPILL NOT IGNITED/PERSONNEL PROTECTION. Unusual Fire/Explosion Hazard:NONE		
======================================		
Spill Release Procedures: VENTILATE AREA & AVOID BREATHING VAPOR. WEAR SCBA/SUPPLIED AIR FOR LARGE SPILLS/CONFINED AREAS. CONTAIN & WIPE UP/ABSORB ON SUITA BLE MATERIALS & SHOVEL UP. PREVENT ENTRY INTO SEWERS & WATERWAYS. AVOID CONTACT W/SKIN, EYES/CLOTHING.		
======================================		
Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPS SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPS SHOULD BE MINIMIZED. AVOID WATER CONTAMINATION.		
======================================		
Respiratory Protection:WEAR NIOSH/MSHA APPROVED RESPIRATOR IF VAPOR/MIS		

T/DUST IS GENERATED. WEAR SUPPLIED AIR RESPIRATOR FOR CLEANING LARGE SPILLS/UPON ENTRY INTO TANKS, VESSELS/OTHER CONFINED SPACES. Ventilation: ADEQUATE TO MEET COMPONENT OCCUPATIONAL EXPOSURE LIMITS. Protective Gloves: CHEMICAL RESISTANT Eye Protection: CHEMICAL GOGGLES/FACE SHIELD Other Protective Equipment: UNIFORMS, COVERALLS, LAB COAT, CHEMICAL **RESISTANT BOOTS** Work Hygienic Practices: REMOVE/DRY-CLEAN/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. INFORM CLEANING PERSONNEL OF POTENTI AL HAZARDS. Supplemental Safety and Health Spec Gravity:0.8665 Appearance and Odor: CLEAR, LIGHT PALE OIL W/MILD ODOR. Stability Indicator/Materials to Avoid:YES WATER, STRONG OXIDIZERS. Hazardous Decomposition Products:CO, CO2, ALDEHYDES, KETONES. Waste Disposal Methods: DISPOSE OF IAW/FED ERAL, STATE & LOCAL **REGULATIONS.** 

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this in formation to their particular situation.