View NSN Online: https://aerobasegroup.com/nsn/5970-01-197-7400

DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV. -- HYSOL PC 16 M,PB 2001,PART B -- 5970-01-197-7400

============= Product Identification =================

Product ID:HYSOL PC 16 M,PB 2001,PART B

MSDS Date:09/14/1995

FSC:5970

NIIN:01-197-7400

Kit Part:Y

MSDS Number: BWZRD === Responsible Party ===

Company Name: DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV.

Address:211 FRANKLIN ST.

City:OLEAN State:NY

ZIP:14760-1297 Country:US

Info Phone Num:716-372-6300

Emergency Phone Num:716-372-6309/800-424-9300(CHEMTREC)

CAGE:04347

=== Contractor Identification ===

Company Name: DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297 Country:US

Phone:716-372-6300/6309

CAGE:04347

Company Name: MCKEOWN ROBERT CO. INC.

Address:111 CHAMBERS BROOK RD.

Box:City:SOMERVILLE

State:NJ ZIP:08876 Country:US

Phone:908-218-9000

CAGE:7B953

====== Composition/Information on

Ingredients ========
Ingred Name:POLYAMIDE RESIN CAS:68410-23-1 Fraction by Wt: 60 - 95% Other REC Limits:NONE RECOMMENDED
Ingred Name:TRIETHYLENE TETRAMINE CAS:112-24-3 RTECS #:YE6650000 Fraction by Wt: 5 - 10% Other REC Limits:NONE RECOMMENDED
======================================
LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Ac ute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACT. ACUTE- INHALE:HARMFUL IF INHALED. MAY CAUSE ALLERGIC RESPIRATORY REACTION SUCH AS ASTHMA. EYE:MAY CAUSE IRRITATION. SKIN:PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION. ORAL:MODERATELY TOXIC. HARMFUL IF SWALLOWED. MAY CAUSE VOMITING. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, NAUSEA, HEADACHE, VOMITING, DIARRHEA, TEARING, DIFFICULT BREATHING, ASTHMA Medical C ond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.
======================================
First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT IN DUCE VOMITING. IF CONS CIOUS, RINSE MOUTHWITH WATER. SEEK PROMPT MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF VOMITUS INTO LUNGS.

Flash Point Method:CC Flash Point:560F,293C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED

SELF-CO

NTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. PICK UP SPILL WITH INERT ABSORBENT MATERIAL SUCH AS SAND. PLACE IN CONTAINER FOR DISPOSAL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS. Neutralizing Agent:NOT RELEVANT
============ Handling and Storage ===============
Handling and Storage Precautions:STORE IN COOL (