View NSN Online: https://aerobasegroup.com/nsn/6750-01-313-1956

Product ID:P-22 DEVELOPER DE 22.15,501775, PART B MSDS Date:10/31/1988 FSC:6750 NIIN:01-313-1956 Kit Part:Y MSDS Number: BWZRZ === Responsible Party === Company Name: ILFORD PHOTO CORP Address:70 W CENTURY RD **City:PARAMUS** State:NJ ZIP:07653 Country:US Info Phone Num:201-265-6000 Emergen cy Phone Num:201-265-6000/800-888-8372 (HEALTH) CAGE:64145 === Contractor Identification === Company Name: ILFORD PHOTO CORP Address:W 70 CENTURY RD Box:City:PARAMUS State:NJ ZIP:07653 Country:US Phone:201-265-6000 CAGE:64145 Ingred Name: DIETHYLENE GLYCOL MONOETHYL ETHER CAS:111-90-0 RTECS #:KK8750000 Fraction by Wt: 45 - 50% Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROQUINONE (SARA 302/313) (CERCLA) CAS:123-31-9 RTECS

#:MX3500000 Fraction by Wt: 12 - 15% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9495 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name: 4-METHYL-1-PHENYL-3-PYRAZOLIDONE CAS:2654-57-1 Fraction by Wt: 2 - 4% Other REC Limits:NONE RECOMMENDED Ingred Name: BENZOTRIAZOLE CAS:95-14-7 RTECS #:DM1225000 Fraction by Wt: 212F,>100C Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fir e Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. Spill Release Procedures: ABSORB SPILL WITH INERT MATERIAL SUCH AS SAND OR VERMICULITE, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent:NOT RELEVANT

===========

Handling and Storage Precautions:STORE IN COOL PLACE. KEEP AWAY FROM INCOMPATIBLE MATERIALS.
Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. AVOID EYES AND SKIN CONTACT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. WEAR NIOSH-APPROVED RESPIRATOR IF NEEDED. Ventila tion:LOCAL EXHAUST IS RECOMMENDED FOR CONFINED AREAS. GENERAL MECHANICAL VENTILATION IS ADEQUATE FOR NORMAL USE. Protective Gloves:RUBBER FOR REPEATED CONTACT Eye Protection:SAFETY GOGGLES Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health KEY1:T6. THIS PRODUCT IS A KIT CONSISTING OF TWO PARTS. PART A, HAS PNI A; PART B HAS PNI

B, SAME NSN.

HCC:B3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:24 @ 77F Vapor Density:0.62 Spec Gravity:1.057 pH:< 7 Evaporation Rate & amp; Reference: