HUMISEAL -- POLYURETHANE CONFORMAL COATING, PART B -- 5970-01-383-3866

Product ID: POLYURETHANE CONFORMAL COATING, PART B MSDS Date:07/29/1994 FSC:5970 NIIN:01-383-3866 Kit Part:Y MSDS Number: BWZTJ === Responsible Party === Company Name: HUMISEAL Address:26-60 BROOKLYN QUEENS EXPRESSWAY WEST City:WOODSIDE State:NY ZIP:11377 Country:US Info Phone Num:718-932-0800 Emergency Phone Num:718-932-0800/800-424-9300(CHEMTREC) CAGE:IO116 === Contractor Identification === Company Name: HUMISEAL Address:26-60 BROOKLYN QUEENS EXPRESSWAY WEST Box:City:WOODSIDE State:NY ZIP:11377 Country:US Phone:718-932-0800 CAGE:IO116 Company Name: HUMISEAL DIVISION/CHASE CORPORATION Address:26-60 BROOKLYN QUEENS EXPRESSWAY WEST Box:City:WOODSIDE State:NY ZIP:11377 Country:US Phone:718-932-0800 CAGE:99109

Ingred Na

me:AROMATIC POLYISOCYANATE BASED ADDUCT Fraction by Wt: 50-56% % Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:PMGE ACETATE CAS:108-65-6 RTECS #:AI8295000 Fraction by Wt: 42-46% % Other REC Limits:NONE RECOMMENDED

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 1-3% % Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name :TOLUENEDIISOCYANATE (MIXED ISOMERS) (SARA III) CAS:26471-62-5 RTECS #:NQ9490000 Fraction by Wt: < 1% Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:OPTICAL BRIGHTENER Fraction by Wt: < 0.1% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:N 0

Health Hazards Acute and Chronic:MAY CAUSE IRRITATION OF THE NOSE, THROAT, EYES, LUNGS AND SKIN. INHALATION MAY CAUSE DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, POSSIBLE NARCOSIS AND ASPHYXIATION. MAY CAUSE LUNG IRRITATION AND A LLERGIC RESPONSE(DERMATITIS) OR RESPIRATORY REACTION. MAY CAUSE CARDIAC ABNORMALITIES, ORGAN DAMAGE.

Explanation of Carcinogenicity:TOLUENE DIISOCYANATE HAS BEEN DESIGNATED A POTENTIAL CARCINOGEN BY NTP AND IARC.

Effects of Overexposure:NOS

E/THROAT/EYE/LUNG/SKIN IRRITATION,

DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, NARCOSIS, ASPHYXIATION, COUGHING, CHOKING, LABORED BREATHING, ASTHMA-LIKE BREATHING, DERMATITIS, CARDIAC ABNORMALI TIES, ORGAN DAMAGE. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:REMOVE SATURATED CLOTHING, WASH SKIN WITH GREEN TINCTURE OF SOAP. FLUSH EYES 15 MINUTES WITH CLEAR WATER. REMOVE PATI ENT TO

FRESH AIR. CALL PHYSICIAN. PROVIDE OXYGEN IF BREATHING IS DIFFICULT. DO NOT INDUCE VOMITING. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS. NOTE TO PHYSICIAN: IF SYMPTOMS SUCH AS LOSS OF GAG REFLEX, CONVULSIONS OR UNCONSCIOUSNESS OCCUR BEFORE EMESIS, GASTRIC LAVARGE SHOULD BE USED

Flash Point Method:TCC Flash Point:45.0F,7.2C Lower Limits:1.0 % Upper Limits:7.0 % Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE. WATER MAY BE INEFFECTIVE. Fire Fighting Procedures:FIGHT AS FLAMMABLE LIQUID FIRE. WEAR SELF CONTAINED BREATHING APPARATUS. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES. Unusual Fire/Explosion Hazard:VAPOR IS FLAMMABLE AND HEAVIER THAN AIR

AND MAY TRAVEL TO SOURCE OF IGNITION AND FLASHBACK. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL TO REDUCE PRESSURE.

Spill Release Procedures:REMOVE SOU

RCES OF IGNITION. PROVIDE VENTILATION AND/OR RESPIRATORY PROTECTION. LARGE SPILLS MAY BE REMOVE WITH NON-SPARKING TOOLS, SMALL SPILLS WITH ABSORBENT MATERIAL. RESIDUES MAY BE CLEANED UP WITH ALCOHOL/WATER OR AMMONIA SOLUTIONS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE AWAY FROM HEAT, SPARKS AND OPEN FLAME. GROUND CONTAINERS WHILE POURING AND LIMIT FREE FALL T O A FEW

INCHES TO PREVENT STATIC SPARKS.

Other Precautions: EMPTY CONTAINERS MAY RETAIN HAZARDOUS PROPERTIES. DO NOT CUT, PUNCTURE OR WELD ON OR NEAR THE CONTAINER.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection: APPROVED RESPIRATORS FOR ATMOSPHERES CONTAINING TDI AND ORGANIC MISTS OR INDEPENDENT AIR SUPPLY.
Ventilation: LOCAL EXHAUST AND EXPLOSION PROOF MECHANICAL VENTILATION.
Protective Gloves: SOLVENT RESISTANT
Eye Protection: CHEMICAL TYPE
GOGGLES
Other Protective Equipment: AN EYEWASH FOUNTAIN AND SAFETY SHOWER SHOULD BE LOCATED NEARBY WORK AREA AT ALL TIMES.
Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.
Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

## HCC:F2

Boiling Pt:=156.C, 312.8F Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:2.0 Vapor Density:4.7 Spec Gravity:1.15 Evaporation Rate & amp; Reference:0.30 (BUTYL ACETATE = 1) Solubility in Water:NEGLIGIBLE Appearance and Odor:LOW VISCOSITY, STRAW COLORED LIQUID WITH AROMATIC ODOR Percent Volatiles by Volume:53-60%

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:OPEN FLAMES, SPARKS Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN AND ACRO Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department o

f Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.