

CITGO PETROLEUM CORP -- PREMIUM GEAR OIL (MP) 85W-140, 31-320, 0212 -- 9150-01-035-5395

=====
Product Identification
=====

Product ID:PREMIUM GEAR OIL (MP) 85W-140, 31-320, 0212

MSDS Date:03/30/1987

FSC:9150

NIIN:01-035-5395

MSDS Number: BXB NB

=== Responsible Party ===

Company Name:CITGO PETROLEUM CORP

Box:3758

City:TULSA

State:OK

ZIP:74102

Country:US

Info Phone Num:918-561-5165

Emergency Phone N

um:318-491-6215

CAGE:1JW40

=== Contractor Identification ===

Company Name:CITGO PETROLEUM CORP

Address:OFF HWY 108

Box:3758

City:LAKE CHARLES

State:LA

ZIP:70602

Country:US

Phone:918-561-5165

CAGE:1JW40

Company Name:CITIES SERVICE CO

Address:CITIES SERVICE BLDG

Box:300

City:TULSA

State:OK

ZIP:74102

Country:US

Phone:918-561-5165, FOR MED:318-491-6215

CAGE:71476

=====
Composition/Information on Ingredients
=====

Ingred Name:REFINED PETROLEUM OILS CONTAINING INGS 2-7.

LD50:(O

RAL,RAT)>5 G/KG
RTECS #:9999999ZZ
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:SOLVENT DEWAXED RESIDUAL OIL (PETROLEUM)
CAS:64742-62-7
Fraction by Wt: 93-97%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED
(SEVERE), HEAVY PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038501
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-REFINED
(SEVERE) HEAVY PARAFFINIC
CAS:64741-88-4
RTECS #:PY8040501
OSHA PEL:N/K
ACGIH TLV:N/K

I
ngred Name:MINERAL OIL
CAS:72623-83-7
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:SOLVENT REFINED HYDROTREATED RESIDUAL OIL
CAS:64742-57-0
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, HYDROTREATED (SEVERE),
HEAVY PARAFFINIC
CAS:64742-54-7
RTECS #:PY8035501
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:EXTREME PRESSURE, OXIDATION AND RUST INHIBITOR
Fraction by Wt: 3-8%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:POUR POINT DEPRESSANT. LD50:(ORAL,RAT)60.3 G/KG
Fraction

by Wt: