

CONCORDE BATTERY CORP -- RG,GPL,GPC, PVC AND R SERIES -- 6140-01-314-3790

=====  
Product Identification  
=====

Product ID:RG,GPL,GPC, PVC AND R SERIES

MSDS Date:12/13/1994

FSC:6140

NIIN:01-314-3790

MSDS Number: BXBRT

=== Responsible Party ===

Company Name:CONCORDE BATTERY CORP

Address:2009 SAN BERNARDINO RD

City:WEST COVINA

State:CA

ZIP:91790-1006

Country:US

Info Phone Num:818-962-4006/FAX 818-338-

3549

Emergency Phone Num:800-255-3924/818-813-1234

CAGE:63017

=== Contractor Identification ===

Company Name:CONCORDE BATTERY CORP

Address:2009 SAN BERNARDINO RD

Box:City:WEST COVINA

State:CA

ZIP:91790-1006

Country:US

Phone:800-255-3924/818-813-1234

CAGE:63017

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LEAD OXIDE, (RED LEAD OXIDE)

CAS:1314-41-6

RTECS #:OG5425000

Fraction by Wt: 60%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:SEE 1910.1025

ACGIH TLV:0.15 MG/

M3

Ingred Name:LEAD (SARA III)  
CAS:7439-92-1  
RTECS #:OF7525000  
Fraction by Wt: 38%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.05 MG/M3;1910.1025  
ACGIH TLV:0.15 MG/M3;DUST 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:SULFURIC ACID (SARA III)  
CAS:7664-93-9  
RTECS #:WS5600000  
Fraction by Wt: 0.006%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
===== Hazards Identification =====

Rout  
es of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NON TOXIC.  
Explanation of Carcinogenicity:NOT CARCINOGENIC.  
Effects of Overexposure:NON TOXIC.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Fire Fighting Measures =====

Flash Point:NONFLA  
MMABLE  
Extinguishing Media:NONE SPECIFIED BY MANUFACTURER.  
Fire Fighting Procedures:NO SPECIAL FIRE FIGHTING PROCEDURES WILL BE  
APPLIED. IN CASE OF FIRE HANDLE IN ACCORDANCE WITH STANDARD FIRE  
FIGHTING PROCEDURES.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:THIS PRODUCT IS A SEALED, VALVE REGULATED,  
ABSORBED ELECTROLYTE BATTERY. IN THE CASE OS AN ACCIDENT THAT  
DAMAGES

AND OPENS THE CONTAINER, PROTECTIVE GLOVES WILL BE REQUIRED TO HANDLE ANY EXPOSED MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL CONDITIONS.

Ventilation:NOT REQUIRED UNDER NORMAL CONDITIONS.

Protective Gloves:NOT REQUIRED UNDER NORMAL CONDITIONS.

Eye Protection:NOT REQUIRED UNDER NORMAL CONDITIONS.

Other Protective Equipment:NOT REQUIRED UNDER NORMAL CONDITIONS.

Work Hygienic Practices:NOT REQUIRED UNDER NORMAL CONDITIONS.

Supplemental Safety and Health  
NONE

=====  
===== Physical/Chemical Properties =====

HCC:Z4

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH UN FEDERAL, STATE AND LOCAL REGULATIONS FOR LEAD ACID BATTERIES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States o

f America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.