

LUBRICATING SPECIALITIES CO, TECHNOLUBE PROD DIV -- A0922;MIL-L-17331H SYM 2190 TEP
AMD 2 -- 9150-00-235-9064

=====
===== Product Identification =====

Product ID:A0922;MIL-L-17331H SYM 2190 TEP AMD 2

MSDS Date:09/23/1993

FSC:9150

NIIN:00-235-9064

MSDS Number: BXBZF

=== Responsible Party ===

Company Name:LUBRICATING SPECIALITIES CO, TECHNOLUBE PROD DIV

Address:8015 PARAMOUNT BLVD

City:PICO RIVERA

State:

CA

ZIP:90660-4888

Country:US

Info Phone Num:310-928-3311, FAX 310-928-1428

Emergency Phone Num:310-928-3311, CHEMTREC 800-424-9300

Preparer's Name:RICHARD J. EBERHARDT

CAGE:2X769

=== Contractor Identification ===

Company Name:LUBRICATING SPECIALTIES CO. TECHNOLUBE PRODUCTS DIV

Address:3365 E. SLAUSON AVE

Box:City:LOS ANGELES

State:CA

ZIP:90058

Country:US

Phone:562-776-4033; FAX:562-776-4003

CAGE:8Y842

Company Name:TECHNOLUBE PRODUCT COMPANY

Address:8015 PARAMOUNT BLVD.

Box:City:PICO RIVERA

State

:CA

ZIP:90660-4811

Country:US

Phone:562 776-4000 GEN: 562-776-4000

CAGE:2X769

=====
===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED
(MILD), HEAVY PARAFFINIC

CAS:64742-54-7

RTECS #:PY8035500

Fraction by Wt: 200F, >93C

Extinguishing Media:WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND

FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER

FOG.

Unusual Fire/Explosion Hazard:HEATED PRODUCT CAN RELEASE FLAMMABLE OR EXPLOSIVE VAPOR.COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PERSONNEL. ELIMINATE IGNITION SOURCES. VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND EQUIPMENT. DIKE AND CONTAIN. ABSORB IN INERT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER AND COVER. WASH AREA WITH SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM HEAT, OPEN FLAMES AND STRONG OXIDANTS. KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED RESPIRATOR OR SCBA AS APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:MECHANICAL (GENERAL) VENTILATION.

Protective Gloves:NITRILE GLOVES.

Eye Protection:SPLASH GOGGLES IF MISTING.

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. DISCARD CONTAMINATED SHOES

Supplemental Safety and Health

h

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>572F,>300C

Vapor Pres:1

Spec Gravity:0.868

Evaporation Rate & Reference: