

EASTMAN KODAK COMPANY -- 146 2845 GLACIAL ACETIC ACID -- 6750-01-387-4450
===== Product Identification =====

Product ID:146 2845 GLACIAL ACETIC ACID
MSDS Date:08/05/1995
FSC:6750
NIIN:01-387-4450
MSDS Number: BXCDL
=== Responsible Party ===
Company Name:EASTMAN KODAK COMPANY
Address:343 STATE STREET
City:ROCHESTER
State:NY
ZIP:14650
Country:US
Info Phone Num:716-722-5151 (TRANS: 800-242-2424)
Eme
rgency Phone Num:716-722-5151
CAGE:19139
=== Contractor Identification ===
Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS
Address:343 STATE ST
Box:City:ROCHESTER
State:NY
ZIP:14650-1115
Country:US
Phone:716-722-5151/(800) 242-2424
CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:ACETIC ACID (CERCLA)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9495
EPA Rpt Qt

y:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 3310 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION OF VAPOR EXTREMELY
IRRITATING; MAY CAUSE DELAYED LUNG INJURY. CONTACT MAY CAUSE SEVERE
SKIN AND EYE BURNS, SEVERE EYE IRRITATION. INGESTION MAY BE FATAL;
MAY CAUSE BURNS TO GI
TRACT. CHRONIC: NONE SPECIFIED BY
MANUFACTURER.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:INHALED-COUGHING, WHEEZING, CHEST PAIN,
SHORTNESS OF BREATH. EYES-PAIN, TEARING, REDNESS, BURNS, BLURRED
VISION. SKIN-REDNESS, PAIN, BURNS. INGESTED-ABDOMINAL PAIN, NAUSEA,
VOMITING, DIARRHEA, BURNS T O MOUTH/THROAT/ESOPHAGUS.
Medical Cond Aggravated by Exposure:NONE SPECI
FIED BY MANUFACTURER.

=====
===== First Aid Measures =====
=====

First Aid:INHALED-REMOVE TO FRESH AIR. GIVE OXYGEN IF CYANOTIC OR
BREATHING DIFFICULT. GET MEDICAL ATTENTION. EYES: FLUSH WITH LOTS
OF WATER FOR AT LEAST 15 MINUTES. CALL DOCTOR OR POISON CONTROL
CENTER. SKIN-R EMOVE CLOTHES WHILE FLUSHING WITH WATER. GET MEDICAL
ATTENTION. INGESTED-DO NOT INDUCE VOMITING! CALL A DOCTOR OR POISON
CONTROL CENTER IMMEDIATELY! NOTHING BY MOUTH IF UNCONSC
IOUS.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:TCC
Flash Point:103F,39C
Autoignition Temp:Autoignition Temp Text:960F
Lower Limits:6.6 %
Upper Limits:19.3 %
Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE, ALCOHOL FOAM, OR
DRY CHEMICAL.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER.
Unusual Fire/Explosion Hazard:COMBUSTIBLE.

=====
===== Accide
=====

ntal Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. MAY REQUIRE
NEUTRALIZATION IF PH