

FISHER SCIENTIFIC, CHEMICAL DIV. -- CALCIUM CHLORIDE,C 77 -- 6810-00-237-2934

=====
Product Identification
=====

Product ID:CALCIUM CHLORIDE,C 77

MSDS Date:06/30/1994

FSC:6810

NIIN:00-237-2934

MSDS Number: BXCFD

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC, CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100

Emergency Phone Num

:201-796-7100/800-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM CHLORIDE

CAS:10043-52-4

RTECS #:EV9800000

Fraction by Wt: >96%

Other REC Limits:TWA 5 MG/M3 MALLINCK

Ingred Name:CALCIUM HYDROXIDE

CAS:1305-62-0

RTECS #:EW2800000

Othe

r REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:5 MG/M3; 9495

Ingred Name:MAGNESIUM SALT
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKALI SALTS
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 1000 MG/KG.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY
& GI TRACTS. ACUTE- INHALE:DUST MAY CAUSE IRRITATION.
SKIN:CORROSIVE. MAY CAUSE SEVERE IRRITATION, BLISTERING. EYE:MAY
CAUSE PAIN & INJURY. ORAL:MAY CAUSE ABDOMINAL SPASMS & NAUSEA.
FATAL DOSE IS ESTIMATED TO BE 30 GRAMS. CHRONIC- MAY CAUSE
DERMATITIS, PERFORATION OF NASAL SEPTUM.

Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, PAIN, DERMATITIS, COUGHING, NOSE
BLEED, ULCERATION, REDNESS, CARDIOVASCULAR IRREGULARITIES
Medical Cond Aggravated by Exp
osure:INDIVIDUALS WITH PRE-EXISTING
DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT MAY HAVE INCREASED
SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYE:FLUSH WITH
WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. GET PROMPT MEDICAL
ATTENTION. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF
NEEDED. ORAL:DO NOT INDUCE VOMITING. IF VOMITING OCCURS, KEEP H
EAD
LOWER THAN HIPS TO HELP PREVENT ASPIRATION. GET MEDICAL ATTENTION
IMMEDIATELY. SKIN:WASH WITH SOAP & WATER.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL.
USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS. MOVE CONTAINER FROM FIRE AREA
IF YOU CAN DO IT WITHOUT

RISK.

Unusual Fire/Explosion Hazard:CORROSIVE VAPORS MAY FORM.

===== Accidental Release Measures =====

Spill Release Procedures:DO NOT TOUCH SPILLED MATERIAL. STOP LEAK IF YOU CAN DO IT WITHOUT RISK. TAKE UP SPILL WITH SAND. PICK UP SMALL DRY SPILL WITH DRY SHOVEL. TRANSFER TO A CONTAINER AND COVER FOR LATER DISPOSAL. AVOID CR EATING DUST. WASH SPILL AREA.

===== Handling and Storage =====

Handling and Storage Precauti

ons:STORE IN DRY PLACE AWAY FROM MOISTURE & INCOMPATIBLES. KEEP CONTAINER TIGHTLY CLOSED. DO NOT CONSUME FOOD, DRINK WHILE WORKING WITH THIS MATERIAL.

Other Precautions:DO NOT RAISE DUST. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID INHALATION OF DUST. WASH THOROUGHLY AFTER HANDLING MATERIAL. KEEP OUT OF REACH OF CHILDREN. OBEY HAZARD WARNING OF LABEL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF A IRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED DUST RESPIRATOR OR DUST MASK.

Ventilation:ADEQUATE

Protective Gloves:RUBBER

Eye Protection:TIGHT-FITTING SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN. PH RANGE OF A 5% SOLUTION: 4.5 - 8.5.

=

===== Physical/Chemical Properties =====

HCC:B3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:=1600.C, 2912.F

Melt/Freeze Pt:=777.2C, #####F

Spec Gravity:2.15

pH:8.5 5%

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:74.5% @ 68F

Appearance and Odor:CUBIC CRYSTALS, GRANULES OR FUSED MASSES, VERY HYGROSCOPIC

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
BORIC OXIDE, BROMINE TRIFLORIDE

, FURAN-2-PEROXYCARBOXYLIC ACID,

METALS+MOISTURE, WATER, METHYL VINYL ETHER, ZINC (->H2)

Stability Condition to Avoid:MOISTURE

Hazardous Decomposition Products:MAY FORM TOXIC AND CORROSIVE CHLORINE GAS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements

of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.