

BECTON-DICKINSON MICROBIOLOGY SYSTEMS INC -- AMIKACIN
(4331596/4331597),SENSI-DISC,31597 -- 6550-01-139-7498

===== Product Identification =====

Product ID:AMIKACIN (4331596/4331597),SENSI-DISC,31597

MSDS Date:04/07/1994

FSC:6550

NIIN:01-139-7498

MSDS Number: BXCGW

=== Responsible Party ===

Company Name:BECTON-DICKINSON MICROBIOLOGY SYSTEMS INC

Address:250 SCHILLING CIR

Box:243

City:COCKEYSVILLE

S

tate:MD

ZIP:21030

Country:US

Info Phone Num:301-584-7169

Emergency Phone Num:301-584-7169

CAGE:05545

=== Contractor Identification ===

Company Name:BECTON DICKINSON AND CO MICROBIOLOGY SYSTEMS DIV

Address:250 SCHILLING CIRCLE

Box:City:HUNT VALLEY

State:MD

ZIP:21030-1103

Country:US

Phone:410-771-0101

CAGE:05545

Company Name:CURTIN MATHESON SCIENTIFIC INC

Address:955 COBB PLACE BLVD

Box:City:KENNESAW

State:GA

ZIP:30144

Country:US

Phone:404-590-9016

CAGE:8C742

===== Composition/Informatio

n on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE AND CHRONIC-NONE. THIS PRODUCT CONTAINS NO HAZARDOUS MATERIALS.

Explanation of Carci

nogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:PERSONS WITH ALLERGIES TO ANTIBIOTICS

===== First Aid Measures =====

First Aid:CALL A DOCTOR IF SYMPTOMS DEVELOP.

EYE:/SKIN/INHALATION/INGESTION:NONE REQUIRED.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED

CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP AND PLACE IN SUITABLE CLEAN, DRY CONTAINERS FOR RECLAMATION OR LATER DISPOSAL. VENTILATE AND FLUSH AREA WITH WATER TO REMOVE FINAL TRACES.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =

=====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:AS A GENERAL RULE, WHEN HANDLING PHARMACEUTICAL PRODUCTS, AVOID ALL FORMS OF CONTACT AND INHALATION OF DUST, FUMES, MISTS, AND/OR VAPORS ASSOCIATED WITH THE PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED UNDER NORMAL LABORATORY CONDITIONS.

Ventilation:ADEQUATE

Protective Gloves:

DISPOSABLE SURGICAL LATEX RECOMMENDED

Eye Protection:SAFETY GOGGLES/GLASSES

Other Protective Equipment:EYE WASH STATION, UNIFORM

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:INSOLUBLE

Appearance and Odor:PAPER DISCS OF VARYING COLORS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HEAT

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:WASTE SHOULD BE DISPOSED OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. INCINERATE IN AN APPROVED FACILITY. MAY BE DISPOSED OF WITH NORMAL LABORATORY TRASH.

Disclaimer (provided

with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.