View NSN Online: https://aerobasegroup.com/nsn/6810-00-397-3720

Product ID:DICHLOROMETHANE,73560 MSDS Date:12/02/1994 FSC:6810 NIIN:00-397-3720 **MSDS Number: BXCNQ** === Responsible Party === Company Name: FREY SCIENTIFIC Address:905 HICKORY LANE City:MANSFIELD State:OH ZIP:44905 Country:US Info Phone Num:419-589-9905/716-226-6177/334-4222 Emergency Phone Num:419-589-1 900/800-424-9300(CHEMTREC) Preparer's Name: MICHAEL RASZEJA CAGE:6U218 === Contractor Identification === Company Name: FREY SCIENTIFIC Address:100 PARAGON PARKWAY Box:City:MANSFIELD State:OH ZIP:44905 Country:US Phone:419-589-1900 CAGE:6U218 Ingred Name: METHYLENE CHLORIDE (SARA 313) (CERCLA) CAS:75-09-2 RTECS #:PA8050000 Fraction by Wt: 99.9% Other REC Limits:NONE RECOMMENDED OSHA PEL:500 PPM; Z-2 ACGIH TLV:50 PPM, A2; 9495 EPA

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 1500-2500 MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:LUNG, EYE, SKIN, LIVER, KIDNEY. ACUTE- EYE:TRANSIENT CORNEAL INJURY. SKIN:IRRITATION, DEFATTING. PROLONGED SKIN CONTACT MAY RESULT IN BURNS & ABSORPTION. INHALE:IR RITATION, DIZZINESS. NA RCOTIC IN HIGH CONCENTRATIONS. ORAL:ASPIRATION HAZARD. CHRONIC- LONG TERM OVEREXPOSURE MAY CAUSE LIVER & KIDNEY DAMAGE. Explanation of Carcinogenicity:METHYLENE CHLORIDE IS LISTED AS A POTENTIAL HUMAN CARCINOGEN BY NTP, IARC AND ACGIH. Effects of Overexposure:IRRITATION, NAUSEA, VOMITING, HEADACHE, DIZZINESS, SKIN DEFATTING AND BURNS, ELEVATED CARBOXYHEMOGLOBIN

LEVELS

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS OR E

YE PROBLEMS OR IMPAIRED LIVER, KIDNEY, CARDIOVASCULAR OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THE SUBSTANCE.

First Aid:GET IMMEDIATE MEDICAL ATTENTION. EYES/SKIN:IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. WASH SKIN WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NECE SSARY. ORAL:DO NOT INDUCE VOMITING EXCEPT ON ADVICE OF COMP

ETENT MEDICAL PERSONNEL. IF CONSCIOUS, DRINK WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:1035F

Extinguishing Media:WATER SPRAY OR FOG, CARBON DIOXIDE, SAND, DRY CHEMICAL (ABC). USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH F ULL

FACEPIECE OPERATED IN POSITIVE PRESSURE MODE. DANGEROUS TO EYES. Unusual Fire/Explosion Hazard:THERE IS THE POSSIBILITY OF PRESSURE BUILDUP IN CLOSED CONTAINERS. VAPORS MIXED WITH AIR IN PROPER PROPORTION WILL PROPAGATE A FLAME.

Spill Release Procedures: EVACUATE PERSONNEL. WEAR PROPER PROTECTIVE CLOTHING AND EQUIPMENTS. VENTILATE AREA. STOP LEAK IF POSSIBLE. CONTAIN SPILL. ABSORB WITH VERMICULITE, DRY S

AND OR SIMILAR

MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER. DO NOT FLUSH TO SEWER.

Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE IN COOL, DRY, VENTILATED PLACE AWAY FROM OPEN FLAMES, INCOMPATIBLE MATERIALS. DO NOT STORE IN ALUMINUM CONTAINERS. LOOSEN CLOSURE CAUTIOUSLY.

Other Precautions: AVOID BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AF

TER HANDLING. KEEP OUT OF REACH

OF CHILDREN. USE IN WELL VENTILATED AREA. AVOID WELDING ARCS. EMPTIED CONTAINER RE TAINS RESIDUE. FOR LABORATORY USE ONLY.

Respiratory Protection: IF THE TLV IS EXCEEDED, WEAR A NIOSH-APPROVED FULL-FACED RESPIRATOR FOR CHLORINATED SOLVENTS.

Ventilation: USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.

Protective Gloves: FLUOROELASTOMER (VITON), PVA

Eye Protection:C

HEMICAL SPLASH GOGGLES/SAFETY GLASSES

Other Protective Equipment:PROTECTIVE CLOTHING AS NEEDED TO PREVENT PROLONGED/REPEATED SKIN CONTACT, EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING.

Supplemental Safety and Health

HCC:T4 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:104F, 40C Melt/Freeze Pt:M.P/F.P Text:-142F,-97C Vapor Pres:350 @ 68F Vapor Density:2.93 Spec Gravity:1.326 Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:>1 (ETHER = 1) Solubility in Water: APPROX. 2% @ 68F/20C Appearance and Odor: CLEAR, COLORLESS VOLATILE LIQUID - PENETRATING ETHEREAL ODOR Percent Volatiles by Volume:100 Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG CAUSTIC, CHEMICALLY ACTI **VE METALS** (ALUMINUM), AMINES, POSSIBLY SODIUM, POTASSIUM & MG Stability Condition to Avoid:STABLE UNDER ORDINARY CONDITIONS OF USE AND STORAGE. AVOID CONTACT WITH OPEN FLAMES, ELECTRICAL ARCS, EXCESSIVE HEAT Hazardous Decomposition Products: HYDROGEN CHLORIDE, CARBON MONOXIDE, CARBON DIOXIDE, PHOSGENE AND CHLORINE Conditions to Avoid Polymerization:WATER CONTAMINATION 

Waste Disposal Methods:DISPOSE OF IN ACCORDA NCE WITH ALL LOCAL, STATE

AND FEDERAL REGULATIONS. DISPOSE OF IN AN APPROVED INCINERATOR EQUIPPED WITH AFTERBURNER AND SCRUBBER OR CONTRACT WITH A LICENSED WASTE DISPOSAL SERVICE. DO NOT CONTAMINATE ENVIRONMENT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.