

3M -- SCOTCHCAST BRAND ELECTRICAL RESIN 280, PART B

=====  
MSDS Safety Information  
=====

FSC: 5970  
NIIN: 01-165-8848  
MSDS Date: 06/19/1992  
MSDS Num: BXCPN  
Product ID: SCOTCHCAST BRAND ELECTRICAL RESIN 280, PART B  
MFN: 02  
Kit Part: Y  
Responsible Party  
Cage: 0F0U5  
Name: 3M  
Address: 3M CENTER  
City: ST. PAUL M  
N 55144-1000  
Info Phone Number: 612-733-1110  
Emergency Phone Number: 612-733-1110  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 76381  
Name: MINNESOTA MINING AND MFG CO, DBA 3M  
Address: 3M CENTER BLDG 224-5S-04  
City: SAINT PAUL MN 55144-1000  
Phone: 866-556 5712 / 612-733-1110  
Cage: 0F0U5  
Name: PACEBROOK LTD  
Address: 15 GOSDITCH ST  
City: CIRENCESTER GLOS GL7 2AG NK 00000  
Country:  
UK  
Phone: NONE

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: INSULATING COMPOUND KIT,ELECTRICAL  
Unit of Issue: EA  
UI Container Qty: 1

=====  
Ingredients  
=====

Cas: 25377-73-5  
RTECS #: WN1225000  
Name: DODECENYLSUCCINIC ANHYDRIDE  
% Wt: 45-50 %  
Other REC Limits: NONE RECOMMEND

ED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 90-72-2  
RTECS #: SN3500000  
Name: TRIS(2,4,6-DIMETHYLAMINOMONOMETHYL)PHENOL  
% Wt: 0.1-1 %  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 68308-83-8  
Name: CASTOR OIL/MALEIC ANYHYDRIDE POLYMER  
% Wt: 50-55 %  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

=====  
=====  
Health Hazards Data

=====  
LD50 LC50 Mixture: NOT GIVEN FOR PRODUCT AS A WHOLE  
Route Of Entry Inds - Inhalation: YES  
Skin: YES  
Ingestion: NO  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: CAUSES EYE IRRITATION. SKIN CONTACT MAY CAUSE IRRITATION.  
MAY BE ABSORBED THROUGH THE SKIN. INHALATION MAY CAUSE UPPER RESPIRATORY  
IRRITATION. INGESTION MAY CAUSE IRRITATION OF THE GI TRACT.  
Explanation Of Carcinogenic  
ity: THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Signs And Symptoms Of Overexposure: EYE IRRITATION, SKIN IRRITATION, SORENESS  
OF NOSE AND/OR THROAT, COUGHING AND SNEEZING, ABDOMINAL PAIN, VOMITING,  
ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS, BLOOD IN FECES.  
Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.  
First Aid: EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN.  
GET

MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DRINK TWO GLASSES OF WATER. CALL A PHYSICIAN.

=====  
Handling and Disposal  
=====

Spill Release Procedures: REFER TO OTHER SECTIONS OF THIS MSDS FOR INFORMATION REGARDING PHYSICAL

AND HEALTH HAZARDS, RESPIRATORY PROTECTION, VENTILATION AND PERSONAL PROTECTIVE EQUIPMENT. CALL 612-733-1110 OR 612-733-6100 FOR ASSISTANCE. COVER WITH ABSORBENT MATERIAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE AWAY FROM HEAT. KEEP CONTAINER IN

WELL-VENTILATED AREA. KEEP OUT OF THE REACH OF CHILDREN. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. WASH EXPOSED AREAS THOROUGHLY WITH SOAP AND WATER.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: CC

Flash Point Text: >350F,>177C

Lower Limits: NOT GIVEN

Upper Limits: NOT GIVEN

Extinguishing Med

ia: CARBON DIOXIDE, DRY CHEMICAL, FOAM

Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

=====  
Control Measures  
=====

Respiratory Protection: AVOID INHALATION OF VAPORS CREATED DURING THE CURE CYCLE. SELECT A NIOSH APPROVED RESPIRATOR BASED ON AIRBORNE CONCENTRATION OF

CONTAMINANTS AND IN ACCORDANCE WITH OSHA REGULATIONS.

Ventilation: LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS REQUIRED TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves: WEAR APPROPRIATE GLOVES WHEN HANDLING

Eye Protection: UNVENTED GOGGLES

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMO

KING OR USING TOILET FACILITIES.

Supplemental Safety and Health: COOL DOWN AREA SHOULD BE VENTILATED TO PREVENT VAPORS FROM ENTERING THE WORK AREA.

=====  
Physical/Chemical Properties  
=====

HCC: N1  
B.P. Text: NOT GIVEN  
M.P/F.P Text: NOT GIVEN  
Decomp Text: UNKNOWN  
Vapor Pres: NOT GIVEN  
Vapor Density: NOT GIVEN  
Spec Gravity: 1.02  
Evaporation Rate & Reference: NOT GIVEN  
Solubility in Water: NIL

Appearance and Odor: TAN LIQUID  
Percent Volatiles by Volume: 0 %  
Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.  
Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regu

latory Information

Other Information

Transportation Information

Responsible Party Cage: 0F0U5

Trans ID NO: 112486

Product ID: SCOTCHCAST BRAND ELECTRICAL RESIN 280, PART B

MSDS Prepared Date: 06/19/1992

Review Date: 0

6/28/1995

MFN: 2

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: EA

Container QTY: 1

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSP

ORTATION

=====

HAZCOM Label

=====

Product ID: SCOTCHCAST BRAND ELECTRICAL RESIN 280, PART B

Cage: 0F0U5

Company Name: PACEBROOK LTD

Street: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK

Zipcode: 00000

Country: UK

Health Emergency Phone: 612-733-1110

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: CAUSES EY

E IRRITATION. SKIN CONTACT MAY CAUSE

IRRITATION. MAY BE ABSORBED THROUGH THE SKIN. INHALATION MAY CAUSE UPPER  
RESPIRATORY IRRITATION. INGESTION MAY CAUSE IRRITATION OF THE GI TRACT.

EYE

IRRITATION, SKIN IRRITATION, SORENESS OF NOSE AND/OR THROAT, COUGHING AND  
SNEEZING, ABDOMINAL PAIN, VOMITING, ABDOMINAL TENDER NESS, NAUSEA, BLOOD IN  
VOMITUS, BLOOD IN FECES.

=====

Disclaimer (provided with this information by the comp

iling agencies): This

information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing thi

s instruction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.