View NSN Online: https://aerobasegroup.com/nsn/6850-01-233-4017

RICOH CORPORATION -- TONER -- 6850-01-233-4017

Product ID:TONER MSDS Date:08/09/1991 FSC:6850 NIIN:01-233-4017 Kit Part:Y MSDS Number: BXCPW === Responsible Party === Company Name: RICOH CORPORATION Address:5 DEDRICK PLACE City:WEST CALDWELL State:NJ ZIP:07006-6304 Country:US Info Phone Num:201-882-2000 Emergency Phone Num:800-336-6737 CAGE:54726 === Contractor I dentification === Company Name: RICOH CORPORATION Address:5 DEDRICK PLACE City:WEST CALDWELL State:NJ ZIP:07006-6304 Country:US Phone:800-336-6737 CAGE:54726 Ingred Name:STYRENE 93-4 CAS:25213-39-2 Fraction by Wt: 38% Ingred Name: PROPENE POLYMERS, POLYPROPYLENE, POLYOLEFINE CAS:9003-07-4 RTECS #:UD1842000 Fraction by Wt: 4% Ingred Name: IRON OXIDE, MAGNETITE 93-4 CAS:1317-61-9 Fraction by Wt: 30-60%

Ingred Name:RED IRON OXID

E/IRON (III) OXIDE/FERRIC OXIDE/YELLOW FERRIC OXIDE/YELLOW IRON OXIDE/IRON OXIDE PIGMENT CAS:1309-37-1 RTECS #:NO7400000 Fraction by Wt: 0.1-1% OSHA PEL:10 MG/CUM ACGIH TLV:5 MG/CUM (FE)
Ingred Name:NIGROSINE BASE, SOLVENT BLACK 7 93-4 CAS:8005-02-5 Fraction by Wt: 2%
======================================
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic:SKIN: MILDL Y IRRITATING. Explanation of Carcinogenicity:NONE Effects of Overexposure:NONE UNDER NORMAL CONDITIONS OF USE. Medical Cond Aggravated by Exposure:WILL NOT OCCUR.
======================================
First Aid:EYES: TRY TO REMOVE OR FLUSH OUT W/EYE DROPS. IF UNSUCCESSFUL, GET MEDICAL ATTENTION. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE FROM EXPOSURE. INGESTION: DILUTE STOMACH CONTENTS W/SEVER AL GLASSES OF WATER. OBTAIN MEDICAL ATTENTI ON IN ALL CASES.
======================================
Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICALS, CO2 Fire Fighting Procedures:NO SPECIAL FIRE-FIGHTING PROCEDURE IS NECESSARY.
======================================
Spill Release Procedures:SWEEP UP USING AN APPROVED TONER VACUUM CLEANER W/0.5 MICRONFILTER SUCH AS THE AASTIX AA TONER VACUUM. USE OF A VACUUM CLEANER NOT RATED FOR TONER PARTICULATE COULD BE A

POTENTIAL FIRE HAZARD OR RESUL T IN PERSONAL INJURY. REMOVE RESIDUE W/SOAP/WATER.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP OUT OF REACH OF CHILDREN. IN ORDER TO AVOID THE RISK OF POWDER ENTERING THE EYES, DON'T HANDLE IN WINDY AREAS. Other Precautions:MINIMIZE INHALATION OF DUST.

Respiratory Protection:NONE NEEDED UN DER NORMAL CONDITIONS OF USE. Ventilation:ADEQUATE VENTILATION Protective Gloves:NONE NEEDED. Eye Protection:NONE NEEDED. Other Protective Equipment:NONE NEEDED UNDER NORMAL CONDITIONS OF USE. Work Hygienic Practices:MINIMIZE BREATHING DUST. CLEANSE SKIN THOROUGHLY AFTER CONTACT, BEFORE BREAKS & MEALS, AND AT THE END OF WORK PERIODS.

Supplemental Safety and Health

HCC:N1 Spec Gravity:1.99 Solubility in Water:NEGLIGIBL E Appearance and Odor:BLACK POWDER W/NO ODOR

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CO & OTHER DECOMPOSITION PRODUCTS IN THE CASE OF INCOMPLETE COMBUSTION.

Waste Disposal Methods:USED TONER SHOULD BE DISPOSED OF IN AN ENVIRONMENTALLY SAFE MANNER/IN ACCORDANCE W/GOVERMENTAL REGULATIONS. DON'T INCINERATE. DISPOS AL REGULATIONS VARY FROM

LOCALITY, THEREFORE, CONSULT YOUR LOCAL OFF ICE OF EPA TO DETERMINE PROPER METHOD OF DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek compet

ent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.