View NSN Online: https://aerobasegroup.com/nsn/6850-01-372-3076

AEROSOL SERVICES CO INC --SMOKE DETECTOR TESTER, HOMSAO5/L27865A 6850-01-372-3076 Product ID:SMOKE DETECTOR TESTER, HOMSAO5/L27865A MSDS Date:06/10/1992 FSC:6850 NIIN:01-372-3076 **MSDS Number: BXCQS** === Responsible Party === Company Name: AEROSOL SERVICES CO INC Address:425 S NINTH AVE Box:2428 City:LA PUENTE (FORMALLY IN CITY OF INDUSTRY) State:CA ZIP:91746-331 4 Country:US Info Phone Num:818-968-8531/FAX 818-330-9464 Emergency Phone Num:818-968-8531 Preparer's Name:K.LIM CAGE:7K472 === Contractor Identification === Company Name: AEROSOL SERVICES CO INC Address:425 S NINTH AVE Box:2428 City:CITY OF INDUSTRY(LA PUENTE) State:CA ZIP:91746 Country:US Phone:(626) 968-8531 CAGE:7K472 Company Name: EISON INDUSTRIAL SALES INC/DBS GOV. PROCUREMENT Address:5800 OAKBROOK PKY Box:City:NORCROSS State:GA ZIP:30093-1805 Country:US Phone:404-448-7100 CAGE:1FY72

=====

Ingred Name:PHTHALATE ESTERS, MIXTURE Fraction by Wt: 2% Other REC Limits:NONE RECOMMENDED

Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 98% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE WHEN USED AS DIRECTED. Explanation of Carcinogenicity:NOT CARCINOGENIC. Effects of Overexposure:OVEREXPOSURE BY INHALATION MAY CAUSE DIZZINESS, NAUSEA, AND RESPIRATORY TRACT IRRITATION. Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. INGESTION: INGESTION IS NOT CONSIDERED A POTENTIAL ROUTE OF EXPOSURE.

\_\_\_\_\_

Flash Point Method:TOC Flash Point:-156F,-104C Autoignition Temp:Autoignition Temp Text:874F Lower Limits:1.8 Upper Limits:9.5 Extinguishing Media:DRY CHEMICAL, WATER, CARBON DIOXIDE. Fire Fighting Procedures:KEEP TEMPERATURE OF CONTAINERS BELOW 130F BY SPRAYING WITH WATER UNTIL FIRE HAS BEEN EXTINGUISHED. Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE AND RELEASE FLAMMABLE GAS IF EXPOSED TO HEAT OF FIRE.

====== Accid

Spill Release Procedures: LEAKING CONTAINERS SHOULD BE PLACED OUTDOORS, IN AN OPEN CONTAINER, AWAY FROM SOURCE OF IGNITION. ALLOW PRESSURE TO DISSIPATE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: DO NOT STORE NEAR HEAT SOURCES SUCH AS RADIATORS, OPEN FLAMES, STOVES, ETC. STORE IN A COOL, DRY PLACE. Other Precautions: AVOID EXCESSIVE INHALATION. DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. Respiratory Protection: NONE REQUIRED WHEN USED AS DIRECTED. Ventilation:NORMAL VENTILATION IS SUFFICIENT. Protective Gloves:NONE REQUIRED. Eye Protection:NONE REQUIRED. Other Protective Equipment: NONE REQUIRED WHEN USED AS DIRECTED. Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. Supplemental Safety and Health NO NE

HCC:V3 Boiling Pt:B.P. Text:-44F,-42C Vapor Pres:70 PSIG Vapor Density:1.764 Spec Gravity:0.537 Evaporation Rate & amp; Reference:1 (BUTYL ACETATE=1) Solubility in Water:0.008% WT Appearance and Odor:FINE MIST AEROSOL SPRAY. ESSENTIALLY ODORLESS.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS SUCH AS OXYGEN, CHLORINE, OR FLUORINE. Stab ility Condition to Avoid:DO NOT EXPOSE TO HEAT OR FLAME. Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods: EMPTY CONTAINERS MAY BE DISPOSED OF IN REGULAR REFUSE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States o

f America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.