MINNESOTA MINING AND MFG CO -- CC-2 PREP KIT (CABLE CLEANER) -- 6850-01-015-2758

Product ID:CC-2 PREP KIT (CABLE CLEANER) MSDS Date:12/01/1997 FSC:6850 NIIN:01-015-2758 Kit Part:Y MSDS Number: BXFRM === Responsible Party === Company Name: MINNESOTA MINING AND MFG CO Address:3M CENTER City:ST. PAUL State:MN ZIP:55144-1000 Country:US Info Phone Num:612-737-6501,1-8 00-364-3577 Emergency Phone Num:612-737-6501,1-800-364-3577 Resp. Party Other MSDS Num.:11-4627-3 CAGE:76381 === Contractor Identification === Company Name: BECKER JOHN A CO Address:1341 EAST 4TH ST Box:City:DAYTON State:OH ZIP:45402-2235 Country:US Phone:513-226-1341 Contract Num:SP0450-99-M-C128 CAGE:12497 Company Name: MINNESOTA MINING AND MFG CO, DBA 3M Address:3M CENTER BLDG 224-5S-04 Box:City:SAINT PAUL State:MN ZIP:55144-1000 Country:US Phone:866-556 5712 / 612-733-1110 CAGE:76381 Company

Name: QUALITY ELECTRIC SUPPLY CO Address:4425 SOUTHLAKE BLVD. Box:3680 City:RICHMOND State:VA ZIP:23235 Country:US Phone:804-794-0842 CAGE:4W935 Company Name: WESTINGHOUSE ELECTRIC SUPPLY CO Address:2080 WINNERS CR Box:187 **City:DAYTON** State:OH ZIP:45401 Country:US Phone:937-463-4922 CAGE:2B094

Ingred Name:PETROLEUM DISTILLATES CAS:64771-72-8 Minumum % Wt:80. Maxumum % Wt:95. Other REC Limits:NONE RECOMMENDED

Ingred Name:D-LIMO NENE CAS:5989-27-5 RTECS #:GW6360000 Minumum % Wt:5. Maxumum % Wt:20. Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: MILD IRRITATION. SKIN: MODERATE IRRITATION. INHALATION: IRRITATION OF UPPER RESPIRATORY SYSTEM. PROLONGED/REPEATED OVE REXPOSURE MAY CAUSE CNS DEPRESSION. INGESTION: GASTROINTESTINAL TISSUES IRRI TATION. Explanation of Carcinogenicity: PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA. Effects of Overexposure: EYES: REDNESS, SWELLING, PAIN, TEARING. SKIN: REDNESS, SWELLING, ITCHING, DRYNESS. INHALATION: SORENESS OF NOSE/THROAT, COUGHING, SNEEZING, HEADACHE, DIZZINESS, INCOORDINATION, SLOW REACTION, SLURRED SPEECH, GIDDINESS, UNCONSCIOUSNESS, INGESTIO N: PAIN, VOMITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS AND FECES. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. IF SIGNS/SYMPTOMS CONTINUE, GET MEDICAL ATTENTION. INGESTION: DO NOT L NDUCE VOMITING. DRINK 2 GLASSES OF WATER. GET MEDICAL ATTENTION. Flash Point Method:CC Flash Point:=62.2C, 144.F Lower Limits:N/D Upper Limits:N/D Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING, HELMET, SELF-CONTAINED, POSITIVE PRESS/PRESS DEMAND BREATHING APPARATUS, BUNKER COAT AND PANTS, FACEMASK, PROTECTIVE HEAD COVERING. **Unusual Fire/Explosion Hazar** d:NO UNUSUAL FIRE OR EXPLOSION HAZARDS ARE ANTICIPATED. Spill Release Procedures: CONTAIN SPILL. COVER WITH INORGANIC ABSORBENT MATERIAL. COLLECT SPILLED MATERIAL. PLACE IN APPROVED METAL CONTAINER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. 

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA AWAY FROM HEAT, SPARKS, OP EN FLAMES, AND OTHER SOURCES OF IGNITION. Other Precautions: KEEP OUT OF REACH OF CHILDREN. DO NOT EAT, DRINK, OR SMOKE WHEN USING THIS PRODUCT.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:AVOID PROLONGED BREATHING OF VAPORS. IF EXHAUST VENTILATION IS NOT ADEQUATE, USE APPROPRIATE RESPIRATORY PROTECTION. WEAR A HALF-MASK ORGANIC VAPOR RESPIRATOR. Ventilation:PROVIDE ADEQUATE LOCAL EXHAUST VENTILATION. Protective Gloves:NITRILE RUBBER,PO LYETHYLENE,VITON GLOVES Eye Protection:AVOID EYE CONTACT. WEAR VENTED GOGGLES. Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:WASH EXPOSED AREAS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE USING. Supplemental Safety and Health NONE

HCC:V4

Boiling Pt:=193.3C, 380.F B.P. Text:380 - 480 F Vapor Pres:1.00 Spec Gravity:0.76 VOC Pounds/Gall on:740 pH:NA Viscosity:NP Solubility in Water:NIL Appearance and Odor:LIQUID, CLEAR, CITRUS-LIKE ODOR. Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:KEEP AWAY FROM HEAT/SPARKS/OPEN FLAME/OTHER SOURCES OF IGNITION. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE. Conditions to Avoid Polymerization:WILL NOT OCCUR.

==========

Waste Disposal Methods:INCINERATE IN INDUSTRIAL OR COMMERCIAL FACILITY. RECLAIM IF FEASIBLE. DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Federal Regulatory Information: ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TOXIC SUBSTANCE CONTROL ACT (TSCA) CHEMICAL SUBSTANCE INVENTORY.

Disclaimer (provided with this informatio

n by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.