CALGON CORP -- EZE 206 MS -- 6850-01-372-8303

Product ID:EZE 206 MS MSDS Date:07/22/1994 FSC:6850 NIIN:01-372-8303 MSDS Number: BXFWR === Responsible Party === Company Name: CALGON CORP Box:1346 City:PITTSBURGH State:PA ZIP:15230-1346 Country:US Info Phone Num:412-777-8000 Emergency Phone Num:412-777-8000/800-424-9300(CHEMTREC) CAGE:86035 === Contractor Identific ation === Company Name: CALGON CORP Address: RT 60 AND CAMPBELLS RUN RD Box:1346 City:PITTSBURGH State:PA ZIP:15230-1346 Country:US Phone:412-494-8000 CAGE:86035 Company Name: CHEMICAL SPECIALISTS AND DEVELOPMENT INC Address:2210 HACKBERRY LN Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:409-756-1065 Contract Num:SPO450-00-M-D495 CAGE:4N760 Company Name: EZE PRODUCTS, INC Address:603 HIGH TECH CT Box:5744 City:GREENVILLE State:SC ZIP:29606 Country:US Phone:803-242-1002 OR 803-879-7100 CAGE

:8Z357

Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FR ESH

AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT IN DUCE VOMITING. IF CONSCIOUS, DRINK TWO GLASSES OF WATER TO DILUTE. GET MEDICAL ATTENTION.

Flash Point Method:TCC Flash Point:NONE TO BOILING Extinguishing Media:DRY CHEMICAL, WATER FOG, ALCOHOL FOAM. WATER SHOULD BE USED TO COOL FIRE-EXPOSED CONTAINERS. Fire Fightin g Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:CONTAIN SPILL. VENTILATE AREA. REMOVE IGNITION SOURCES. ABSORB SMALL SPILL WITH INERT MATERIAL SUCH AS SAND/VERMICULITE. TRANSFER LARGE SPILL WITH PUMP TO CONTAINERS. NEUTRALIZE WITH DILUTED ACID. AVO ID EYE AND SKIN CONTACT. Neutralizing Agent:WEAK/DILUTED ACI D

Handling and Storage Precautions:STORE IN COOL PLACE AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINER TIGHTLY CLOSED.
Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED, WEAR NIOSH-APPROVED RESPIRATORY PROTECTION (REFER TO 29 CFR 1910.134). Ventilation: ADEQUATE - LOCAL

Protective Gloves: RUBBER OR NEOPRENE

Eye Protection: CHEMICAL SPLASH GOGGLES

Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

HCC:B3 NRC/State Lic Num:NOT RELEVA NT Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:25.0F,-3.9C Vapor Pres:NONE Spec Gravity:1.006 pH:9.5 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, VERY LIGHT AMBER LIQUID - MILD ODOR Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES ACIDS, READILY OXIDIZABLE MATERIALS (REDUCING AGENTS) Stability Condition to Avoid:EXTREME HEAT Hazardous Decomposition Products:MAY FORM CARBON MONO XIDE, CARBON DIOXIDE.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. CONTAMINATED ABSORBENT MAY BE DEPOSITED IN A LANDFILL. IF DILUTED AND NEUTRALIZED, FLUSH TO TREATMENT FACILITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.