View NSN Online: https://aerobasegroup.com/nsn/5865-01-075-4799 TRACOR AEROSPACE, INC -- PACKAGED CHAFF (ALUMINIZED GLASS) -- 5865-01-075-4799 ============= Product Identification ======================== Product ID:PACKAGED CHAFF (ALUMINIZED GLASS) MSDS Date:01/14/1992 FSC:5865 NIIN:01-075-4799 MSDS Number: BXFYN === Responsible Party === Company Name: TRACOR AEROSPACE, INC Address:608 EAST MCNEILL ST Box:1179 City:LILLINGTON State:NC ZIP:27546 Country:US Info Phone Num:919-893-2094 ergency Phone Num:919-893-2094 Preparer's Name: NONE CAGE:7L547 === Contractor Identification === Company Name: TRACOR AEROSPACE INC Address:608 E MCNEILL ST Box:City:LILLINGTON State:NC ZIP:27546 Country:US Phone:919-893-2094 CAGE:7L547 ======= Composition/Information on Ingredients ======== Ingred Name: NO HAZARDOUS INGREDIENTS.

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

LD50 LC50 Mixture: NONE SPECIF

IED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: COATED FIBERS MAY BE SLIGHTLY ABRASIVE TO EYES, SKIN, AND MUCOUS MEMBRANES. CHRONIC: CHRONIC OVEREXPOSURE IS PREVENTED BY INSURING FIBERS DO NOT ENTER THE EYES. REPEATED EXPOSURE TO THE HANDS/A RMS HAS INFREQUENTLY CAUSED MINOR DERMATITIS AND MAY BE PREVENTED (SEE PRECAUTIONS). Explanation of Carcinogenicity:NONE
ffects of Overexposure:ACUTE OVEREXPOSURE MAY CAUSE MINOR EYE IRRITATION IF FIBER GETS INTO THE EYE. REPEATED EXPOSURE TO THE HANDS/ARMS HAS INFREQUENTLY CAUSED MINOR DERMATITIS AND MAY BE PREVENTED.
Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES: FLUSH WITH SALINE SOLUTION OR WATER TO IRRIGATE THE EYE TO REMOVE FIBER. PREVENT CHRONIC OVEREXPOOSURE BY INSURING FIBERS DO
NOT ENTER THE EYES BY WEARING SAFETY GOGGLES. SKIN: FIBERS MAY BE REA DILY REMOVED FROM HANDS/SKIN BY WATER OR PRESSURIZED AIR STREAM. NON-POROUS GLOVES, LIGHT COTTON SMOCK, OR LONG SLEEVE SHIRT MAY BE WORN TO PREVENT HAND AND BODY CONTACT IF DESIRED.
======================================
Flash Point:NOT FLAMMABLE Extinguishing Media:NO FIRE OR EXPLOSION HAZARD. USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:NO FIRE OR EXPLOS ION HAZARD.
Unusual Fire/Explosion Hazard:NO FIRE OR EXPLOSION HAZARD.
========= Accidental Release Measures ===========
Spill Release Procedures:NONE SPECIFIED BY MANUFACTURER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============= Handling and Storage ==============

Handling and Storage Precautions: UNLESS THERE IS CLOSE OR REPEATED EXPOSURE TO FIBERS, NO PRECAUTIONS ARE NECESSARY. POTENTIAL EYE HAZARD CAN BE ELIMINATED BY WEARING SAFETY

GOGGLES. Other Precautions:NON-POROUS GLOVES WILL PREVENT CONTACT WITH HANDS IN THE EVENT OF REACTION. LIGHT COTTON SMOCK OR LONG SLEEVE SHIRT MAY BE WORN TO PREVENT BODILY CONTACT IF DESIRED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NORMAL WORK AREA VENTILATION IS ADEQUATE.

Other Protective
Equipment:LIGHT COTTON SMOCK OR LONG SLEEVE SHIRT MAY
BE WORN TO PREVENT BODILY CONTACT IF DESIRED.

Protective Gloves: NON-POROUS GLOVES IN EVENT OF REACTION.

Eye Protection: SAFETY GOGGLES IF EXPOSURE EXPECTED.

Work Hygienic Practices: NORMAL WORK HYGIENIC PRACTICES ARE ADEQUATE.

Supplemental Safety and Health

NONE

======== Physical/Chemical Properties ===========

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:1250F,677C

Evaporation Rate & Dr. Reference: NON-VOLATILE

Solubility in Water: NOT SOLUBLE

Appearance and Odor:FIBERS ARE SILVER (ALUMINUM) COLORED.

Percent Volatiles by Volume:0

====== Stability and Reactivity Data ============

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:PRODUCT NOT REACTIVE.

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

Conditions to Avoid Polymerization: PRODUCT NOT REACTIVE.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF WASTE SHAFF BY CUTTING THE ROVING TO FLAT LENGTHS. THE SHAFF WILL OXIDIZE IN MINUT

E AMOUNTS WITH

PRODUCTION OF NONHAZARDOUS AMOUNT OF HYDROGEN PRODUCTION.FOLLOW ALL LOCAL, STATE, FEDERAL RE GULATIONS.SHAFF CONTAINS NO HAZARDOUS INGREDIENTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.