

EUTECTIC CORP -- EUTECTRODE 680 -- 3439-01-163-2945

=====  
Product Identification  
=====

Product ID:EUTECTRODE 680

MSDS Date:03/31/1993

FSC:3439

NIIN:01-163-2945

MSDS Number: BXHNV

=== Responsible Party ===

Company Name:EUTECTIC CORP

Address:40-40 172ND STREET

City:FLUSHING

State:NY

ZIP:11358-9981

Country:US

Info Phone Num:718-358-4000 FAX: 718-445-1784

Emergency Phone Num:718-358-4000

CAGE:72271

=== Contractor Identification ===

Company Name:EUTECTIC CORP

Address:9625-J SOUTHERN PINE BLVD

Box:City:CHARLOTTE

State:NC

ZIP:28273

Country:US

Phone:704-527-9800/ 800-221-1433

CAGE:72271

=====  
Composition/Information on Ingredients  
=====

Ingred Name:IRON

CAS:7439-89-6

RTECS #:NO4565500

Other REC Limits:NONE RECOMMENDED

Ingred Name:CHROMIUM (SARA 313) (CERCLA)

CAS:7440-47-3

RTECS #:GB4200000

Fraction by Wt: 20-30%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1 MG/M3

ACGIH TLV:

0.5 MG/M3; 9495  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:NICKEL (SARA 313) (CERCLA)  
CAS:7440-02-0  
RTECS #:QR5950000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9495

Ingred Name:SODIUM SILICATE  
CAS:1344-09-8  
Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)  
CAS:1317-65-3  
RTECS #:EV9580000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:TITANIUM DIOXIDE  
C  
AS:13463-67-7  
RTECS #:XR2275000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:FELDSPAR  
CAS:68476-25-5  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)  
CAS:1310-58-3  
RTECS #:TT2100000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:C 2 MG/M3  
ACGIH TLV:C 2 MG/M3; 9495  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:MANGANESE (SARA 313)  
CAS:7439-96-5  
RTECS #:OO9275000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:C 5

MG/M3 DUST  
ACGIH TLV:5 MG/M3 DUST 9495

Ingred Name:POTASSIUM TITANATE  
CAS:12030-97-6  
Other REC Limits:NONE RECOMMENDED

Ingred Name:FLUORSPAR  
CAS:14542-23-5  
Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:NO HAZ EXIST FOR ARC WELDING  
ELECTRODE/BRAZING RODS BEF BEING USED IN WELD/BRAZE PROC  
ESS.FUMES  
FRM HEAT/WELD/BRAZ/SOLDER/CUT METALS DANGEROUS TO HEALTH;OVEREXPO  
CAN CAUSE LUNG/OTHER ORGANS DAMAGE.ARC RAYS/ULTRAVIOLET LIGHT  
INJURE EYES/BURNSKIN.ELECTRICAL SHOCK CAN KILL.HARMFUL/FATAL IF  
INGEST.

Explanation of Carcinogenicity:PER MSDS:PRODUCT CONTAINS CHROMIUM &  
NICKEL-INGREDS LISTED AS CARCINOGEN/POSSIBLE CARCINOGEN IN  
NTP/IARC/OSHA.

Effects of Overexposure:SHORT TERM EXPO:DIZZ,NAU,DRYNESS/IRRIT OF  
NOSE/THROAT/EYES.ESCESSIVE OVEREXPO:BRONCHIAL ASTHMA,  
LUNG  
FIBROSIS,PNEUMOCONIOSIS OR SIDEROSIS(IRON DEPOSITS IN LUNG).METAL  
FEVER:SIMILAR TO INFLUENZA TYP SIC KNESS,CHILLS,FEVER,HEAD/MUSCLE  
ACHE,TIGHT CHEST,DRYN NOSE/MOUTH,NAU,VOMIT.MECHANICAL SKIN/EYE  
IRRIT,PULM IRRIT.

Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY OR  
ALLERGIC CONDITIONS.

=====  
===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR SOURCE.CONTACT PHYSICIAN;ADVISE OF  
INGREDS.SKIN:THOROUGHLY WASH W/SO  
AP/WATER.IRRIT/BURN DEVELOPS  
CONSULT PHYSICIAN.EYE:THOROUGHLY FLUSH W/WATER FOR @LEAST  
15MINS.GET IMMED MED ADVISE FOR FLUXES/CHEM AIDS.ADVISE PHYSICIAN  
OF INGREDS.INGEST:CALL PHYSICIAN &/OR POISON CNTRL CNTR.ADVISE OF  
INGREDS.

=====  
===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE  
Extinguishing Media:CO2, DRY CHEMICAL FOAM TYPE.  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:SEE ANSI Z49 F

OR FIRE PREVENTION DURING  
WELD/ALLIED PROCESSES.GENERALLY NONFLAMM;WELDING ARC/SPARKS/FLAMES  
CAN IGN COMBUST/FLAMM.TOXIC FUMES PRODUCES

===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE MEASURE TO KEEP AIRBORNE DUST  
BELOW EXPO LEVELS.

===== Handling and Storage =====

Handling and Storage Precautions:READ/UNDERSTAND PROD LABEL INFO FOR  
PROPER PROCEDURE/USE.SEE ANSI Z49.1 FRM AMER WELD  
SOC & OSHA  
PUBLICATION 2206(28CFR1910).

Other Precautions:USE ADEQUA VENTI TO KEEP BELOW EXPO LIMITS.KEEP  
FUME/GAS FRM BREATH ZONE.KEEP WELDER HEAD OUT OF FUMES.TO DETERMINE  
COMPO/QUANT OF FUME/GAS WORKERS EXPO SAMPLE AIR INSIDE WORKER  
HELMET/WELDER BREATH Z ONE-SEE ANSI/AWS F1.1 FRM AMER WELD SOC.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF WORK STATION NOT PROPERLY VENTILATED TO  
EXHAUST ALL FUMES/VAPO/MIST/DUST BELOW RECO  
MMENDED EXPO LIMITS USE  
NIOSH APPROVED RESPIRATOR.

Ventilation:USE ENOUGH GEN VENTI/LOC EXHAU @WORK SITE TI KEEP FUME/DUST  
FRM WORKER BREAZTH ZONE/GEN AREA.

Protective Gloves:WELDERS GLOVES.

Eye Protection:CHEM GOGG,FACESHIELD.

Other Protective Equipment:WEAR PROPER EAR/BODY/HAND/HEAD  
PROT,HELMET/FACESHIELD W/APPROP FILTER LENS.PROT SCREENS/FLASH GOGG  
FOR OTHERS,APRON

Work Hygienic Practices:TRAIN WELDER TO KEEP FACE AWAY FRM WELD  
FUME/DUST PLUME & NOT TOUCH LIVE ELCTR PARTS/  
INSULATE FRM  
WORK/ELECT GROUND.

Supplemental Safety and Health

HAZ DECOMPO:VENTILATION/WORKER HEAD POSITION/CONTAMIN IN ATM.PROD  
GENERATED DIFFERENT IN %/FORM FROM INGREDIENTS LISTED.COMPLEX OXIDES OF  
METALS LISTED,OZONE,CO,CO2,NITROGEN OXIDES,INERT GASES.

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Av

oid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CAN'T BE CLASSIFIED;DEPEND UPON  
METAL/PROCESS/PROCEDURES/ELECTRODES/COATING ON WORKPC/#OF  
WORKERS/VOL OF WORKSPACE(SUPP)

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE MATL/POWDERS/GRINDING/FILLER  
RESIDUE IN ENVIRONMENTALLY SENSITIVE MANNER IAW FED/STATE/LOC  
REGS.USE APPROPRIATE MEASURES  
TO KEEP AIRBORNE DUST BELOW EXPO  
LEVELS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability o  
f this information to their  
particular situation.