

MOBIL OIL CORP -- MOBILUBE HD 80W-90, 510156-00

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-035-5391
MSDS Date: 12/30/1992
MSDS Num: BXJWC
Product ID: MOBILUBE HD 80W-90, 510156-00
MFN: 02
Responsible Party
Cage: 3U728
Name: MOBIL OIL CORP
Address: 3225 GALLOWS RD
City: FAIRFAX VA 22037
Inf
o Phone Number: 800-662-4525
Emergency Phone Number: 800-424-9300 (CHEMTREC)
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 3U728
Name: MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING
Address: 3225 GALLOWS ROAD
City: FAIRFAX VA 22037
Phone: 800-662-4525/ 856-224-4644

=====
Item Description Information
=====

Item Manager: S9G
Item Name: LUBRICATING OIL,GEAR
Specification Number: MIL-L-2105
Type/Grade/Class: 75W GRADE
Unit of Issue: CN
Quantitative Expression: 0000000005GL
UI Container Qty: 6
Type of Container: PPP-P-704

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

Health

Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: SLIGHT EYE IRRITATION. SLIGHT SKIN IRRITATION.

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES:FLUSH THORO W

/WATER FOR AT LEAST 15 MIN. IF IRRIT PERSISTS,

CALL MD. SKIN:WASH CNTCT AREAS W/SOAP & WATER. INHAL:REMOVE FROM FURTHER EXPOS. IF RESP IRRIT, DIZZ, NAUS OR UNCON OCCURS, SEEK IMMED M ED ASSISTANCE

& CALL MD. IF BRTHG HAS STOPPED, USE MOUTH-TO-MOUTH RESUSCITATION.

INGEST:IF GREATER THAN 1/2 LITER (PINT) INGESTED, IMMED GIVE 1 TO 2 GLASSES OF WATER & CALL MD, HOSPITAL EMER (SUPDAT)

Handling and Disposal

Spill Release Procedures: ABSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP & DISPOSE OF AT APPROP WASTE DISP FACILITY I/A/W CURRENT APPLIC LAWS & REGS & PROD CHARACTS AT TIME OF DISP. REPORT SPILLS AS REQD TO APPROP AUTHS. U.S. COAST GUARD

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: PROD IS SUITABLE FOR BURNING IN ENCLSD, CONTROLLED BURNER FOR FUEL VALUE/DISP BY SUPERVISED INC IN. SUCH BURNING MAY BE LIMITED

PURSUANT TO RCRA. IN ADDN, PROD IS SUITABLE FOR PROCESSING BY APPRVD RECY CLING FACILITY/CAN BE DISPOSED OF AT ANY

Handling And Storage Precautions: NO SPECIAL PRECAUTIONS REQUIRED.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Fire and Explosion Hazard Information

Flash Point Method: COC

Flash Point Text: >330F,>166C

Lower Limits: 0.6%

Upper Limits: 7%

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL AND WATER FOG.

Fire Fighting Procedures: NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP(FPN).

H*2O/FOAM MAY CAUSE FROTHING. USE H*2O TO KEEP FIRE EXPOS CNTNRS COOL. H*2O SPRAY MAY BE USED TO FLUSH (SUPDAT)

Unusual Fire/Explosion Hazard: NONE.

=====
Control Measures
=====

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF

USE AND WITH ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: USE IN WELL VENTILATED AREA.

Protective Gloves: IMPERVIOUS GLOVES (FP N).

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED.

Supplemental Safety and Health: USERS OF "L" VERSION OF SHOULD CONSULT "LR"

VERSION FOR ADDNL INFO(FPN). FIRE FIGHT PROC: SPILLS AWAY FROM EXPOS. PVNT RUNOFF FROM FIRE CTL/DILUTION FROM ENTERING STREAMS, SEWERS/DRINKING WATER SUPPLY. FIRST AID PROC: ROOM/POIS CTL CTR FOR ASSISTANCE. DO NOT INDUCE VOMIT/GIVE ANYTHING BY MOUTH TO UNCON PERSON.

=====
Physical/Chemical Properties
=====

HCC: V6

B.P. Text: >600F,>316C

Vapor Pres: <0.1 @ 20C

Spec Gra

density: 0.9

Solubility in Water: NEGLIGIBLE

Appearance and Odor: BROWN VISCOUS LIQUID; MILD ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT.

Materials To Avoid: STRONG OXIDIZERS.

Hazardous Decomposition Products: CARBON MONOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT
=====

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 3U728
Trans ID NO: 100930
Product ID: MOBILUBE HD 80W-90, 510156-00
MSDS Prepared Date: 12/30/1992
Review Date: 12/18/1995
MFN: 2
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: C
N
Container QTY: 6
Type Of Container: PPP-P-704

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: MOBILUBE HD 80W-90, 510156-00

Cage: 3U728

Company Name: MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Street: 3225 GALLOWS ROAD

City: FAIRFAX VA

Zipcode: 22037

Health Emergency Phone: 800-424-9300 (CHEMTREC)

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: SLIGHT EYE IRRITATION. SLIGHT SKIN IRRITATION.

SEE
HEALTH HAZARDS.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.