

MET-L-CHEK COMPANY -- E-57 EMULSIFIER -- 6850-01-268-6710

===== Product Identification =====

Product ID:E-57 EMULSIFIER

MSDS Date:01/01/1995

FSC:6850

NIIN:01-268-6710

MSDS Number: BXJYV

=== Responsible Party ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

City:SANTA MONICA

State:CA

ZIP:90404-3770

Country:US

Info Phone Num:310-450-1111

Emergency Phone Num:310-450-1111

CAGE:98733

=== Con

tractor Identification ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Phone:310-450-1111/FAX 310452-4046

CAGE:98733

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT REFINED (MILD),  
HEAVY NAPHTHENIC (CARCENOGENIC - IARC)

CAS:64741-96-4

RTECS #:PY8040000

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Ingestion:YES  
Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO  
Health Hazards Acute and Chronic:EYE CONTACT-PRESUMED NONIRRITATING.  
SKIN CONTACT-SLIGHTLY IRRITATING. INHALATION-VAPORS OR OIL MIST MAY  
CAUSE MILD IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION-MAY  
RESULT IN VOMITING. ASPIRATION MUST BE AVOIDED.

Effects of Overexposure:SKIN CONTACT-IRRITATION. INGESTION-POSSIBLE  
VOMITING.

Medical Cond Aggra

vated by Exposure:PREEXISTING AKSIN AND RESPIRATORY  
DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

===== First Aid Measures =====

First Aid:EYE CONTACT-FLUSH WITH WATER. SKIN CONTACT-FLUSH WITH WATER,  
WASH WITH SOAP AND WATER. INHALATION-REMOVE TO FRESH AIR, PROVIDE  
OXYGEN IF BREATHING DIFFICULT. INGESTION-DO NOT INDUCE VOMITING.  
GET MEDI CAL ATTENTION.

===== Fire Fighting Measures =====

Flash P

oint Method:PMCC

Flash Point:>200F,>93C

Autoignition Temp:Autoignition Temp Text:NA

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:USE WATER FOG, DRY CHEMICAL OR CARBON DIOXIDE. DO  
NOT USE DIRECT STREAM OF WATER.

Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO  
NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR, INCLUDING A  
POSITIVE PRESSURE NIOSH APPROVED SCBA.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

=====

Spill Release Procedures:SOAK UP WITH AN ABSORBENT SUCH AS CLAY, SAND  
OR OTHER SUITABLE MATERIAL. DISPOSE OF IN ACCORDANCE WITH FEDERAL  
AND STATE REGULATIONS FOR OIL RESIDUE.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAMES AND  
OXIDIZING MATERIALS.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS TLV,

USE NIOSH APPROVED

RESPIRATOR TO PREVENT OVEREXPOSURE.

Ventilation:LOCAL EXHAUST: TO MAINTAIN TLV. MECHANICAL: TO MAINTAIN TLV.

Protective Gloves:CHEMICAL RESISTANT TO MINIMIZE CONTACT.

Eye Protection:NO SPECIAL PROTECTION REQUIRED.

Other Protective Equipment:AS REQUIRED TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATONG, DRINKING, SMOKING OR USING TOILET.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>400F,>204C

Melt/Freeze Pt:M.P/F.P Text:-75F,-59C

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:ABOUT 0.92

pH:NA

Viscosity:NA

Evaporation Rate & Reference:NA

Solubility in Water:EMULSIFIABLE

Appearance and Odor:PINK OILY LIQUID. SLIGHT HYDROCARBON ODOR.

Percent Volatiles by Volume:NA

Corrosion Rate:MA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to

to Avoid:YES

OXIDIZING MATERIALS.

Stability Condition to Avoid:HEAT, OPEN FLAMES AND OXIDIZING MATERIALS.

Hazardous Decomposition Products:CAN PRODUCE CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS.

Conditions to Avoid Polymerization:HEAT, OPEN FLAMES AND OXIDIZING MATERIALS.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this i

nformation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.