Product ID: FPC2053 EPOCAST 50 A MSDS Date:01/17/1990 FSC:8040 NIIN:00-148-9849 **MSDS Number: BXNWM** === Responsible Party === Company Name: CIBA-GEIGY CORP FURANE PRODUCTS DIV Address:5121 SAN FERNANDO RD W **City:LOS ANGELES** State:CA ZIP:90039-1011 Country:US Info Phone Num:818-247-6210 Emergency Phone Num:818-247-6210 Preparer's Name: RAJESH S PATEL CAGE:0267X === Contractor Identification === Company Name: CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE POLYMERS Address:5121 SAN FERNANDO RD WEST Box:City:LOS ANGELES State:CA ZIP:90039-1011 Country:US Phone:818-247-6210/800-873-1138 CAGE:99384 Company Name: CIBA-GEIGY CORP Address:4917 DAWN AVE Box:18300 City:EAST LANSING State:MI ZIP:48823-5605 Country:US Phone:517-351-5900 CAGE:0267X

======= Composition/Informati

on on Ingredients =========

Ingred Name:BISPHENOL A EPOXY RESIN \*95-2\* CAS:25036-25-3 Fraction by Wt: 55%

Ingred Name:PENTABROMODIPHENYL OXIDE CAS:32534-81-9 Fraction by Wt: 25%

Ingred Name:TRICRESYL PHOSPHATE CAS:1330-78-5 RTECS #:TD0175000 Fraction by Wt: 20% OSHA PEL:0.1 MG/M3 ACGIH TLV:0.1 MG/M3

Ingred Name:EPICHLOROHYDRIN, CHLOROMETHYLOXIRANE (ANIMAL CARCINOGEN BY IARC - GROUP 2A; SUSPECTED CARCINOGEN BY NTP) \*95-2\* CAS:106-89-8 RTECS #:TX4900000 Fraction by Wt: TRACE Other REC Limits:2 PPM EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:INHALATION/INGESTION: BREATHING/SWALLOWING LARGE QUANTITIES MAY CAUSE NEUROLOGICAL DISTURBANCES WHICH MAY PROGRESS TO DELAYED NEUROTOXICITY. EYES: SLIGHT IRRITATION. SKIN: MODERATE IRRITATION. PROLONG ED/REPEATED

EXPOSURE CAN CAUSE ALLERGICREACTIONS. Explanation of Carcinogenicity:SEE INGREDIENTS. Effects of Overexposure:ATAXIA, IRRITATION Medical Cond Aggravated by Exposure:ECZEMA, SKIN, EYES & RESPIRATORY DISEASE CONDITIONS.

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. INGESTION: IF SWALLOWED DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK. NEVER GI VE

ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Flash Point Method:CC Flash Point:>201.2F Extinguishing Media:CO2, DRY CHEMICAL, WATER SPRAY, FOAM Fire Fighting Procedures:WEAR MSHA/NIOSH APPROVED, PRESSURE DEMAND, SELF CONTAINED BREATHING APPARATUS & FULL PROTECTIVE GEAR. Unusual Fire/Explosion Hazard:DECOMPOSITION & COMBUSTION PRODUCTS MAY BE TOXIC.

Spill Release Procedures: DIKE & ABSORB ON INERT MATERIAL. TRANSFER TO CONTAINERS FOR DISPOSAL.

Handling and Storage Precautions:STORE AT TEMP NO >662F. Other Precautions:AVOID ALL SKIN CONTACT.

Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED. WEAR RESPIRATOR SUITABLE FOR CONCENT RATION & TYPES OF AIR CONTAMINANTS ENCOUNTERED. Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:IMPERVIOUS Eye Protection:CHEMICAL SPLASH GOGGLES Other Protective Equipment:SAFETY SHOWER, EYEWASH FACILITY & PROTECTIVE CLOTHING. Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING/EATING/SMOKING/DRINKING/RESTROOMS. Supplemental Safety and Health

PERCENT VOLATILE VOLUME IS FOR WEIGHT.

======= Physical/Chemical

Properties ==============

Vapor Pres:0.02 Vapor Density:>1 Spec Gravity:1.27 Evaporation Rate & amp; Reference:(BU AC =1):