View NSN Online: https://aerobasegroup.com/nsn/8030-00-546-8637

Product ID:ARDROX 3205 MSDS Date:01/11/1995 FSC:8030 NIIN:00-546-8637 MSDS Number: BXNXH === Responsible Party === Company Name: BRENT AMERICA, INC. Address:16961 KNOTT AVE City:LA MIRADA State:CA ZIP:90638-6015 Country:US Info Phone Num:714-739-2821 Emergency Phone Num:714-739-2821 Preparer's Name: DOUG POMER OY CAGE:LO567 === Contractor Identification === Company Name: BRENT AMERICA, INC. Address:16961 KNOTT AVE. Box:City:LA MIRADA State:CA ZIP:90638-6015 Country:US Phone:714-739-2821 CAGE:23373 Company Name: BRENT AMERICA, INC. Address:16961 KNOTT AVE **City:LA MIRADA** State:CA ZIP:90638-6015 Country:US Phone:714-739-2821 CAGE:LO567

Ingred Name:MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100), PARAFFIN-NAPTHANES MINERAL SPIRITS CAS:64742 -88-7 Fraction by Wt: 80-90% Other REC Limits:100 PPM OSHA PEL:500 PPM ACGIH TLV:100 PPM

Ingred Name:BARIUM PETROLEUM SULFONATE NEUTRAL \*95-2\* CAS:61790-48-5 Fraction by Wt: 3-5%

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: NOSE, THROAT, MUCOUS MEMBRANE & LUNGS IRRITATION & MAY HAVE OTHER CNS EFFECTS. SKIN:

IRRITATION. EYES: MILD IRRITATION. INGESTION: IF BREATHED INTO LUNGS, SMALL QUANTITY MAY CAUSE LUNG DAM AGE (CHEMICAL PNEUMONITIS & PULMONARY EDEMA/HEMORRHAGE). HIGH CONCENTRATIONS MAY RESULT IN CNS DEPRESSION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, HEADACHES, DIZZINESS, SLEEP Medical Cond Aggravated by Exposure:PRE-EXISTING EYE DISEASES, LUNG DISEASES. INDIVIDUALS MAY DEVELOP ALLERGIC CONTACT DERMATITIS.

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEEDED. SKIN: WASH IMMEDIATELY W/LOTS OF SOAP & WATER. EYES: WASH IMMEDIATELY W/RUNNING WATER FOR 30 MINS. INGESTION: IF CONSCIOUS, IMMEDIATELY GIVE COPIOUS AMOUNTS OF WATER TO INDUCE VOMITING BY TICKLING BACK OF THROAT W/FINGER. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON/ATTEMP TO INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

**RESULT IN CONTAINER RUPTURE.** 

Flash Point Method:TCC Flash Point:>141F Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER FOG Fire Fighting Procedures:WEAR FULL FACE RESPIRATOR SCBA. USE WATER TO KEEP CONTAINER COOL & TO FLUSH AWAY. LARGE: COOL SURROUNDING EQUIPMENT & STRUCTURES W/WATER. Unusual Fire/Explosion Hazard:CONTAINERS EXPOSED TO INTENSE HEAT SHOULD BE COOLED W/WATER TO PREVENT VAPOR PRESSURE BUILDUP WHICH COULD

====== Acci

Spill Release Procedures:SMALL: MOP/SOAK UP W/NON-COMBUSTIBLE ABSORBENT INORGANIC MATERIAL. TRANSFER TO DOT APPROVED CONTAINER. LARGE: EVACUATE AREA. CONTAIN BY DIKING W/NON-COMBUSTIBLE ABSORBENT INORGANIC MATERIAL. PREVENT R UNOFF FROM ENTERING SEWERS.

Handling and Storage Precautions:KEEP CONTAINERS COOL, DRY & AWAY FROM IGNITION SOURCES. DON'T STORE IN DIRECT SUNL IGHT, HIGH TEMP/