View NSN Online: https://aerobasegroup.com/nsn/9135-00-753-4637

OLIN CORP -- CPE810004 UNSYMMETRICAL DIMETHYLHYDRAZINE -- 9135-00-753-4637

Product ID:CPE810004 UNSYMMETRICAL DIMETHYLHYDRAZINE MSDS Date:01/01/1995 FSC:9135 NIIN:00-753-4637 **MSDS Number: BXNXR** === Responsible Party === Company Name:OLIN CORP Address:120 LONG RIDGE RD Box:1355 City:STAMFORD State:CT ZIP:06904-1355 Country:US Info Phone Num:203-356-3449 Emergency Phone Num:203-356-3449 CAGE:8X135 === Contractor Identification === Company Name: OLIN CORP Address:51 CORPORATE WOODS 9393 W 110 ST City:OVERLAND PARK State:KS ZIP:66210 Country:US Phone:800-432-6546 CAGE:8X135 **Company Name:OLIN CORPORATION** Address:501 MERRITT 7 Box:4500 City:NORWALK State:CT ZIP:06856-4500 Country:US Phone:203-750-3000/800-511-MSDS CAGE:99530

Ingred Name:1,1-DIMETHYLHYDRAZINE, UDMH INTENDED C HANGE (IC) CAS:57-14-7 RTECS #:MV2450000 Fraction by Wt: 95-99% Other REC Limits:0.5 PPM OSHA PEL:0.5 PPM ACGIH TLV:0.5 PPM EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:DIMETHYLAMINE CAS:124-40-3 RTECS #:IP8750000 Fraction by Wt: 1-5% Other REC Limits:10 PPM OSHA PEL:10 PPM ACGIH TLV:10 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 0.1-1%

LD50 LC50 Mixtu re:ORAL LD50 (RAT): 122 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION: NOSE/THROAT/UPPER RESPIRATORY TRACT/LUNG IRRITATION, PULMONARY EDEMA, LUNG/LIVER/KIDNEY/BLOOD/CNS DAMAGE, HEMOLYSIS OF BLOOD CELLS. SKIN: SEVERE IRRITATION/BURNS/DERMATITIS. EYES: BURNS/PE RMANENT CORNEAL DAMAGE. INGESTION: GI TRACT IRRITATION/BURNS. 1,1-DIMETHYLHYDRAZINE IS CONSIDERED MUTAGENI C/SENSITIZER. Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION, INFLAMMATION, BRONCHITIS, VOMITING, DIARRHEA, NAUSEA, DIZZINESS, CYANOSIS, CONVULSIONS, ALLERGIC REACTION, RASH, SWELLING, REDNESS, DISCHARGE, TEMPORARY BLINDNESS, ABDOMINAL PAIN, BLEEDING, TISSUE ULCERATION. Medical Cond Aggravated by Exposure:LIVER/KIDNEY/BLOOD/CARDIOVASCULAR **DISEASE & ASTHMA.**

First Aid: EYES/SKIN: IMMEDIAT

ELY FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. INGESTION: IMMEDIATELY DRINK LARGE AMOUNTS OF WATER. INDUCE VOMITING. DON'T GIVE ANYTHING BY MOUTH IF UNCONSCIOUS/CONVULSIVE. INHALAT ION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEEDED. KEEP WARM & QUIET. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Flash Point Method:COC Flash Point:5F Lower Limits:2 Upper Limits:95 Extinguishing Media:CO2, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Procedures:USE WATER TO COOL CONTAINERS EXPOSED TO FIRE. WEAR A POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:AUTO-IGNITION TEMP: 482F. ABSORPTION OF 1,1-DIMETHYLHYDRAZINE BY RAGS/COTTON WASTE/SAWDUST/SIMILAR ORGANIC MATERIALS WILL RESULT IN SPONTANEOUS COMBUSTION.

Spill Release Procedures:EVACUATE AREA/REMOVE IGNITION SOURCES/STOP SOURCE. AIR: SUPPRESS VAPORS W/WATER FOG. CONTAIN LIQUID FOR TREATMENT/NEUTRALIZATION. WATER: SAFELY DIVERT WATER FLOW AROUND AREA. REMOVE W/VACUUM SYSTEM/PU MPING DEVICE FOR TREATMENT/DISPOSAL. (SEE SUPP) Neutralizing Agent:5% CALCIUM HYPOCHLORITE AQUEOUS SOLUTION.

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA AWAY FROM IGNITION SOURCES. DON'T STORE >124F, EXPOSE TO DIRECT LIGHT. MAINT

AIN INERT ATMOSPHERE OVER SOLUTION ALWAYS.

Other Precautions:DON'T CONTAMINATE. CONTAINERS & HANDLING EQUIPMENT SHOULD BE ELECTRICALLY GROUNDED. RETEST MATERIAL >5 YEARS OLD BEFORE USE. AVOID CONTACT W/SKIN/EYES/CLOTHING. PACKAGE ONLY IN STAINLESS STEEL/ALUMINU M/TEFLON/POLYETHYLENE.

Respiratory Protection:WEAR A NIOSH/MSHA APPROVED FULL FACE POSITIVE-PRESSURE SUPPLIED AIR RESPIRATOR IF ANY EXPOSURE OCCURS. Ven tilation:LOCAL EXHAUST TO MAINTAIN LEVELS