

M&M HERITAGE INC -- PAD, METAL POLISH IMPREGNATED 2 LB CAN -- 7920-00-823-9818

=====
Product Identification
=====

Product ID:PAD, METAL POLISH IMPREGNATED 2 LB CAN

MSDS Date:08/15/1995

FSC:7920

NIIN:00-823-9818

MSDS Number: BXNXZ

=== Responsible Party ===

Company Name:M&M HERITAGE INC

Address:611 KIMBERLY DR

City:DENTON

State:TX

ZIP:76202-5000

Country:US

Info Phone Num:817-898-1400

Emergency Phon

e Num:817-898-1400

CAGE:MHERT

=== Contractor Identification ===

Company Name:M&M HERITAGE INC

Address:611 KIMBERLY DR

City:DENTON

State:TX

ZIP:76202-5000

Country:US

Phone:817-898-1400

CAGE:MHERT

=====
Composition/Information on Ingredients
=====

Ingred Name:MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100), PARAFFIN-NAPHTHANES
MINERAL SPIRITS

CAS:64742-88-7

Fraction by Wt: 56.2%

Other REC Limits:100 PPM

OSHA PEL:100 PPM

ACGIH TLV:100 PPM

Ingred Name:STODDARD SOLVENT (PETROLEUM DIST

ILLATE), MINERAL SPIRITS
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 9.9%
Other REC Limits:525 MG/CUM
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:SURGICAL COTTON (23 GRAMS)
Fraction by Wt: 33.9%

=====
===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR THIS ITEM IS 100PPM
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY

CAUSE MODERATE IRRITATION AND DEFATTING.INGEST:ASPIRATION
HAZARD.MAY CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY
IRRITATION AND CNS EFFECTS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHAL: DIZZINESS, WEAKNESS, FATIGUE, NAUSEA,
HEADACHE, UNCONSCIOUSNESS, NARCOSIS AT HIGH CONCENTRATIONS. INGEST:
VOMITING, DIARRHEA.

Medical Cond Aggravated by Exposure:NOT REPORTED.

=====
===== First Aid Measures =====

First Aid:SKIN:RE

MOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND
WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH
AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT
INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:142F,61C

Lower Limits:1

Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER FOG

Fire Fighting Procedures:WEAR SCBA W/FULL FACEPIECE OPERATED IN THE

POSITIVE PRESSURE DEMAND MODE. WATER MAY BE USED TO KEEP ADJACENT CONTAINERS COOL. AVOID SPREADING MATERIAL W/WATER.

Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR,CAN TRAVEL DISTANCES ALONG THE GROUND,AND FLASHBACK AT THE SOURCE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION.USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.VENTILATE AREA.SOAK UP WITH A NON-COMBUSTIBLE INERT ABSORBANT(CLAY ,SAND);PLACE IN PROPER CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Other Precautions:PREVENT REPEATED/PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE LIMIT IS EXCEEDED, USE A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL.

Ventilation:SUFFICIENT MECHANICAL (GENERAL/LOCAL EXHAUST) TO MAINTAIN EXPOSURE BELOW TLVS.

Protective Gloves:NITRILE RUBBER

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:IMPERVIOUS CLOTHING & BOOTS

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:355F,179C

Vapor Pres:0.5

Vapor Density:5.4

Spec Gravity:0.77

Evaporation Rate & Reference:(ETHER=1): 151

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COT

TON IMPREGNATED W/SOLVENT, WHITE COLOR W/SLIGHT
ODOR

Percent Volatiles by Volume:64.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT, PILOT LIGHTS, OPEN FLAMES,
ELECTRICAL SPARKS & OTHER IGNITION SOURCES

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:DISPO

SE OF IN ACCORDANCE W/LOCAL, STATE &
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for t
he suitability of this information to their
particular situation.