View NSN Online: https://aerobasegroup.com/nsn/6505-01-009-5019

## 

Product ID:SODIUM NITROPRUSSIDE INJECTION

MSDS Date:10/27/1994

FSC:6505

NIIN:01-009-5019

MSDS Number: BXNYJ === Responsible Party === Company Name:GENSIA INC

Address:9360 TOWNE CENTRE DR

City:SAN DIEGO

State:CA

ZIP:92121-1204 Country:US

Info Phone Num:800-331-0124/800-729-9991

Emergency Phone Num:8 00-331-0124/800-729-9991

CAGE:0Y512

=== Contractor Identification ===

Company Name: CHEMICAL SAFETY ASSOCIATES INC

Address:9163 CHESAPEAKE DR

Box:City:SAN DIEGO

State:CA

ZIP:92123-1002

Country:US

Phone:858-565-0302

CAGE:0KBF5

Company Name: GENSIA INC.

Address:9360 TOWNE CENTRE DR.

Box:City:SAN DIEGO

State:CA

ZIP:92121-1204

Country:US

Phone:800-331-0124/800-729-9991

CAGE:0Y512

======= Composition/Information on Ingredients ========

Ingred Name:SODIUM NITROPRUSSIDE \*95-2\*

CAS:137

55-38-9 RTECS #:LJ8925000 Fraction by Wt: 3% OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: >97% OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3

========== Hazards Identification ===============

LD50 LC50 Mixture:ORAL LD50 (RAT): 20 MG/KG (SEE SUPP)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THIS MATERIAL MAY BE HARMFUL IF SWALLOWE

D, INHALED/INJECTED INTO SKIN. OVEREXPOSURE CAUSES A DROP IN BLOOD PRESSURE. LARGE AMOUNTS TAKEN INTERNALLY, MAY FORM CYANIDE WHEN METABOLIZED. SKIN/EYES: IRRIT ATION. INGESTION: EXTREMELY TOXIC.

**Explanation of Carcinogenicity:NONE** 

Effects of Overexposure:IRRITATION, CYANIDE POISONING, CYANOSIS, RESPIRATORY DIFFICULTY, DROP IN BLOOD PRESSURE, DEATH, BLUE-GRAY COLORATION OF THE SKIN/LIPS.

First Aid:SKIN: IM

MEDIATELY WASH W/SOAP & WATER & RINSE W/RUNNING WATER FOR 15 MINS. EYES: GENTLY RUN WATER. USE SUFFICIENT FORCE TO OPEN LIDS. MINIMUM FLUSHING SHOULD BE 15 MINS. INHALATION: REMOVE TO FRESH AI R & USE CPR IF NEEDED. INGESTION: RINSEMOUTH, DON'T INDUCE VOMITING. TAKE COPY OF LABEL & MSDS TO PHYSICIAN/HEALTH PROFESSIONAL W/VICTIM. OBTAIN MEDICAL ATTENTION IN ALL CASES.

============ Fire Fighting Measures =========================

Extinguishing Media: WATER SPRAY, CO2, F

OAM, DRY CHEMICAL, HALON.

Fire Fighting Procedures:WEAR EYE PROTECTION. STRUCTURAL FIGHTERS MUST WEAR SELF CONTAINED BREATHING APPARATUS & FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSTION, THIS PRODUCT MAY TOXIC FUMES OF HYDROGEN CYANIDE.

======== Accidental Release Measures ===========

Spill Release Procedures:SMALL: (1 VIAL, 2ML) WEAR LATEX/NITRILE GLOVES & SAFETY GLASSES. ABSORB W/POLYPADS/OTHER APPROPRIATE MATERIALS.

AVOID SPLASHING/SPRAYING LIQUID. RINSE THOROUGHLY W/SOAP & WATER. LARGE: (1000 ML) SHOUL D BE RESPONEDED USING PRE-PLANNED PROCEDURES.(SUPP

=========== Handling and Storage ===============

Handling and Storage Precautions:STORE PRODUCT IN ORIGNIAL CONTAINER AT 59-86F. WHEN CLEANING NON-DISPOSABLE EQUIPMENT, WEAR GLOVES/GOGGLES/LAB COAT. WASH EQUIPMENT W/SOAP & WATER.

Other Precautions:ALL NEEDLES, SYRINGES, VIALS & OTHER DISPOSABLE ITEMS CONTAMINATED W/

PRODUCT SHOULD BE DISPOSED OF PROPERLY. AVOID ALL CHEMICALS & GETTING ON YOU/IN YOU. DON'T EAT/DRINK WHILE HANDLING. FOLLOW SPECIFI C USE INSTRUCTIONS SUPPLIED W/PRODUCT.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:NONE REQUIRED UNDER ROUTINE CONDITIONS OF USE. Ventilation:USE W/ADEQUATE VENTILATION. FOLLOW STANDARD MEDICAL PRODUCT HANDLING PROCEDURES.

Protective Gloves:LATEX, NITRILE, RUBBER

Eye Protection: SAFETY GLASSES

Other Protect

ive Equipment:LAB COAT, GOWN, SMOCK.

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER HANLDING.

Supplemental Safety and Health

SPILLS CONT'D: PROPER PROTECTIVE EQUIPMENT SHOULD BE USED. CLEAR AFFECTED AREA/PROTECT PEOPLE & RESPOND W/TRAINED PERSONNEL. ABSORB W/POLYPADS/OTHER APPROPRIATE MATERIALS. AVOID SPLASHING/SPRAYING LIQ UID. RINSE THOROUGHLY W/SOAP & WATER. PLACE ALL RESIDUE IN A DOUBLE PLASTIC BAG. LD50 IS FOR SODIUM NITR

======================================
Spec Gravity: 1 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS LIQUID.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ACIDS, BIOLOGICAL MATERIALS. Stability Condition to Avoid:HEAT Hazardous Decomposition Products:HYDROGEN CYANIDE. Conditions to Avoid Polymerization:HEAT/CONTACT W/ACIDS/BIOLOGICAL MATERIALS MAY CAUSE RELEASE OF HYDROGEN CYANIDE.
======= Disposal Considerations ===========

OPRUSSIDE.

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. IF UNALTERED BY THE HANDLING, MAY BE DISPOSED OF BY TREATMENT AT A PERMITTED FACILITY/AS ADVISED BY YOUR LOCAL HAZARDOUS WASTE REGULATORY AUTHORITY. POISON. UN2810.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. Th

e United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.