

METCO INC, SUB OF THE PERKIN-ELMER CORP -- METCO 58NS, SP 9837 -- 3439-01-380-7146

=====  
Product Identification  
=====

Product ID:METCO 58NS, SP 9837

MSDS Date:08/05/1994

FSC:3439

NIIN:01-380-7146

MSDS Number: BXPWL

=== Responsible Party ===

Company Name:METCO INC, SUB OF THE PERKIN-ELMER CORP

Address:1101 PROSPECT AVENUE

Box:1006

City:WESTBURY

State:NY

ZIP:11590-0201

Country:US

Info Phone Num:516

-334-1300

Emergency Phone Num:800-424-9300(CHEMTREC)

CAGE:39918

=== Contractor Identification ===

Company Name:METCO INC, SUB OF THE PERKIN-ELMER CORP

Address:1101 PROSPECT AVENUE

Box:City:WESTBURY

State:NY

ZIP:11590-2724

Country:US

Phone:516-334-1300

CAGE:39918

=====  
Composition/Information on Ingredients  
=====

Ingred Name:COPPER (SARA 313) (CERCLA)

CAS:7440-50-8

RTECS #:GL5325000

Fraction by Wt: 59%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.1MG/M3 FUME/1 DUST

ACGIH TLV:0

.2 MG/M3 FUME; 9495  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:NICKEL (SARA 313) (CERCLA)  
CAS:7440-02-0  
RTECS #:QR5950000  
Fraction by Wt: 36%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9495

Ingred Name:INDIUM  
CAS:7440-74-6  
RTECS #:NL1050000  
Fraction by Wt: 5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.1 MG/M3  
ACGIH TLV:0.1 MG/M3; 9495

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:COPPER:INHAL/SKIN/EYE HAZ.IRRIT UPPER  
RESP TRACT & NASAL MUC MEMB.DISCOLORATION OF HAIR & SKIN.IRRIT EYE.  
NICKEL:INHAL/SKIN HAZ.INHAL MAY CAUSE CANCER OF LUNG & NASAL  
SINUSES,DERM. INDIUM:NO REPORTED HUMAN ILLNESS FRM INDUSTRIAL  
EXPOSURES.

Explanation of Carcinogenicity:PER MSDS:NICKEL IS FOUND TO BE POTENTIAL  
CARCINOGEN IN IARC & LISTED IN NTP.

Effects of Overexposure:UPPER RESP  
TRACT & NASAL MUCOUS MEMBRANES  
IRRIT. DISCOLORATION OF HAIR & SKIN. EYE IRRIT. CANCERS OF LUNG &  
NASAL SINUSES. DERMATITIS.

Medical Cond Aggravated by Exposure:CONSULT A PHYSICIAN. TARGET  
ORGANS:COPPER:RESP TRACT, SKIN, EYE; NICKEL:RESP TRACT,SKIN;  
INDIUM:NONE.

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER FOR @LEAST 15-20MINS OPENING EYELIDS. IRRIT  
PERSISTS CONSULT PHYSICIAN. SKIN:WASH W/SOAP/WATER. INHAL:EXPO TO  
FRESH

AIR. CONSULT PHYSICIAN IF IRRIT/RESP DISTRESS PERSISTS.  
INGEST:CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:USE CLASS D FIRE EXTINGUISHER.

Fire Fighting Procedures:TREAT AS METALLIC FIRE. USE NIOSH/MSAH  
APPROVED SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE  
CLOTHING IF INVOLVED IN FIRE.

Unusual Fire/Explosion Hazard:FINE METAL DUSTS FLAMM AND MAY EXPLO WHEN  
EXPO TO HEAT/FLAME/STRONG OXIDIZE  
RS.

===== Accidental Release Measures =====

Spill Release Procedures:VACUUM LOOSE POWDER ONLY W/VACUUMS EQUIPPED  
W/HEPA FILTRATION. VACUUMS APPROPRIATE FOR USE W/METALLIC DUSTS  
SHOULD BE UTILIZED. WIPE AREA CLEAN. DO NOT USE WATER FOR CLEAN UP  
OPERATIONS. DO NOT SWEEP. AVOID GENERATING AIRBORNE DUST.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:S

TORE AWAY FRM INCOMPATIBLES.STORE

CNTNRS IN WELL-VENTILATED CLEAN COOL DRY AREA.STORE IN MANNER TO  
MIN PUNCTURES & BREAKAGE OF CNTNRS.

Other Precautions:AVOID INGEST/INHAL/EXCESSIVE SKIN CONTACT. AVOID  
CONTACT OF POWDER W/WATER & OXIDIZERS. GOGG:LENS SHADES:COMBUST  
SPRAY SHADE #5,PLASMA SPRAY UP TO 40KW SHADE #9,40-60KW SHADE  
#10,>60KW SHADE #11.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:A RESPIRATOR APPROVED BY NIOSH W/FILTE

R

CARTRIDGES APPROVED FOR DUST/FUMES/MISTS SHOULD BE WORN @ALL TIMES  
DURING THERMAL SPRAY PROCESS TO PROTECT OPERATOR FRM EXPO TO  
DUST/FUMES.RESP MAY ALSO BE WORN WHEN PROD HNDLG GENERATES DUST.

Ventilation:PRODUCT SHOULD BE USED WITH APPROPRIATE LOCAL EXHAUST  
VENTILATION PROVIDED.

Protective Gloves:ALUMINIZED-PLASMA SPRAY;RUBB-OTHER.

Eye Protection:GOGGLES. (SEE OTHER PRECAUTIONS)

Other Protective Equipment:EAR PROT FOR EXCESS NOISE LEVEL.ALUMINIZED  
APRON FOR PLASMA SPRAY.O

OTHER APPROXIMATE PROPERTIES AS  
NECESSARY. EYE WASH. WASH FACIL  
Work Hygienic Practices: WASH WELL AFTER HANDLING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Melt/Freeze Pt:M.P/F.P Text:2000F,1093C  
Spec Gravity:3.7  
Solubility in Water:NEGATIVE  
Appearance and Odor:POWDER, NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDIZERS, ACIDS, SULFUR, NI(NO3)2, COMBUSTIBLE  
S.  
Stability Condition to Avoid:AVOID CONTACT OF POWDER WITH WATER &  
OXIDIZERS.  
Hazardous Decomposition Products:OZONE & NITRIC OXIDE ARE FORM BY  
PLASMA FLAME(SIMILAR TO WELDING FUMES).THIS ACTION IS INDEPENDENT  
OF METAL POWDER.

===== Disposal Considerations =====

Waste Disposal Methods:EMPTY PROD CNTNRS,PROD WASTE & CLEANING MEDIA  
SHOULD BE STORED & DISPOSED OF ACCORDING TO APPROPRIATE  
LOC/STATE/FED REGULATORY GUIDELINES. CONTAINS CO/NI:SUB  
TO  
REPORTING RQMTS OF SARA SEC313;NI:LIST ED IN HAZ AIR POLLUTANTS EPA  
CLEAN AIR ACT.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify  
and  
assume responsibility for the suitability of this information to their  
particular situation.