

METCO INC, SUB OF THE PERKIN-ELMER CORP -- METCO 72F-NS -- 3439-01-382-1225

=====
Product Identification
=====

Product ID:METCO 72F-NS

MSDS Date:08/29/1994

FSC:3439

NIIN:01-382-1225

MSDS Number: BXPWQ

=== Responsible Party ===

Company Name:METCO INC, SUB OF THE PERKIN-ELMER CORP

Address:1101 PROSPECT AVENUE

Box:1006

City:WESTBURY

State:NY

ZIP:11590-0201

Country:US

Info Phone Num:516-334-1300

Emer

gency Phone Num:800-424-9300(CHEMTREC)

CAGE:39918

=== Contractor Identification ===

Company Name:METCO INC, SUB OF THE PERKIN-ELMER CORP

Address:1101 PROSPECT AVENUE

Box:City:WESTBURY

State:NY

ZIP:11590-2724

Country:US

Phone:516-334-1300

CAGE:39918

=====
Composition/Information on Ingredients
=====

Ingred Name:TUNGSTEN CARBIDE

CAS:12070-12-1

RTECS #:YO7250000

Fraction by Wt: 87%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG W/M3

ACGIH TLV:5 MG W/M3

Ingred Name:COBALT (SARA

313)
CAS:7440-48-4
RTECS #:GF8750000
Fraction by Wt: 12%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.02 MG/M3; A3; 9495

Ingred Name:IRON
CAS:7439-89-6
RTECS #:NO4565500
Fraction by Wt: 1%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TUNGSTEN CARBIDE:INHAL/SKIN/EYE
HAZ.MA
Y CAUSE LUNG DMG & RESP TRACT/EYE/SKIN IRRIT.
COBALT:SKIN/INHAL HAZ.MAY CAUSE PROGRESSIVE,DIFFUSE PNEU,RESP
SENS,ALLERGIC DERM/ECZEMA. IRON:INHAL HAZ.MAY CAUSE SI
DEROSIS(BENIGN PNEUMOCONIOSIS). INGEST:POSSIBLE IRRITATION.
Explanation of Carcinogenicity:PER MSDS:COBALT FOUND TO BE CONFIRMED
CARCINOGEN BY OTHER REF GUIDE SOURCES SUCH AS CARC ACTIVE CHEM FRM
VAN NOSTRAND.
Effects of Overexposure:LUNG DAMAGE, RESP TRACT/EYE/SKIN IRRITATION.
PROGRESSIVE, DIFFUSE PNEUMONIA, RE
SP SENSITIZATION CHARACTERIZED BY
COUGH, WHEEZING & SHORTNESS OF BREATH. ALLERGIC DERMATITIS OR
ECZEMA. SIDEROSIS (BENIGN PNEUMOCONIOSIS).
Medical Cond Aggravated by Exposure:CONSULT A PHYSICIAN. TARGET
ORGANS:TUNGSTEN CARBIDE:LUNGS,SKIN,EYE; COBALT:LUNGS,SKIN;
IRON:LUNGS.

=====
===== First Aid Measures =====
=====

First Aid:EYE:FLUSH W/WATER FOR @LEAST 15-20MINS OPENING EYELIDS. IRRIT
PERSISTS CONSULT PHYSICIAN. SKIN:WASH W/SOAP/WATER. INHAL:EXPO

TO
FRESH AIR. CONSULT PHYSICIAN IF IRRIT/RESP DISTRESS PERSISTS.
INGEST:CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Extinguishing Media:USE CLASS D FIRE EXTINGUISHER.
Fire Fighting Procedures:TREAT AS METALLIC FIRE. USE NIOSH/MSAH
APPROVED SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE
CLOTHING IF INVOLVED IN FIRE.
Unusual Fire/Explosion Hazard:FINE METAL DUSTS FLAMM;MAY EXPLO WHEN
EXPO TO HEAT/FLAME/STRONG OXIDIZERS.TUNGS
TEN CARBIDE OXIDIZES ON
HEATING IN AIR;BURNS IN FLUORINE @RT.COBALT MAY IGN (SUP)

===== Accidental Release Measures =====

Spill Release Procedures:VACUUM LOOSE POWDER ONLY W/VACUUMS EQUIPPED
W/HEPA FILTRATION. VACUUMS APPROPRIATE FOR USE W/METALLIC DUSTS
SHOULD BE UTILIZED. WIPE AREA CLEAN. DO NOT USE WATER FOR CLEAN UP
OPERATIONS. DO NOT SWEEP. AVOID GENERATING AIRBORNE DUST.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
= Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FRM INCOMPATIBLES.STORE
CNTNRS IN WELL-VENTILATED CLEAN COOL DRY AREA.STORE IN MANNER TO
MIN PUNCTURES & BREAKAGE OF CNTNRS.
Other Precautions:AVOID INGEST/INHAL/EXCESSIVE SKIN CONTACT. AVOID
CONTACT OF POWDER W/WATER & OXIDIZERS. GOGG:LENS SHADES:COMBUST
SPRAY SHADE #5,PLASMA SPRAY UP TO 40KW SHADE #9,40-60KW SHADE
#10,>60KW SHADE #11.

===== Exposure Controls/Personal Protec
tion =====

Respiratory Protection:A RESPIRATOR APPROVED BY NIOSH W/FILTER
CARTRIDGES APPROVED FOR DUST/FUMES/MISTS SHOULD BE WORN @ALL TIMES
DURING THERMAL SPRAY PROCESS TO PROTECT OPERATOR FRM EXPO TO
DUST/FUMES.RESP MAY ALSO BE WORN WHEN PROD HNDLG GENERATES DUST.
Ventilation:PRODUCT SHOULD BE USED WITH APPROPRIATE LOCAL EXHAUST
VENTILATION PROVIDED.
Protective Gloves:ALUMINIZED-PLASMA SPRAY;RUBB-OTHER.
Eye Protection:GOGGLES. (SEE OTHER PRECAUTIONS)
Other Protective

Equipment:EAR PROT FOR EXCESS NOISE LEVEL.ALUMINIZED
APRON FOR PLASMA SPRAY.OTHER APPRO PROT CLOTH AS
NECESSARY.EYEWASH.WASH FACIL

Work Hygienic Practices:WASH WELL AFTER HANDLING.

Supplemental Safety and Health

FIRE/EXPLO HAZ:IF AIRBORNE IN PRESENCE OF IGN SOURCE/SPONTANEOUSLY.IRON
MAY IGN IF AIRBORNE IN PRESENCE OF IGN SOURCE.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:2200F,1204C

Spec Gravity:4.5-6.3

Appearance and Od

or:POWDER, NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS, ACIDS, SULFUR, NI(NO3)2, COMBUSTIBLES.

Stability Condition to Avoid:AVOID ALL SOURCES OF IGNITION, DUST
GENERATION, & WATER.

Hazardous Decomposition Products:OZONE & NITRIC OXIDE ARE FORM BY
PLASMA FLAME(SIMILAR TO WELDING FUMES).THIS ACTION IS INDEPENDENT
OF METAL POWDER.

===== Disposal Considerations =====

Waste Disposal Methods:EMPTY PROD CNTNRS,PROD WASTE,& CLEANING MEDIA
SHOULD BE STORED & DISPOSED OF ACCORDING TO APPROPRIATE LOCAL,
STATE AND FEDERAL REGULATORY GUIDELINES. CONTAINS COBALT:SUB TO
REPORTING RQMTS OF SARA SE C313 & ON HAZ AIR POLLUTANTS EPA CLEAN
AIR ACT.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.