BROMINE COMPOUNDS LTD -- TETRABROMOETHANE -- 9160-00-209-8020

Product ID: TETRABROMOETHANE MSDS Date:11/01/1991 FSC:9160 NIIN:00-209-8020 MSDS Number: BXQCW === Responsible Party === Company Name: BROMINE COMPOUNDS LTD CAGE:KO624 === Contractor Identification === Company Name: BROMINE COMPOUNDS LTD CAGE:KO624 Company Name: UEHLING INSTRUMENT CO Box:2157 City:PATTERS ON State:NJ ZIP:07509-2157 Country:US Phone:201-742-8710 CAGE:61543

Ingred Name:TETRABROMOETHANE CAS:79-27-6 RTECS #:KI8225000 Fraction by Wt: 98.6%

LD50 LC50 Mixture:LD50: (ORAL,RAT) 1100 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EYE-MILD IRRI TANT.

SKIN-MODERATE IRRITANT. INHALATION-MAY CAUSE BILIRIUBINURIA, MONOCYTOSIS, PULMONARY EDEMA, LIVER AND KIDNEY DAMAGES. CHRONIC: PROLONGED EXPOSURE TO TBE MAY CAUSE LIVER AND KI DNEY DAMAGE. Explanation of Carcinogenicity:MUTAGENICITY: POSITIVE. Effects of Overexposure:INHALATION-IRRITATION OF THE THROAT, HEADACHE, ABDOMINAL CRAMPS, VOMITING, ANOREXIA, DROWSINESS, YELLOWING OF THE SKIN, DARK URINE AND UNCONSCIOUSNESS IN SEVERE CASES.

Medical Cond Aggravated by Exposure:NON

E SPECIFIED BY MANUFACTURER.

First Aid:EYES-FLUSH EYES PROMPTLY WITH COPIOUS FLOWING WATER FOR 15 MINUTES. GET MEDICAL AID. SKIN-REMOVE CLOTHING. WASH SKIN WITH MILD SOAP & PLENTY OF WATER. GET MEDICAL AID. INHALATION-REMOVE PERSON TO FRES H AIR. KEEP QUIET & WARM. APPLY ARTIFICIAL RESPIRATION IF NEEDED & GET MEDICAL AID. INGESTION-WASH MOUTH WITH PLENTY OF WATER & GIVE WATER OR MILK TO DRINK. GET MEDICAL AID.

Flash Point:NON-FLAMMABLE

Autoignition Temp:Autoignition Temp Text:335C
Extinguishing Media:MATERIAL IS NOT COMBUSTIBLE. IF INVOLVED IN FIRE, USE EXTINGUISHING MEDIA APPROPIATE TO SURROUNDING CONDITIONS.
Fire Fighting Procedures:COOL CONTAINERS WITH WATER SPRAY. IN CLOSED STORES, PROVIDE FIRE-FIGHTERS WITH SELF-CONTAINED BREATHING APPARATUS IN POSITIVE PRESSURE MODE.
Unusual Fire/Explosion Hazard:WILL DECOMPO SE ABOVE 239C, RELEASING POISONOUS & CORROSIVE FUMES OF BROMINE, HYDROGEN BROMIDE & CARBONYL

BROMIDE.

Spill Release Procedures:EVACUATE AREA. WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS & HEAVY RUBBER GLOVES. ABSORB ON SAND OR VERMICULITE & PLACE IN CLOSED CONTAINER FOR DISPOSAL. VENTILATE AREA AND WASH SPILL SITE A FTER MATERIAL PICKUP IS COMPLETE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURE R.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE IN A DRY, COOLL, VENTILATED AREA AWAY FROM INCOMPATIBLE MATERIALS. AVOID BODILY CONTACT.

Other Precautions: SAFETY SHOWER AND EYE BATH SHOULD BE PROVIDED. DO NOT EAT, DRINK OR SMOKE UNTIL AFTER WORK ABLUTION.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: APPROVED RESPIRATOR. Ventilation: VENTILATION

MUST BE SUFFICIENT TO MAINTAIN DUST BELOW TLV (1 PPM). Protective Gloves: PROTECTIVE GLOVES. Eye Protection: CHEMICAL SAFETY GOGGLES. Other Protective Equipment: BODY COVERING CLOTHES AND BOOTS. Work Hygienic Practices: WASH CLOTHES THOROUGHLY AFTER BEING CONTAMINATED. Supplemental Safety and Health POISON. HCC:T4 Boiling Pt:B.P. Text:246F,119C Melt/Freeze Pt:M.P/F.P Text:30.2F,-1C Vapor Pres:0.04 MMHG Vapor Density:11.9 2 Spec Gravity:2.96 Evaporation Rate & amp; Reference:>100(ETHYL ETHER=1) Solubility in Water:0.063@20C Appearance and Odor: COLORLESS TO YELLOWISH LIQUID WITH SWEET PUNGENT ODOR.

Stability Indicator/Materials to Avoid:YES REACTS W/CHEMICALLY ACTIVE METALS OR STRONG CAUSTICS. Stability Condition to Avoid:HIGH TEMPERATURES. IN THE PRESENCE OF STEAM, CONTACT WITH HOT IRON, ALUMINUM & ZINC MAY CAUSE FORMATION OF TOXIC V APORS.

Hazardous Decomposition Products: HYDROGEN BROMIDE, BROMINE AND CARBONYL BROMIDE.

Waste Disposal Methods:DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE OR LOCAL REGULATIONS WHE DISPOSING OF THIS SUBSTANCE.

Disclaimer (provided with this information by the compiling agencies): This informa tion is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.