

ROYAL LUBRICANTS COMPANY INC. -- ROYCO 13E -- 9150-00-935-4019

===== Product Identification =====

Product ID:ROYCO 13E

MSDS Date:08/03/1993

FSC:9150

NIIN:00-935-4019

MSDS Number: BXQFS

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:6 CAMPUS DR

City:PARSIPPANY

State:NJ

ZIP:07054

Country:US

Info Phone Num:201-887-7410

Emergency Phone Num:201-887-7411

CAGE:07950

=== Con

tractor Identification ===

Company Name:CONVOY OIL CORP

Address:1410 N FRONT STREET

Box:29366

City:PHILADELPHIA

State:PA

ZIP:19125

Country:US

Phone:215-739-5281

CAGE:6A438

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

===== Composition/Information on Ingredients =====

Ingred Name:SILICONE

CAS:63148-52-7

Fraction by Wt: 50-60%

Other REC Limits:NONE RECOMMENDED

Ingred N

ame:POLYTETRAFLUORO ETHYLENE (TEFLON)

CAS:116-14-3

RTECS #:KX4025000

Fraction by Wt: 40-45%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST

Ingred Name:MINOR ADDITIVES

Fraction by Wt: 200F,>93C

Lower Limits:N/AV

Upper Limits:N/AV

Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.DO
NOT USE DIRECT STREAM OF WATER.PRODUCT FLOATS & REIGNITES ON
SURFACE

Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO
NOT ENTER CO

NFINED FIRE SPACE WITHOUT FULL BUNKER GEAR, INCLUDING
POSITIVE PRESSURE NIOSH APPROVED SCBA.

Unusual Fire/Explosion Hazard:COOL FIRE EXPOSED CONTAINERS WITH WATER.

===== Accidental Release Measures =====

Spill Release Procedures:MAY BURN ALTHOUGH NOT READILY IGNITABLE.

SMALL SPILLSTAKE UP WITH AN ABSORBANT MATERIAL AND DISPOSE OF
PROPERLY.

===== Handling and Storage =====

Handling and Storage Precautions:STORE I

N A COOL, DRY PLACE WITH

ADEQUATE VENTILATION. KEEP AWAY FROM FLAMES AND HIGH TEMPERATURES.

Other Precautions:THIS PRODUCT IS CONSIDERED TO BE AN OIL UNDER EPA
SECT. 311,SPILL INTO OR LEADING TO SURFACE WATERS THAT CAUSE A
SHEEN MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER AT
800-424-8802.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:OVEREXPOSURE-USE NIOSH-APPROVED RESPIRATOR TO
PREVENT OVEREXPOSURE. IN ACCORD WITH 29CFR1910

.134 USE EITHER AN

ATMOSPHERE SUPPLYING RESPIRATOR OR AN AIR PURIFYING RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:NITRILE RUBBER GLOVES

Eye Protection:WEAR SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:WEAR GLOVES & OTHER CLOTHING AS REQUIRED TO MINIMIZE CONTACT. HAVE EMERGENCY EYE WASH AND SAFETY SHOWER AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP & WATER BEFORE EATING, DRINKING OR SMOKING. LAUN

DER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

MINIMIZE SKIN AND EYE CONTACT.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:N/AV

Melt/Freeze Pt:M.P/F.P Text:N/AV

Decomp Temp:Decomp Text:N/AV

Vapor Pres:N/AV

Vapor Density:N/AV

Spec Gravity: