

CANON INC -- 92291A, P170 TONER CARTRIDGE FOR HP LASERJET III SI, -- 6850-01-398-2398
===== Product Identification =====

Product ID:92291A, P170 TONER CARTRIDGE FOR HP LASERJET III SI,
MSDS Date:11/15/1990

FSC:6850

NIIN:01-398-2398

MSDS Number: BXQJC

=== Responsible Party ===

Company Name:CANON INC

Address:30-2 SHIRMOMARUKO 3 CHROME

City:OMTA-KU, TOKYO

Country:JA

Info Phone Num:516-328-5600

Emergen

cy Phone Num:516-328-5600

CAGE:EO274

=== Contractor Identification ===

Company Name:CANON INC

Address:30-2 SHIMOMARUKO 3-CHOME, OHTA-KU

Box:City:TOKYO

Country:JA

Phone:03-3758-2111/ 516-328-5600(USA)

CAGE:EO274

Company Name:HEWLETT-PACKARD CO, CORPORATE HQ

Address:3000 MINUTEMAN RD

Box:City:ANDOVER

State:MA

ZIP:01810-1032

Country:US

Phone:404-648-8754/FAX: 800-947-3299

CAGE:28480

Company Name:TONER ETC

Address:124 HERITAGE AVE

Box:City:PORTSMOUTH

State:NH

ZIP:03801

Country:US

Phone:800-370-866

3 603-431-3624
CAGE:0YL79

=====
Composition/Information on Ingredients
=====

Ingred Name:STYRENE ACRYLATE COPLOYMER
Fraction by Wt: 45-55%
Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE
CAS:1317-61-9
Fraction by Wt: 45-55%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3
ACGIH TLV:5 MG/M3

Ingred Name:AMORPHOUS SILICA
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: 0.5-2%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3

=====
=== Hazards Identification =====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-TONER POWDER IS NOT ACCESSIBLE
UNTIL THE CARTRIDGE IS FORCED TO BE BROKEN. INHALATION:TONER POWDER
IS FINELY DIVIDED SOLID. DO NOT BREATHE THE DUST. EYE:NO SPECIFIC
HAZARD IS KNOWN TO CANON. HOW EVER, ANY MATERIAL THAT CONTACTS TH
E
EYE MAY BE IRRITATING. SKIN:LOW HAZARD FOR INDUSTRIAL HANDLING.
CHRONIC-NO DATA.
Explanation of Carcinogenicity:NO CARCINOGEN OR POTENTIAL CARCINOGEN,
ACCORDING TO IARC, NTP, OSHA REGULATION & EC DIRECTIVE.
Effects of Overexposure:MFR GAVE NO INFORMATION ON MSDS.
Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

=====
First Aid Measures
=====

First Aid:EYE CONTACT:FLUSH W/PLENTY OF WATER. SKIN CONTACT:WASH W/SOAP
& WATE

R.

=====
Fire Fighting Measures
=====

Flash Point:NON FLAMMABLE

Extinguishing Media:CARBON DIOXIDE, WATER, DRY CHEMICALS

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:THIS MATERIAL, LIKE MOST ORGANIC MATERIAL
IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

=====
Accidental Release Measures
=====

Spill Release Procedures:NO TONER SPILLAGE OCCURS IN NORMAL OPERATION
OR HANDLING. IF IT SHOULD OCCUR, AVOID INHALATION OF THE DUST.

SWEEP MATERIAL ONTO PAPER OR COLLECT IT.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM STRONG OXIDIZING
AGENTS. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE REQUIRED.

Ventilation:USE GENERAL VENTILATION SHOULD BE SUFFICIENT.

Protective

Gloves:NONE REQUIRED

Eye Protection:NONE REQUIRED

Other Protective Equipment:NONE REQUIRED

Work Hygienic Practices:MFR:? HMIS:USE GOOD INDUSTRIAL HYGIENE
PRACTICES. MINIMIZE CONTACT & WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

PRODUCT IS USED IN HEWLETT-PACKARD LASERJET III. TONER IS CONTAINED
IN A CARTRIDGE.

=====
Physical/Chemical Properties
=====

HCC:V7

NRC/State Lic Num:NONE

Melt/Freeze Pt:M.P/F.P Text:212F,100C

Vapor Pres:NEGLIG

IBLE
Spec Gravity:1.4-1.6
Evaporation Rate & Reference:NEGLIGIBLE
Solubility in Water:NEGLIGIBLE
Appearance and Odor:FINE POWDER; SLIGHT PLASTIC ODOR. COLOR NOT REPORTED.
Percent Volatiles by Volume:NEGLIG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:MFR GAVE NO INFORMATION ON MSDS.
Hazardous Decomposition Products:COMBUSTION WILL PRODUCE CARBON DIOXIDE & POSSIBLY TOXIC CHEMICALS SUCH AS CARBON MONOXIDE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:THIS PRODUCT IS CONSTRUCTED FROM PLASTICS & METALS. THE WASTE TONER COULD BE CONSIDERED AS PLASTIC WASTE. DISPOSAL SHOULD BE SUBJECT TO FEDERAL, STATE & LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.